



20' & 24'

STANDARD FEATURES

- > All Aluminum Construction, Integrated Frame Design
- > Flat Front w/Cast Corners
- 2"x8" Integrated Frame
- 16" O/C Floor, Wall & Roof Studs
- Hidden Beavertail Construction
- Screwless .050" Bonded Sides
- One-Piece Aluminum Roof
- Smooth Aluminum Fenders
- > Dexter Torsion Ride Axles
- Spread Axle Design
- 24" Stone Guard
- Safety Chains
- > 5000lb Center Wheel Jack

- > 110 Package #5: (1) 60A Breaker Panel > w/Converter & Motor Base Plug, (2) 3-Way Wall Switches, (1) GFI Wall Receptacle, (1) Standard Wall Receptacle, (1) USB Receptacle, (2) 4' Wraparound **LED Lights**
- .090" Wall Studs
- 36"x78" Side Access Door
- Aluminum Pull-Out Step
- Roof Vent (Reinforced w/Stub Wire for Future A/C)
- HD Rear Ramp w/Spring Assist
- Premium Aluminum Ramp Hinges
- > Freezer Latch System for Rear Ramp

- 2020 Rear Canopy (Spoiler System) w/ **LED Load Lights**
- > 7" Base Rail & 3" Top Rail Trim
- > Drop Down Rear Corners Jacks (Pair)
- (2) K60 LED Scene Lights (Curbside)
- > (2) K60 LED Scene Lights (Rear)
- > LED Porch Light Over Side Access Door
- > 6' Straight Base Cabinet, 6' Overhead Cabinet & 24" Wardrobe Cabinet (Black Trim, Exterior Skin Color Match)
- > (4) HD 5000# Recessed D-Rings (Floor)
- (4) HD 5000# Recessed D-Rings (Floor)
- > Rubber TPO Decking (Box & Ramp) > .030" Bonded Walls & Ceiling (White

- Skin)
- > Extruded Kick Panel (Black)
- > Interior Cove Trim (Black)
- > (20) Interior LED Puck Lights
- > 14' Titan Lift: Split Rail Design 6000# Capacity
- > 6' Loft (78" From Floor; 4' on 20')
- > Premium Exterior Light Package (Integrated Slim Brake / Backup Lights & Clear Lens Marker Lights)
- > 6'x8' Elite Escape Door w/Removable Fender & Butterfly Latch System
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	8.5x20	8.5x24	
Model Number	C8.5x20CH-PPSST	C8.5x24CH-PPSST	
Box (WxLxH)	99"x20'x132"	99"x24'x132"	
Interior (WxLxH)	96"x19'10"x130"	96"x23'10"x130"	
Overall (WxLxH)	02"x24'x153"	102"x28'x130"	
Deck Height	21.5"	21.5"	
Hitch Height	19"	19"	
Rear Door Opening (WxH)	89"x93"	89"x93"	
Axle(s) - Qty/Rating	2-6000# Braked	2-6000# Braked	
Wheels	16" Aluminum	16" Aluminum	
Tires	235/80R16	235/80R16	
GVWR	12,000#	12,000#	
Curb Weight	TBD	TBD	
Payload	TBD	TBD	
Coupler Rating/Ball Size	15000# / 2-5/16"	15000# / 2-5/16"	
Power Connection	7-Way Round	7-Way Round	



ENCLOSED PINNACLE

STACKER CAR HAULERS CONTINUED

20' & 24' continued

OPTIONS & ACCESSORIES

CONSTRUCTION

Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)

Two-Tone Color Package w/6" Anodized Divider

Two-Tone Color Package w/No Anodized Divider

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

Spare 16" Silver Mod Wheel w/ 235/80R16 Tire

Spare 16" G-Rated Silver Mod Wheel w/ 235/80R16 Tire (14 Ply Rating)

Spare 16" Aluminum Wheel w/ 235/80R16 Tire

2024 Interior Elevated Spare Tire Mount (Universal Fitment)

AXLE OPTIONS

Upgrade to 2-7K Torsion Braked Axles (From 2-6K Torsion Braked) DOOR/WINDOW/VENT OPTIONS

Upgrade to 6' Extruded Aluminum Bi-Fold Ramp Extension

FLOORING OPTIONS

Upgrade to Extruded Aluminum Decking from Rubber TPO Decking

Airline Track (Recessed in Floor; Aluminum, PLF)

CABINET OPTIONS

Generator Cabinet Package: 28" L-Shape Extension, 30"x30" Generator Box, 30"x30" Generator Door w/Salem Vent (Moves 24" Wardrobe Closet to C/S)

COLOR OPTIONS



Flat Black



Windstar Silver

Penske Yellow

Forest Green

Orange

Indigo Blue















CAR HAULER & GOOSENECK POPULAR OPTIONS

CONSTRUCTION OPTIONS

CONSTRUCTION OPTIONS

Upgrade to 48" V-Nose (From Flat Front w/Cast Corners)

Add Slope in V-Nose

Cast Polished Corners for Flat Front

Upgrade to Radius Roof Construction (Up to 30'; Sloped V-Nose, Cast Corners, & Rear Canopies Not Available w/This Option)

2' Round Nose w/Anodized Nose Cone

3" Extra Height

6" Extra Height

9" Extra Height

12" Extra Height

15" Extra Height (Requires .080" Wall Stud Upgrade & HD Rear Ramp)

18" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080" Wall Stud Upgrade)

21" Extra Height (Requires .080" Wall Stud Upgrade & HD Rear Ramp)

24" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080" Wall Stud Upgrade)

Height Decrease 6"

Height Decrease 12"

Additional Length in 2' Intervals (8.5' Wide)

Upgrade Trailer Sub Frame to 2"x8" (From 2"x6"; PBF)

Reverse Beavertail Construction (7' & Wider)

12" Extended Tongue (For 3K Tandem Axle Enclosed w/2"x5" Frame; Includes Center Beam Upgrade

16" Extended Tongue (For 5K Tandem Axle Enclosed; Trailer Must Have 2"x6" Frame or Larger)

Upgrade to 3" Adjustable 2-5/16" A-Frame Coupler

Upgrade to 8000# Pedestal Jack (From Wheel or Center Jack)

CONSTRUCTION OPTIONS (CONTINUED)

Upgrade to 10000# Pedestal Jack (From Wheel or Center Jack)

Upgrade to Electric Landing Gear (Gooseneck Models Only)

Upgrade to Big Foot Hydraulic Landing Gear (Gooseneck Models Only; Single Leg)

Upgrade to 8K Big Foot Hydraulic Jack (Bumper Pull; Flat Front Models Only)

Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)

Upgrade to Trussed Roof System (Not Compatible w/Radius Roof)

Upgrade to .080" Wall Studs

Upgrade Wall Studs to 2"x2" (PBF)

Upgrade Ceiling Studs to 2"x2" (PBF)

Walk On Roof (Reinforced; PBF)

Heavy Duty Winch Mount (Winch Not Included)

8' Platform Roof w/Ladder & Rail Kit

14' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)

16' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)

18' Catwalk (Includes Ladder to Roof & 5 Ladder Racks)

20' Catwalk (Includes Ladder to Roof & 6 Ladder Racks)

Ladder to Roof (Outside V-Nose)

Upgrade to Roller on Rear Ladder Rack

Ladder Racks

Rear Canopy Loading Light System (2013 Version; Not Available w/Radius Roof)

Rear Canopy Loading Light System (2020 Version; Not Available w/Radius Roof)

32"x72" Radius RV Door w/Screen (Window Optional)

Upgrade to Dexter 32"x72" Radius Door (From 32"x72" Piano Hinged Door)

DOORS, RAMPS, & COMPARTMENTS

DOORS, RAMPS, & COMPARTMENTS

Upgrade to 32"x72" Radius RV Door w/Screen, Window Optional (From Standard 32"x72" Side Access Door)

Upgrade to 36" Wide Side Access Door (From 32")

Upgrade to 48" Wide Side Access Door (From 32")

48"x72" Split Side Access Door(s)

Upgrade to 48"x72" Split Side Access Doors (From 32"x72" Side Access Door)

Upgrade to 78" Height Side Access Door (From 72"; Excludes Radius RV Door)

Double Barn Doors (Replaces Standard Rear Ramp; Removes Beavertail)

Barn Doors on Side of Trailer (74"x72")

Ramp Door w/Spring Assist on Side of Trailer (74" x 72")

Upgrade to X-Wide 95" Rear Opening (Rear Ramp Only)

Diamond Plate Transition Flap (Ramp to Box)

Aluminum Starter Flap to Rear Ramp

Add (2) 2x4 Wingstock Stringers to Rear Ramp (CH Grade Only; Max. Weight Capacity 5000#)

Generator Door (30"x30") w/Salem Vent & Paddle Handle (Lockable)

DOORS, RAMPS, & COMPARTMENTS (CONTINUED)

Generator Door (36"x36") w/Salem Vent & Paddle Handle (Lockable)

Generator Compartment (30"Hx30"Wx24"D), Door Optional

Generator Compartment (36"Hx36"Wx24"D), Door Optional

Slide Out Generator Tray

Upgrade to Insulated Generator Compartment (Requires Generator Compartment)

Under Gooseneck Generator Compartment w/Door & Vent (33"W x 20"H x 22"D)

Under Gooseneck Storage Compartment w/Flip-Up Door (60"W x 28"H x 24"D)

Propane Compartment (30"H x 30"W x 24") w/Vented Non Locking Door

Propane Compartment (36"H x 36"W x 24") w/Vented Non Locking Door

14"x14" Fuel Door w/Paddle Handle

24"x24" Fuel Door w/Paddle Handle

Concession Door 4'x4'

Concession Door 4'x6'

Concession Door 4'x8'

Escape Door 4'x4' (Driver's Side Over Wheel Well)



DOORS, RAMPS, & COMPARTMENTS CONTINUED

DOORS, RAMPS, & COMPARTMENTS

Elite Escape Door (6'W x 8'L Fold Up Door w/Removable Fender; Extends to 9'L w/ Spread Axle Upgrade)

30"x30" Hatch Door

RV-Style Pull-Out Step (Steel)

Aluminum Fold-Down Step

Powder Coated Aluminum Flip-Down Step

Upgrade to Powder Coated Aluminum Flip-Down Step (From Standard)

Aluminum Pull-Out Step

Aluminum Loop Step (Stationary)

Rear Full Length Step Across Rear of Trailer (12" Deep w/Expanded Aluminum on Top; Rarn Doors Only)

Aluminum Grab Handle For Side Access Door

Keyed Locking Hasps for Rear Ramp

Upgrade to L-Latches/Freezer Latches (Per Ramp; Replaces Locking Bars; Premium Models w/CH Grade Rear Ramp Only)

DOORS, RAMPS, & COMPARTMENTS (CONTINUED)

Upgrade to Premium Aluminum Ramp Hinges (Set; From S/S Strap Hinges; For Premium CH/GN Models)

Upgrade to Full Piano Hinge For Rear Ramp

Locking Bar for Side Access Door

Keyed Locking Hasps for Side Door Locking Bar

Upgrade to Full Piano Hinge For Side Access Door

Rear Door Air Curtain

Pull-Down Screen for Rear Door Opening

Pop-Out Tent Bed (60"H x 80"L Rough Opening)

Keyless Entry System (For Side Access Door)

Upgrade to 6' Extruded Aluminum Bi-Fold Ramp Extension (Car Hauler Models)

Rear Stowable Ramp Kit: (2) 26"x6' Ramps, Extrusion to Hook Ramps, (4) Extra Strap Hinges (Ramps to Stow Interior of Barn Doors)

EXTERIOR OPTIONS

EXTERIOR OPTIONS

.040" Skin Upgrade (Black, White, & Silver Only)

.050" Skin Upgrade (Black & White Only)

Upgrade to .078" PolyCOR Exterior Skin (Available in Black, White, Charcoal & Silver)

Anodized Aluminum Side & Rear Trim Panel (12"; PBF)

Aluminum Diamond Plate Side & Rear Trim Panel (12"; PBF)

Anodized Aluminum Side & Rear Trim Panel (24"; PBF)

Aluminum Diamond Plate Side & Rear Trim Panel (24"; PBF)

Upgrade to Larger 7" Bottom Trim (PBF)

EXTERIOR OPTIONS (CONTINUED)

Upgrade to 36" Stone Guard (From 24")

Upgrade to 48" Stone Guard (From 24")

Two-Tone Color Package w/No Anodized Divider

Two-Tone Color w/6" Anodized Divider

Two-Tone Color w/12" Anodized Divider

Two-Tone Color w/24" Anodized Divider

Upgrade to Anodized Nose Cone

Add Red & White DOT Tape to Trailer (PLF; Required on Any Trailer Over 10,000lb GVWR)

Upgrade to Translucent Roofing (From Mill-Finish Aluminum; PBF)

INTERIOR OPTIONS

INTERIOR OPTIONS

White .030" Aluminum Ceiling (Screwed)

White .030" Aluminum Side Walls (Bonded)

White .030" Aluminum Side Walls (Screwed)

White .030" Aluminum Ceiling (Bonded)

White Vinyl Backed Luan (Ceiling Only; PBF)

Upgrade to 3/8" Water Resistant Walls (Cargo Trailers; From White Luan Walls; PBF)

Upgrade to 3/8" Plywood Walls (Cargo Trailers; From White Luan Walls; PBF)

Upgrade to 1/2" Plywood Walls (Cargo Trailers; PBF)

3/4" Foam Insulation (Side Walls; PBF)

3/4" Foam Insulation (Ceiling; Liner Required)

.030" Aluminum Cove (All Colors)

Anodized Roof Coves

Anodized Spring Cover

Diamond Plate Spring Cover

INTERIOR OPTIONS (CONTINUED)

Drive-Over Fender Kit (Heavy Duty; 3/16" Mill Finish Aluminum)

Drive Over Fender Kit (Sloped w/Ski Guides; .090" Mill Finish)

2" Foam Insulation (Ceiling Only; PBF)

Upgrade to 2" Foam Insulation (Ceiling Only; PBF)

.030" Aluminum Spring Assist Cover for Rear Ramp Door

Partition Wall w/32" Access Door

Diamond Plate Kick Plate (6")

Diamond Plate Kick Plate (12")

Diamond Plate Kick Plate (24")

Water Resistant Kick Plate (12")

Extruded Aluminum Kick Plate (6")

Carpet on Walls (Charcoal; 3' Up Wall; 4' For V-Nose)

Upgrade to Black TPO Coin Walls (3' Up Wall; 4' For V-Nose; PLF)



FLOORING

FLOORING

Upgrade to 3/4" Pressure Treated Plywood (From 3/4" Water Resistant Decking)

Upgrade to 3/4" Quad Ply Decking (Non-Skid Surface, FRP Backer; PBF)

Additional Layer of 3/4" Water Resistant Decking

Upgrade to Extruded Aluminum Floor (Charge for Ramp & V-Nose; PLF)

Aluminum Diamond Plate Floor Overlay (.045"; PLF)

Upgrade to Black Marble Vinyl Flooring (PLF)

Upgrade to Checkerboard Vinyl Flooring (Black & White; PLF)

Painted Epoxy Floor Covering (PBF)

FLOORING (CONTINUED)

Upgrade to Rubber Coin Flooring (Black; PLF)

Upgrade to TPO Coin Flooring (Black)

Upgrade to Extruded Aluminum Floor from Rubber TPO Floor (Charge for Ramp & V-Nose; PLF)

Upgrade to Charcoal Carpet Flooring (PLF)

Upgrade to 3/4" Foam Insulated Floor

Aluminum Diamond Plate Runner (12" Single Row; .056"; PLF)

Aluminum Diamond Plate Runner (12" Double Rows; .056"; PLF)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)

Upgrade to 15" 225 Black Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)

Upgrade to 15" 225 Flat Black Mod (Radial; From 15" 225 Silver Mod Radial Wheels; Special Order)

Upgrade to 16" Silver Mod Wheels (Radial; From 15" 225 Silver Mod Radial)

Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum)

Upgrade to 16" Black Aluminum Wheels (Radial; From 15" 225 Aluminum)

Upgrade to 16" G-Rated Silver Mod Wheels (Radial; From 16" Silver Mod Radial)

Upgrade to 16" Aluminum Wheels (Radial; From 16" Silver Mod Wheels)

Upgrade to 16" Black Aluminum Wheels (Radial; From 16" Silver Mod Wheels)

Upgrade to 17.5" Aluminum Wheels (Radial; From 16" Aluminum Rims)

Upgrade to 17.5" Aluminum Wheels (Radial: From 16" Silver Mods)

Upgrade to 17.5" Aluminum Wheels (Radial; From 17.5" Silver Mod Wheels)

Upgrade to Black Aluminum Rims from Aluminum (Same Size)

Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (6-Lug)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES (CONTINUED)

Spare 16" Black Aluminum Wheel w/ 235/80R16 Tire

Spare 16" G-Rated Silver Mod Wheel w/ 235/80R16 Tire (14 Ply Rating)

Spare 17.5" Silver Mod Wheel w/ 215/75R17.5 Tire

Spare 17.5" Aluminum Wheel w/ 215/75R17.5 Tire

2024 Interior Elevated Spare Tire Mount (Universal Fitment)

Spare 15" Aluminum Wheel w/ 225/75R15 Tire (6-Lug)

Spare 15" Black Aluminum Wheel w/ 225/75R15 Tire

Spare 16" Silver Mod Wheel w/ 235/80R16 Tire

Spare 16" Aluminum Wheel w/ 235/80R16 Tire

Exterior Elevated Spare Tire Mount (Diamond Plate; Exterior Wall)

Spare Tire Mount (Interior; Floor Level)

Deluxe Recessed Spare Tire Well (Diamond Plate w/Hatch Cover)

Deluxe 8' Tire Rack (Foldable)

Integrated Heavy Duty Tire Rack

AXLES

AXLES

Upgrade to 3-3K Torsion Braked Axles (From 2-3K Braked)

Upgrade to 2-5K Torsion Braked Axles & Subframe (From 2-3K Torsion Braked Axles; Includes Axle Carrier Upgrade From 2"x5" to 2"x6")

Upgrade to 2-6K Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)

Upgrade to 2-7K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)

Upgrade to 2-8K Torsion Braked Axles (From 2-5K Braked; Includes 215/75R/17.5 Tire Upgrade; 2x8 Frame Upgrade Required)

Upgrade to 3-3K Torsion Braked Axles (From 2-5K Torsion Axles)

Upgrade to 3-5K Torsion Braked Axles (From 2-5K Braked; 2x8 Frame Upgrade Required)

Upgrade to 2-7K Torsion Braked Axles (From 2-6K Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)

Upgrade to 2-8k Torsion Braked Axles (From 2-7K Braked; Includes 215/75R/17.5 Tire Upgrade)

Upgrade to 3-7K Torsion Braked Axles (From 2-7K Braked)

AXLES (CONTINUED)

Upgrade to 2-7K Torsion Braked Axles (From 3-5K Braked)

Upgrade to 3-6K Torsion Braked Axles (From 3-5K Braked; Includes 16" Tire Upgrade)

Upgrade to 3-7K Torsion Braked Axles (From 3-5K Braked; Includes 16" Tire Upgrade)

Upgrade to 3-8k Torsion Braked Axles (From 3-5K Braked; Includes 215/75R/17.5 Tire Upgrade)

Upgrade to 2-3K Hydraulic Braked Axles (From 2-3K Torsion Braked)

Spread Axle Upgrade (Torsion) w/Tapered Fender Skirting (8' Wide)

Spread Axle Upgrade (Leaf Spring) w/Tapered Fender Skirting (8' Wide)

Upgrade to Surge Braking System (Not Available for Gooseneck Models)

Upgrade to Zero Degree Axle(s)

Upgrade to 22.5 Degree Down Axle(s)

Upgrade to 45 Degree Down Axle(s)

Upgrade to Galvanized Axle (Torsion; Minimum 4 Week Lead Time)



TIE-DOWNS

TIE-DOWNS

Light Duty Surface-Mounted D-Ring (Installed)

Light Duty Sliding D-Ring (For Recessed Slide Track; Installed)

Upgrade to Powder Coated Sliding D-Ring (From Existing Sliding D-Ring)

Heavy-Duty Recessed 5000# D-Rings w/Backing Plate

Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Zinc)

Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Stainless Steel)

Upgrade to Stainless Steel 6000# Recessed Swivel D-Rings (From 5000# Recessed Heavy Duty D-Ring w/Backing Plate; Installed)

Single Stainless Steel Tube Style Wheel Chock for Single Piece of Slide Track (Installed)

Stainless Steel Tube Style Wheel Chock

E-Track, Surface Mounted (Floor)

E-Track, Surface Mounted (Wall)

E-Track, HD Recessed w/Backing Plate (Floor)

Recessed Flip-Up Motorcycle Wheel Chock w/(4) Surface-Mounted D-Rings

Recessed Flip-Up Motorcycle Wheel Chock w/(4) Recessed Heavy Duty D-Rings

12V LIGHTING & ELECTRICAL

12V LIGHTING & ELECTRICAL

Add LED Backup Lights (Pair; Installed)

Additional LED Stop/Turn/Tail Lights (Pair; Installed)

Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)

Upgrade to Additional LED Marker Lights Bullets

Diamond Plate Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)

Anodized Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)

(2) 12V LED Load Lights w/Switch (950 Lumens)

(1) 12V LED Load Light w/Switch (950 Lumens)

Recessed LED Exterior Load Light Package: (1) Light w/Switch & Housing (950 Lumens), Side of Trailer

12V LED Porch Light w/Wall Switch

K60 LED Exterior Scene Light Package: (2) K60 Scene Lights, (1) 12V Wall Switch

 $\label{thm:mid-Ship} \mbox{Mid-Ship Turn Signals (For Tandem Fenders Only; Pair)}$

Angled Back Up Lights (Mounts on Side of Trailer)

Upgrade to 12V Electric Pedestal Jack w/Battery & Box Installed

Upgrade to 12V Electric Pedestal Jack w/o Battery

12V Power Jack (Cigarette Lighter Plug)

Upgrade to LED Economy Dome Light (From Incandescent; 460 Lumens)

12V LED Dome Light (460 Lumens)

12 Volt Wall Switch

TIE-DOWNS (CONTINUED)

Recessed Flip-Up Motorcycle Wheel Chock

Surface-Mounted Wheel Chock (Aluminum w/Mounting Hardware)

Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Surface-Mounted D-Rings

Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Heavy Duty D-Rings

E-Track, HD Recessed w/Backing Plate (Walls)

E-Track (Aluminum) Surface Mounted (Wall)

E-Track (Aluminum) HD Recessed w/Backing Plate (Floor)

E-Track (Aluminum) HD Recessed w/Backing Plate (Walls)

Airline Track (Aluminum) Surface Mounted (Floor)

Airline Track (Aluminum) Surface Mounted (Wall)

Airline Track (Recessed in Floor; Aluminum, PLF)

Airline Track (Recessed in Wall; Aluminum, PLF)

Recessed Slide Track (Track Only; D-Rings Sold Separately)

Recessed Slide Track: (2) Rows w/(4) Sliding D-Rings

Powder Coated Slide Track Upgrade (For Existing Slide Track; PBF)

12V LIGHTING & ELECTRICAL (CONTINUED)

12 Volt Wall Switch (3-Way)

Upgrade to 12 Volt (3-Way) Wall Switch

LED Puck Light Package: (8) Recessed Lights & Wall Switch (Requires Ceiling Liner)

Additional Recessed LED Puc" Light

LED Puck Light Pkg Under Overhead Cabinet: (2) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch

18" 12V LED Light (Requires Ceiling Liner)

Upgrade to Permaseal Wire Connectors

Upgrade Premium Light Package (LED Strip Lights w/Integrated Backup Lights, Marker Lights w/Clear Lenses)

Upgrade to Premium Light Package (LED Strip Lights w/No Backup Lights, Marker Lights w/Clear Lenses)

Upgrade Interior Dome Light to 12V 18" LED Light

Upgrade to (3) 18" 12V LED Light (From (2) 4' LED Wraparound; Ceiling Required)

Trickle Charger for Battery

Deep Cycle Marine Battery & Box (Wired)

12V USB-C and USB-A Dual Recessed Receptacle

LED Interior Strip Light w/Housing Package (Per Foot, Per Section)

Wireless Backup Camera System w/7" LCD Screen

Add Pair LED 6" Oval Alternating Flashing Safety Lights (Orange) w/ Exterior Toggle Switch (Hardwired Into Auxiliary; 7-Way Plug Required)



110V LIGHTING & ELECTRICAL

110V LIGHTING & ELECTRICAL

110V Power Package #1: (1) 15 AMP Motorbase Plug, (1) Wall Switch, (1) Receptacle, (1) 4' LED Wraparound Light (No Additions Available w/Pkg #1)

110V Power Package #2: (1) 30 AMP Breaker, (1) 25' Shore Line, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) GFCI Wall Receptacle, (2) 4' LED Wraparound Lights

110V Power Package #3: (1) 30 AMP Panel, (1) Wall Switch, (4) Standard Wall Receptacles, (1) GFCI Receptacle, (4) 4' LED Wraparound Lights, (1) Brace & Wire Stub for A/C Unit

110V Power Package #4: (1) 15 AMP Motorbase Plug, (2) Wall Receptacles

110V Power Package #5: (1) 60A Breaker Panel w/60A Converter & 50A Motorbase Plug, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) USB Wall Receptacle, (1) GFCI Wall Receptacle, (2) 4' LED Wraparound Lights, 12V Deep Cycle Battery & Box

15A Motor Base Plug

30A Motor Base Plug (Replaces Shoreline; 110V Package Required)

30A Power Converter (110V Pkg #2)

30A Power Cord 25' Long (For Motorbase Plug)

30A Generator Line Switch

110V LIGHTING & ELECTRICAL (CONTINUED)

Upgrade to 50 AMP Breaker Box (Requires 110V Pkg #2)

50A Power Cord 25' Long (For Motorbase Plug)

60A Power Converter (110V Pkg Reguired)

110 Volt Wall Receptacle (Installed; Requires 110V Pkg)

110 Volt Combo USB/Wall Outlet Receptacle (Installed; Requires 110V Pkg #2)

110 Volt Wall Switch (3-Way; Requires 110V Pkg #2)

Interior GFCI Wall Receptacle (Requires 30A Package)

Exterior GFCI Wall Receptacle (Requires 30A Package)

4' LED Wraparound Light (Requires 110V Pkg)

500W Swing-Mount Quartz Light

13,500 BTU Roof Mounted Air Conditioner (Requires 110V Pkg #2)

Heat Strip for A/C Unit

Brace & Stub Wire for Future AC Installation (Requires 110V Pkg #2; 12 Gauge Wire & 20A Breaker)

Heater; Electric: CADET Com-Pak Plus White Wall Fan, 1500 Watt (Requires 110V Pkg #2)

CABINETS

CABINETS

V-Nose Base Cabinet, 2-Door (99" Wide Models; 83"W x 30"D x 37"H)

V-Nose Base Cabinet, 4-Door (99" Wide Models; 83"W x 30"D x 37"H)

Upgrade V-Nose Base Cabinet to Full Width/Depth of V-Nose (72", 80", & 84" Wide Models)

Upgrade V-Nose Base Cabinet to Full Width/Depth of V-Nose (90", & 99" Wide Models)

Upgrade V-Nose Overhead Cabinet to Full Width/Depth of V-Nose (72", 80", & 84" Wide Models)

Upgrade V-Nose Overhead Cabinet to Full Width/Depth of V-Nose (90" & 99" Wide Models)

opgrade v-Nose overnead cabinet to ruii widui/depui oi v-Nose (90 & 99 wide ivid

V-Nose Overhead Cabinet, 2-Door (99" Wide Models; 56"W x 19"D x 19"H)

V-Nose Overhead Cabinet, 2-Door (99" Wide Models; 72"W x 19"D x 19"H; Special Option Cabinet)

4' Straight Wall Base Cabinet, 2-Door (48"W x 24"D x 37"H)

5' Straight Wall Base Cabinet, 2-Door (60"W x 24"D x 37"H)

6' Straight Wall Base Cabinet, 2-Door (72"W x 24"D x 37"H)

8' Straight Wall Base Cabinet, 2-Door (96"W x 24"D x 37"H)

8' Straight Wall Base Cabinet, 4-Door

Upgrade Base Cabinet to 28" L-Shape Extension

8' Flat Front 4 Door Base Cabinet

Add 4" Depth to 8' Flat Front 4-Door Base Cabinet (24" Deep)

Overhead Cabinet w/1 Flip-Up Door (48"W x13"D x 18"H)

Overhead Cabinet, 2-Door (48"W x13"D x 18"H)

Overhead Premium Cabinet w/1 Flip-Up Door (48"W x 13"D x 18"H)

48" Economy Overhead Furnace Cabinet w/1 Flip-Up Door (Furnace Not Included)

Overhead Cabinet, 1-Door (62"W x 12"D x 18"H)

60" Deluxe Overhead Furnace Cabinet w/1 Flip-Up Door (Furnace Not Included)

Deluxe Overhead Cabinet, 4-Door (72"W x 13"D x 18"H)

CABINETS (CONTINUED)

Deluxe Overhead Cabinet, 4-Door (96"W x 13"D x 18"H)

Overhead Cabinet 2 Flip-Up Door (96"W x 13"D x 18"H)

8' Flat Front 4-Door Overhead Cabinet

Add 8" Depth to 8' Flat Front 4-Door Overhead Cabinet (24" Deep)

Wheel Well Cabinet, 2-Door w/Shelving (72"W x 6 3/4"D x 62"H)

96" Premium Overhead Split Cabinet w/Center Shelf & 2 Flip-Up Doors (96"W x 18"D x 18"H)

Premium 50" Helmet Cabinet w/Hooks

24" Wardrobe Cabinet: (1) Full Height Door, (1) Shelf, (1) Clothing Rod (24"W x 24"D x 72"H)

36" Wardrobe Cabinet: (1) Full Height Door, (1) Shelf, (1) Clothing Rod (36"W x 24"D x 76"H)

Premium Wall-Mounted Coat Hanger (47.5", 10 Hooks)

Premium Ceiling-Mounted Coat Hanger (38", 22 Hooks)

48" Deluxe Boot Box w/Padded Top, Ducted (Requires Furnace Package & Vertical Duct; Not Available GN Models)

6' Horizontal Vented Duct (Angled End, 5 Vents)

8' Horizontal Vented Duct (8'Lx5"x5" w/5 Vents)

Vertical Corner Duct (Requires Furnace Package)

Add Heat Duct (PLF)

Clothing Rod for Overhead Cabinets (48" Cabinets Only)

18" Shelving w/Angled Gussets (PLF; Per Tier)

Upgrade to Formica Countertop (Base Cabinet Sold Separately)

4' Coat Rack Package (47' Slide Track w/(6) Adjustable Hooks)

Standard Tool Crib Package: (1) 72x24 Horizontal Access Door (Over Fender, w/ Retainer Chains), (2) 38x22 Vertical Access Doors (Ahead/Behind Fender), Adjustable Shelf Brackets in Vertical Cabinets, 3/8" Water Resistant Liner (Interior & Exterior of Box Frame), 19"D x 42"H x 128"L Box Frame Inside Trailer, Hinged Lid (3 Sections)



VENTS & WINDOWS

VENTS & WINDOWS

14"x14" Manual Roof Vent

12V Power Roof Vent

110V Power Roof Vent (Requires 30A Package)

Fantastic Fan/Vent (Dometic 22-0462; Requires 30A Package)

Maxx-Air Roof Vent Cover

MISC. OPTIONS & ACCESSORIES

MISC. OPTIONS & ACCESSORIES

Fold-Down Sofa/Sleeper

Fold-Down Bunk Beds

HappiJac Bed System w/(1) Queen Size Mattress

Fold Down Bench (12"x48"; Work or Seating)

Fold-Down Padded Bench (48"L) Vertical Design

Premium 50" Fold-Up Padded Bench

Premium 36" Fold-Up Work Bench w/Integrated Tool Storage

Premium Cup Holder

Premium (2) Race Fuel Holder

Premium (3) Race Fuel Holder

Basic Stereo Package: (4) Boss Speakers

Stairs to the Gooseneck Area (24"W x 32"D)

30 Gallon Fuel Transfer System: Includes 30 Gallon Tank, Fill Nozzle & Hose, Control Panel w/Gauge (Requires Marine Grade Battery)

20# Propane Tank w/Regulator (Tongue-Mounted Holder Included)

Tandem 20# Propane Tanks w/Holder & LP Regulator

SPECIAL PACKAGES

SPECIAL PACKAGES

Exterior Powder Coat Package (Cargo/Car Haulers): Includes Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim

Exterior Powder Coat Package (Gooseneck): Includes Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim

Basic Heater Package (Car Haulers): 20# Propane Tank (Tongue Mounted), White Luan Ceiling, Insulated Walls & Ceiling, 40K BTU Furnace, Safety Kit, Marine Grade Battery & Box, 48" Furnace Cabinet

Basic Heater Package (Gooseneck): (2) 30# Propane Tank w/Compartment (Under Gooseneck), White Luan Ceiling, Insulated Walls & Ceiling, 40K BTU Furnace, Safety Kit, Marine Grade Battery & Box, 96" Furnace Cabinet w/Integrated Boot Box

VENTS & WINDOWS (CONTINUED)

Directional Salem Vent Kit (Plastic; Pair)

Two-Way Directional Salem Vent Kit (Aluminum; Pair)

18"x24" Horizontal Radius Sliding Window w/Screen

18"x24" Vertical Radius Sliding Window w/Screen

24"x36" Radius Sliding Window w/Screen

24"x36" Egress Sliding Window, Tinted, w/Screen

MISC. OPTIONS & ACCESSORIES (CONTINUED)

Upgrade to Tandem 20# Propane Tanks w/Holder & LP Regulator (From 1-20#)

30# Propane Tank w/Regulator (Propane Compartment Required)

Upgrade to 30# Propane Tank (From 20#) w/Heavy Duty Mount

Upgrade to (2) 30# Propane Tank (From 20#) w/Heavy Duty Mount

Upgrade to Underslung Propane Tank (Requires Package Including Standard Propane Tank; Deckover Models Only)

Stabilizer Jacks (Interior Rear; Drop Down Pair; Installed)

Bogey/Caster Wheels (Installed; Pair)

HD Drag Wheels (AH Version)

Stabilizer Jacks

Scissor Jacks (Camper Style; Pair)

Add Exterior Marine Grade Speakers to Stereo System (Pair)

Add 3-Bay Stainless Steel Sink (Sink Package Required)

2-Burner Propane Range (Installed In Cabinet Top; Base Cabinet and Propane Tank Required)

5.0 Cu.Ft. Refrigerator (Recessed in Cabinet; 110V Package w/12V Battery or Propane w/Safety Kit & 12V Battery Required; 24"x26")

1100W Microwave (1.2 Cu.Ft.; Recessed in Cabinet)

SPECIAL PACKAGES (CONTINUED)

Basic Sink Package (Does Not Include Cabinet; Propane or 110V Power Package Required): Stainless Steel Sink, 6 Gallon Water Heater, 20 Gallon Fresh Water Tank, 20 Gallon Grey Water Tank

Custom Sink Package (Does Not Include Cabinet; Propane or 110V Power Package Required): Stainless Steel Sink, 6 Gallon Water Heater, 38 Gallon Fresh Water Tank, (2) 23 Gallon Grey Water Tanks

Kicker Stereo Package: (6) Speakers, AMP & Subwoofer, Clarion Face Unit w/Bluetooth Capabilities

Mid-Level Stereo Package: Includes (4) Speakers, AMP & Subwoofer, Pioneer AM/FM/CD Player w/ Bluetooth (Battery Sold Separately)





RAMP CAPACITY BY MODEL

RAMP TYPE	APPLICABLE MODELS	CAPACITY
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes); RA 2.0 (All Sizes); RW 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes); RA 2.0 (Optional, All Sizes); RW 2.0 (Optional, All Sizes); FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (PAIR)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
UHD Ramps (Fold-Down)	(All Sizes)	4000# (PAIR)
UHD Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Dump Trailer Ramps (Side-Stow, Optional)	(All Sizes)	4000# (PAIR)
ATV Ramps (83" Wide, Side-Stow)	(All Sizes)	1200# (PAIR)
ATV Ramps (84" or 9" Wide, Side-Stow)	(All Sizes)	750# (PAIR)
Open Motorcycle Ramp (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	U-SLINGSH0T	1500#
Open Car Hauler 2.0 Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler 2.0 Ramps 10K (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler Standard (Stow)	(All Sizes)	4000# (PAIR)
Open Snow Ramp (Rear-Stow)	SnoPro Drive On/Off	750#
Sport Deck (Rear-Stow, Telescoping Ramps)	SSD	1000#
Enclosed Cargo Ramp (4', 5', 6' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (7' & 7.5' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (8.5' Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle Ramp (7' Wide)	(All Sizes)	1500#
Enclosed Car Hauler Ramp (8.5' Wide)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Rear)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (Hybrid, Rear)	(All Sizes)	1500#





TONGUE EXTENSION BY MODEL

TRAILER TYPE	ALLOWABLE EXTENSION	ADDITIONAL REQUIREMENTS	ITEM NUMBER	DESCRIPTION
Enclosed Cargo (4' & 5' Wide)	N/A	Frame Upgrade Required; Consult Engineering	N/A	N/A
Enclosed Cargo (6', 7', 7.5' Wide)	12"	Economy Models Require Center Beam Upgrade	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame); Includes Center Beam Upgrade; Not Available With All Sport or Snow Trailers.
Enclosed Cargo (8.5' Wide, Premium)	12" (16" w/ Upgrade)	Min. 6" Frame for 16" Tongue Extension; Upgrade May Be Required	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade; Not Available With All Sport or Snow Trailers.
Enclosed Motorcycle (7' Wide)	12"	N/A	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame); Includes Center Beam Upgrade; Not Available With All Sport or Snow Trailers.
Enclosed Car Hauler (8.5' Wide, Premium)	16"	N/A	TONGUE16EXTCH	16" Extended Tongue (For 5k Tandem Axle Enclosed w/2"x6" Frame or Larger); Not Available With All Sport or Snow Trailers.
Enclosed Car Hauler - All Sport (8.5' Wide)	N/A	Extended Tongue Incompatible With Front Ramp	N/A	N/A
Enclosed Snowmobile (7' & 7.5' Wide)	N/A	Extended Tongue Incompatible With Front Ramp	N/A	N/A
Enclosed Snowmobile (101" Wide)	10"	Requires 3"x5" Tongue Upgrade w/Straight-Pull Coupler	TBD	TBD

^{**}Please note that all 5k tandem trailers w/ extended tongues require a minimum of 6" base frame, regardless of brand/model

