

# OPEN UTILITY RW 2.0

60"x8' – 80"x14'



60"x8' – 66"x10'

## STANDARD FEATURES

- > All Aluminum Construction
- > 24" O/C Floor Crossmembers
- > 2"x4" Box Tube Tongue
- > 6000# Coupler w/2" Ball
- > Leaf Spring Idler Straight Axle
- > Aluminum Fenders
- > 2"x8" Heat Treated Plank Decking
- > 2000# Center Jack
- > Integrated Aluminum Fold Down Ramp w/4-Point Extruded Hinge System
- > Fixed 2"x2" Rail Kit
- > Exterior LED Lighting
- > Limited 4-Year Warranty

## STANDARD SPECIFICATIONS

TRAILER MODEL	60X8	60X10	66X10
Model Number	U60x8RW-2.0	U60x10RW-2.0	U66x10RW-2.0
Deck (WxL)	60"x96"	60"x120"	66"x120"
Overall (WxL)	80"x174"	80"x198"	86"x198"
Deck Height	18"	18"	18"
Hitch Height	15"	15"	15"
Axle(s) - Qty/Rating	1-3500#	1-3500#	1-3500#
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15
GVWR	2990#	2990#	2990#
Curb Weight	663#	696#	756#
Payload	2327#	2294#	2234#
Power Connection	4-Way Flat	4-Way Flat	4-Way Flat

## OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

RAMP OPTIONS
Bi-Fold Ramp Upgrade
FLOORING OPTIONS
Upgrade to Extruded Aluminum Floor (PBF)
TIE-DOWN OPTIONS
Light Duty Surface-Mounted D-Ring (Installed)
5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)
Zinc 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Upgrade to 15" Aluminum (Radial; From 15" Silver Mod Radial Wheels)
Bolt-On Spare Tire Carrier (Tongue-Mounted)
RAIL KIT OPTIONS (R-W)
Upgrade to PT Solid Rail Kit (PBF)
Upgrade 1"x2" Fixed Rail Kit to Solid Diamond Plate (PBF)



# OPEN UTILITY RW 2.0

60"x8' – 80"x14' CONTINUED

## 72"x10' – 80"x14'

### STANDARD FEATURES

- > All Aluminum Construction
- > 24" O/C Floor Crossmembers
- > 2"x4" Box Tube Tongue
- > 6000# Coupler w/2" Ball
- > Leaf Spring Idler Straight Axle
- > Aluminum Fenders
- > 2"x8" Heat Treated Plank Decking
- > 2000# Center Jack
- > Integrated Aluminum Fold Down Ramp w/4-Point Extruded Hinge System
- > Fixed 2"x2" Rail Kit
- > Exterior LED Lighting
- > Limited 4-Year Warranty

### STANDARD SPECIFICATIONS

TRAILER MODEL	72X10	72X12	72X14	80X10	80X12	80X14
<b>Model Number</b>	U72x10RW-2.0	U72x12RW-2.0	U72x14RW-2.0	U80x10RW-2.0	U80x12RW-2.0	U80x14RW-2.0
<b>Deck (WxL)</b>	72"x120"	72"x144"	72"x168"	80"x120"	80"x144"	80"x168"
<b>Overall (WxL)</b>	94"x198"	94"x222"	94"x246"	100"x198"	100"x222"	100"x246"
<b>Deck Height</b>	18"	18"	18"	18"	18"	18"
<b>Hitch Height</b>	15"	15"	15"	15"	15"	15"
<b>Axle(s) - Qty/Rating</b>	1-3500#	1-3500#	1-3500#	1-3500#	1-3500#	1-3500#
<b>Wheels</b>	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
<b>Tires</b>	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
<b>GVWR</b>	2990#	2990#	2990#	2990#	2990#	2990#
<b>Curb Weight</b>	756#	796#	836#	906#	944#	982#
<b>Payload</b>	2234#	2194#	2154#	2084#	2046#	2008#
<b>Power Connection</b>	4-Way Flat	4-Way Flat	4-Way Flat	4-Way Flat	4-Way Flat	4-Way Flat

### OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

RAMP OPTIONS
Bi-Fold Ramp Upgrade
FLOORING OPTIONS
Upgrade to Extruded Aluminum Floor (PBF)
TIE-DOWN OPTIONS
Light Duty Surface-Mounted D-Ring (Installed)
5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)
Zinc 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Upgrade to 15" Aluminum (Radial; From 15" Silver Mod Radial Wheels)
Bolt-On Spare Tire Carrier (Tongue-Mounted)
RAIL KIT OPTIONS (RW)
Add ATV Ramp Side Kit (On RW 2.0 Models, 12')
Upgrade to PT Solid Rail Kit (PBF)
Upgrade 1"x2" Fixed Rail Kit to Solid Diamond Plate (PBF)



# RAMP CAPACITY BY MODEL

RAMP TYPE	APPLICABLE MODELS	CAPACITY
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes); RA 2.0 (All Sizes); RW 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes); RA 2.0 (Optional, All Sizes); RW 2.0 (Optional, All Sizes); FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (PAIR)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
UHD Ramps (Fold-Down)	(All Sizes)	4000# (PAIR)
UHD Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Dump Trailer Ramps (Side-Stow, Optional)	(All Sizes)	4000# (PAIR)
ATV Ramps (83" Wide, Side-Stow)	(All Sizes)	1200# (PAIR)
ATV Ramps (84" or 9" Wide, Side-Stow)	(All Sizes)	750# (PAIR)
Open Motorcycle Ramp (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	U-SLINGSHOT	1500#
Open Car Hauler 2.0 Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler 2.0 Ramps 10K (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler Standard (Stow)	(All Sizes)	4000# (PAIR)
Open Snow Ramp (Rear-Stow)	SnoPro Drive On/Off	750#
Sport Deck (Rear-Stow, Telescoping Ramps)	SSD	1000#
Enclosed Cargo Ramp (4', 5', 6' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (7' & 7.5' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (8.5' Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle Ramp (7' Wide)	(All Sizes)	1500#
Enclosed Car Hauler Ramp (8.5' Wide)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Rear)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (Hybrid, Rear)	(All Sizes)	1500#