

OPEN UTILITY RW 2.0

60"x8' – 80"x14'



60"x8' – 66"x10'

STANDARD FEATURES

- › All-Aluminum Construction
- › 2"x4" Box Tube Tongue
- › 24" O/C Floor Crossmembers
- › 2000# Center Jack
- › Leaf Spring Idler Straight Axle
- › Integrated Aluminum Fold Down Ramp
- › Exterior LED Lighting
- › 3-Piece Extruded Hinge System
- › 2"x8" Heat Treated Plank Decking
- › 2"x2" Rail Kit
- › Aluminum Fenders
- › 6000# Coupler w/2" Ball
- › 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	60X8	60X10	66X10
Model Number	U60x8RW-2.0	U60x10RW-2.0	U66x10RW-2.0
Deck (WxL)	60"x96"	60"x120"	66"x120"
Overall (WxL)	80"x174"	80"x198"	86"x198"
Deck Height	18"	18"	18"
Hitch Height	15"	15"	15"
Axle(s) - Qty/Rating	1-3500#	1-3500#	1-3500#
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15
GVWR	2990#	2990#	2990#
Curb Weight	663#	696#	756#
Payload	2327#	2294#	2234#
Power Connection	4-Way Flat	4-Way Flat	4-Way Flat

OPTIONS & ACCESSORIES

RAMP OPTIONS
Bi-Fold Ramp Upgrade
FLOORING OPTIONS
Upgrade to Extruded Aluminum Floor (PBF)
TIE-DOWN OPTIONS
Light Duty Surface-Mounted D-Ring (Installed)
5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)
Zinc 6000# Recessed Swivel D-Ring w/ Backing Plate (Installed)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Upgrade to 15" Aluminum (Radial; From 15" Silver Mod Radial Wheels)
Bolt-On Spare Tire Carrier (Tongue-Mounted)
RAIL KIT OPTIONS (R-W)
Upgrade to PT Solid Rail Kit (PBF)
Upgrade 2"x2" Fixed Rail Kit to Solid Diamond Plate (PBF)



OPEN UTILITY RW 2.0

60"x8' – 80"x14' CONTINUED

72"x10' – 80"x14'

STANDARD FEATURES

- > All-Aluminum Construction
- > 2"x4" Box Tube Tongue
- > 24" O/C Floor Crossmembers
- > 2000# Center Jack
- > Leaf Spring Idler Straight Axle
- > Integrated Aluminum Fold Down Ramp
- > 4-Piece Extruded Hinge System
- > Exterior LED Lighting
- > 2"x8" Heat Treated Plank Decking
- > 2"x2" Rail Kit
- > Aluminum Fenders
- > 6000# Coupler w/2" Ball
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	72X10	72X12	72X14	80X10	80X12	80X14
Model Number	U72x10RW-2.0	U72x12RW-2.0	U72x14RW-2.0	U80x10RW-2.0	U80x12RW-2.0	U80x14RW-2.0
Deck (WxL)	72"x120"	72"x144"	72"x168"	80"x120"	80"x144"	80"x168"
Overall (WxL)	94"x198"	94"x222"	94"x246"	100"x198"	100"x222"	100"x246"
Deck Height	18"	18"	18"	18"	18"	18"
Hitch Height	15"	15"	15"	15"	15"	15"
Axle(s) - Qty/Rating	1-3500#	1-3500#	1-3500#	1-3500#	1-3500#	1-3500#
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	2990#	2990#	2990#	2990#	2990#	2990#
Curb Weight	756#	796#	836#	906#	944#	982#
Payload	2234#	2194#	2154#	2084#	2046#	2008#
Power Connection	4-Way Flat	4-Way Flat	4-Way Flat	4-Way Flat	4-Way Flat	4-Way Flat

OPTIONS & ACCESSORIES

RAMP OPTIONS	TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Bi-Fold Ramp Upgrade	Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
FLOORING OPTIONS	Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Upgrade to Extruded Aluminum Floor (PBF)	Upgrade to 15" Aluminum (Radial; From 15" Silver Mod Radial Wheels)
TIE-DOWN OPTIONS	Bolt-On Spare Tire Carrier (Tongue-Mounted)
Light Duty Surface-Mounted D-Ring (Installed)	RAIL KIT OPTIONS (RW)
5000# Recessed Heavy Duty D-Ring w/ Backing Plate (Installed)	Add ATV Side Ramp Kit (12'+ Length)
Zinc 6000# Recessed Swivel D-Ring w/ Backing Plate (Installed)	Upgrade to PT Solid Rail Kit (PBF)
	Upgrade 2"x2" Fixed Rail Kit to Solid Diamond Plate (PBF)

RAMP CAPACITY BY MODEL

RAMP TYPE	APPLICABLE MODELS	CAPACITY
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes); RA 2.0 (All Sizes); RW 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes); RA 2.0 (Optional, All Sizes); RW 2.0 (Optional, All Sizes); FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (PAIR)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
UHD Ramps (Fold-Down)	(All Sizes)	4000# (PAIR)
UHD Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Dump Trailer Ramps (Side-Stow, Optional)	(All Sizes)	4000# (PAIR)
ATV Ramps (83" Wide, Side-Stow)	(All Sizes)	1200# (PAIR)
ATV Ramps (84" or 9" Wide, Side-Stow)	(All Sizes)	750# (PAIR)
Open Motorcycle Ramp (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	U-SLINGSHOT	1500#
Open Car Hauler 2.0 Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler 2.0 Ramps 10K (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler Standard (Stow)	(All Sizes)	4000# (PAIR)
Open Snow Ramp (Rear-Stow)	SnoPro Drive On/Off	750#
Sport Deck (Rear-Stow, Telescoping Ramps)	SSD	1000#
Enclosed Cargo Ramp (4', 5', 6' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (7' & 7.5' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (8.5' Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle Ramp (7' Wide)	(All Sizes)	1500#
Enclosed Car Hauler Ramp (8.5' Wide)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Rear)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (Hybrid, Rear)	(All Sizes)	1500#