

ENCLOSED ALL-SPORT

16, 18, 20, 22, 24, 28, 32



16 - 22

STANDARD FEATURES

- > All-Aluminum Construction
- > 16" O/C Wall & Roof Studs
- > 16" O/C Floor Crossmembers
- > Torsion Ride Suspension
- > Smooth .030" Bonded Side Panels
- > One-Piece Aluminum Roof
- > Rear Ramp Door w/Spring Assist w/FTH Flap
- > Front Ramp Door w/Spring Assist
- > 5000# Wheel Jack
- > 3/4" Water Resistant Decking
- > Polished Aluminum Fender Flares
- > 48" Beavertail Construction
- > White Luan Interior Walls & Ceiling
- > Recessed LED Lights
- > 3 Interior Dome Lights
- > Drive-Over Fender Kit
- > Roof Vent
- > A-Frame Tongue
- > (2) 7800# Safety Chains
- > Recessed HD D-Rings
- > 32"x72" Side Access Door w/Step Well
- > Roof Vent
- > 24" Bright Stone Guard
- > HD Center Jack
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	8.5x16	8.5x18	8.5x20	8.5x22
Model Number	C8.5X16CH-AS	C8.5X18CH-AS	C8.5X20CH-AS	C8.5X22CH-AS
Box (WxLxH)	99"x16"x78"	99"x18"x78"	99"x20"x78"	99"x22"x78"
Interior (WxLxH)	96"x15'10"x76"	96"x17'10"x76"	96"x19'10"x76"	96"x21'10"x76"
Overall (WxLxH)	102"x23'9"x8'8"	102"x25'9"x8'8"	102"x27'9"x8'8"	102"x29'9"x8'8"
Subframe Tubing	2"x6"	2"x6"	2"x6"	2"x6"
Deck Height	18"	18"	18"	18"
Hitch Height	15"	15"	15"	15"
Rear Door Opening (WxH)	89"x75"	89"x75"	89"x75"	89"x75"
Front Door Opening	55"x72"	55"x72"	55"x72"	55"x72"
Axle(s) - Qty/Rating	2-5200# Braked	2-5200# Braked	2-5200# Braked	2-5200# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	225/75R15	225/75R15	225/75R15	225/75R15
GVWR	9900#	9900#	9900#	9900#
Curb Weight	2415#	2850#	2900#	2950#
Payload	7485#	7050#	7000#	6950#
V-Nose	49"	49"	49"	49"
Coupler Rating/Ball Size	12500# / 2-5/16"	12500# / 2-5/16"	12500# / 2-5/16"	12500# / 2-5/16"
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round



ENCLOSED ALL-SPORT

16', 18', 20', 22', 24', 28', 32' CONTINUED

16 – 22 continued

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION OPTIONS
Add 3" to Box Height (PBF)
Add 6" to Box Height (PBF)
Add 9" to Box Height (PBF)
AXLES
Upgrade to 2-6K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 2-7K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)

WHEELS
Upgrade to 16" Aluminum Wheels (Radial; From 16" Silver Mod Wheels)
DOOR/WINDOW/VENT
4'X4' Escape Door
14"x14" Fuel Door w/Paddle Handle
Fold-Down Aluminum Step

COLOR OPTIONS

		
Windstar Silver	Flat Black	Crystal White
		
Indigo Blue	Penske Yellow	Forest Green
		
Orange	Charcoal	Pewter Metallic
		
Victory Red	Champagne	Brandywine

STANDARD FEATURES

- > All-Aluminum Construction
- > 16" O/C Wall & Roof Studs
- > 16" O/C Floor Crossmembers
- > Torsion Ride Suspension
- > Smooth .030" Bonded Side Panels
- > One-Piece Aluminum Roof
- > Rear Ramp Door w/Spring Assist w/FTH Flap
- > Front Ramp Door w/Spring Assist
- > 5000# Wheel Jack
- > 3/4" Water Resistant Decking
- > Polished Aluminum Fender Flares
- > 48" Beavertail Construction
- > White Luan Interior Walls & Ceiling
- > Recessed LED Lights
- > 3 Interior Dome Lights
- > Drive-Over Fender Kit
- > Roof Vent
- > A-Frame Tongue
- > (2) 7800# Safety Chains
- > Recessed HD D-Rings
- > 32"x72" Side Access Door w/Step Well
- > Roof Vent
- > 24" Bright Stone Guard
- > HD Center Jack
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	8.5x24 All Sport	8.5x28 All Sport	8.5x32 All Sport
Model Number	MCH8.5X24AS	MCH8.5X28AS	MCH8.5X32AS
Box (WxLxH)	99"x24"x78"	99"x28"x78"	99"x32"x78"
Interior (WxLxH)	96"x23'10"x76"	96"x27'10"x76"	96"x31'10"x76"
Overall (WxLxH)	102"x31'9"x8'10"	102"x35'9"x8'10"	102"x39'9"x8'10"
Subframe Tubing	2"x8"	2"x8"	2"x8"
Deck Height	20"	20"	20"
Hitch Height	17"	17"	17"
Rear Door Opening (WxH)	89"x75"	89"x75"	89"x75"
Front Door Opening	55"x72"	55"x72"	55"x72"
Axle(s) - Qty/Rating	2-5200# Braked	2-5200# Braked	2-5200# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	225/75R19	225/75R20	225/75R21
GVWR	9900#	9900#	9900#
Curb Weight	3050#	3250#	TBD
Payload	6850#	6650#	TBD
V-Nose	49"	49"	49"
Coupler Rating/Ball Size	12500# / 2-5/16"	12500# / 2-5/16"	12500# / 2-5/16"
Power Connection	7-Way Round	7-Way Round	7-Way Round

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION OPTIONS	WHEELS
Add 3" to Box Height (PBF)	Upgrade to 16" Aluminum Wheels (Radial; From 16" Silver Mod Wheels)
Add 6" to Box Height (PBF)	
Add 9" to Box Height (PBF)	
AXLES	DOOR/WINDOW/VENT
Upgrade to 2-6K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)	4'X4' Escape Door
Upgrade to 2-7K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)	14"x14" Fuel Door w/Paddle Handle
	Fold-Down Aluminum Step

COLOR OPTIONS





ALL SPORT & GOOSENECK POPULAR OPTIONS

CONSTRUCTION OPTIONS

CONSTRUCTION OPTIONS
Upgrade to Radius Roof Construction (Up to 30')
Add Slope in V-Nose
Cast Polished Corners for Flat Front
3" Extra Height
6" Extra Height
9" Extra Height
12" Extra Height
15" Extra Height (Requires .080" Wall Stud Upgrade & HD Rear Ramp; Lite Models Excluded; Ramp Height Will Not Exceed 94")
18" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080" Wall Stud Upgrade)
21" Extra Height (Requires .080" Wall Stud Upgrade & HD Rear Ramp)
24" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080" Wall Stud Upgrade)
Decrease Height 6"
Decrease Height 12"
Additional Length in 2' Intervals (8.5' Wide)
Upgrade Trailer Frame (Peak Value; PBF; Includes Axle Carrier Upgrade & 16" O/C Floor Stud Upgrade)

DOORS, RAMPS, & COMPARTMENTS

DOORS, RAMPS, & COMPARTMENTS
32"x72" Side Access Door w/Paddle Handle
32"x72" Radius RV Door w/Screen (Window Optional)
Upgrade to Dexter 32"x72" Radius Door (From 32"x72" Piano Hinged Door)
Upgrade to 32"x72" Radius RV Door w/Screen (Window Optional; From Standard)
Upgrade to 36" Wide Side Access Door (From 32")
Upgrade to 48" Wide Side Access Door (From 32")
48"x72" Split Side Access Door(s)
Upgrade to 48"x72" Split Side Access Doors (From 32"x72" Side Access Door)
Upgrade to 78" Height Side Access Door (From 72"; Excludes Radius RV Door)
Upgrade to X-Wide 95" Rear Opening (Rear Ramp Only)
Diamond Plate Transition Flap (Ramp to Box)
Aluminum Starter Flap to Rear Ramp
Add (2) 2x4 Wingstock Stringers to Rear CH Grade Ramp (Maximum Capacity 5000#)
30"x30" Generator Door w/Salem Vent & Paddle Handle (Lockable)
36"x36" Generator Door w/Salem Vent & Paddle Handle (Lockable)
Generator Compartment w/Optional Door (30"H x 30"W x 24"D)
Generator Compartment w/Optional Door (36"Hx36"Wx24"D)
Slide-Out Generator Tray
Upgrade to Insulated Generator Compartment (Requires Generator Compartment)
Under Gooseneck Generator Compartment w/Door & Vent (33"W x 20"H x 22"D)

CONSTRUCTION OPTIONS (CONTINUED)
Upgrade Trailer Sub Frame to 2"x8" (From 2"x6"; PBF)
Reverse Beavertail Construction (7' & Wider)
Upgrade to 3" Adjustable 2-5/16" A-Frame Coupler
Upgrade to 8000# Pedestal Jack (From Wheel or Center Jack)
Upgrade to 10000# Pedestal Jack (From Wheel or Center Jack)
Upgrade to Electric Landing Gear (Gooseneck Models Only)
Upgrade to Big Foot Hydraulic Landing Gear (Gooseneck Models Only; Single Leg)
Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)
Upgrade to Trussed Roof System (Not Compatible w/Radius)
Upgrade to .080" Wall Studs
Upgrade Wall Studs to 2"x2" (PBF)
Upgrade Ceiling Studs to 2"x2" (PBF)
Walk-On Roof (Reinforced; PBF)
Heavy Duty Winch Mount (Winch Not Included)
Rear Canopy Loading Light System: 2013 Version (Not Available w/Radius Roof)
Rear Canopy Loading Light System: 2020 Version (Not Available w/Radius Roof)

DOORS, RAMPS, & COMPARTMENTS (CONTINUED)
Under Gooseneck Storage Compartment w/Flip-Up Door (60"W x 28"H x 24"D)
Propane Compartment (30"H x 30"W x 24") w/Vented Non Locking Door
Propane Compartment (36"H x 36"W x 24") w/Vented Non Locking Door
14"x14" Fuel Door w/Paddle Handle
24"x24" Fuel Door w/Paddle Handle
Escape Door 4'x4' (Driver Side Over Wheel Well)
Elite Escape Door (6'W x 8'L Fold-Up Door w/Removable Fender; Extends to 9'L With Spread Axle Upgrade)
30"x30" Hatch Door
Steel RV-Style Pull-Out Step
Aluminum Fold-Down Step
Powder Coated Aluminum Flip-Down Step
Upgrade to Powder Coated Aluminum Flip-Down Step (From Standard Step)
Aluminum Pull-Out Step
Aluminum Loop Step, Stationary
Aluminum Grab Handle For Side Access Door
Keyed Locking Hasps for Rear Ramp
Upgrade to L-Latches/Freezer Latches (Per Ramp, Replaces Locking Bars; Premium Models w/Car Hauler Grade Rear Ramp Only)
Locking Bar for Side Access Door
Keyed Locking Hasps for Side Door Locking Bar
Upgrade to Premium Aluminum Ramp Hinges (Set; From S/S Strap Hinges; Premium Car Hauler/Gooseneck Models)



ALL SPORT & GOOSENECK POPULAR OPTIONS CONTINUED

DOORS, RAMPS, & COMPARTMENTS CONTINUED

DOORS, RAMPS, & COMPARTMENTS
Upgrade to Full Piano Hinge For Rear Ramp
Upgrade to Full Piano Hinge For Side Access Door
Rear Door Air Curtain
Pull-Down Screen for Rear Door Opening

DOORS, RAMPS, & COMPARTMENTS (CONTINUED)
Pop-Out Tent Bed (60"H x 80"L Rough Opening)
Keyless Entry System (For Side Access Door)
Upgrade to 6' Extruded Aluminum Bi-Fold Ramp Extension (Car Hauler Models)

EXTERIOR OPTIONS

EXTERIOR OPTIONS
.040" Skin Upgrade (Black, White, & Silver Only)
.050" Skin Upgrade (Black & White Only)
Anodized Aluminum Side & Rear Trim Panel (12"; PBF)
Aluminum Diamond Plate Side & Rear Trim Panel (12"; PBF)
Anodized Aluminum Side & Rear Trim Panel (24"; PBF)
Aluminum Diamond Plate Side & Rear Trim Panel (24"; PBF)
Upgrade to Larger 7" Bottom Trim (PBF)
Upgrade to 36" Stone Guard (From 24")

EXTERIOR OPTIONS (CONTINUED)
Upgrade to 48" Stone Guard (From 24")
Two-Tone Color Package; No Anodized Divider
Two-Tone Color Package w/6" Anodized Divider
Two-Tone Color Package w/12" Anodized Divider
Two-Tone Color Package w/24" Anodized Divider
Upgrade to Anodized Nose Cone
Add Red & White DOT Tape to Trailer (PLF; Required On Any Trailer Over 10,000lb GVWR **)
Upgrade to Translucent Roofing (From Mill-Finish Aluminum; PBF)

INTERIOR OPTIONS

INTERIOR OPTIONS
White .030" Aluminum Side Walls (Bonded)
White .030" Aluminum Side Walls (Screwed)
White .030" Aluminum Ceiling (Bonded)
White .030" Aluminum Ceiling (Screwed)
Upgrade to 3/8" Water Resistant Walls (Cargo Trailers; From White Luan Walls; PBF)
Upgrade to 3/8" Plywood Walls (Cargo Trailers; From White Luan Walls; PBF)
Upgrade to 1/2" Plywood Walls (Cargo Trailers; PBF)
3/4" Foam Insulation (Side Walls; PBF)
3/4" Foam Insulation - Ceiling (Require Ceiling liner)
2" Foam Insulation (Ceiling Only; PBF)
Upgrade to 2" Foam Insulation (Ceiling Only; PBF)
.030" Aluminum Cove (All Colors)

INTERIOR OPTIONS (CONTINUED)
Anodized Roof Covers
Anodized Spring Cover
Diamond Plate Spring Cover
.030" Aluminum Spring Assist Cover for Rear Ramp Door
Partition Wall w/32" Access Door
6" Diamond Plate Kick Plate
12" Diamond Plate Kick Plate
24" Diamond Plate Kick Plate
12" Water Resistant Kick Plate
6" Extruded Aluminum Kick Plate
Add Carpet 3' Up Wall (Charcoal; 4' for V-Nose)
Upgrade to Black TPO Coin 3' Up Walls (PLF; 4' for V-Nose)

FLOORING

FLOORING
Upgrade to 3/4" Pressure Treated Plywood (From 3/4" Water Resistant Decking)
Upgrade to 3/4" Quad-Ply Decking (Non-Skid Surface, FRP Backer; PBF)
Additional Layer of 3/4" Water Resistant Decking
Upgrade to Extruded Aluminum Floor (Charge for Ramp & V-Nose; PLF)
.045" Aluminum Diamond Plate Floor Overlay (PLF)
Upgrade to Black Marble Vinyl Flooring (PLF)
Upgrade to Checkerboard Vinyl Flooring (Black & White; PLF)

FLOORING (CONTINUED)
Painted Epoxy Floor Covering (PBF)
Upgrade to Rubber Coin Flooring (Black; PLF)
Upgrade to TPO Coin Flooring (Black)
Upgrade to Charcoal Carpet Flooring (PLF)
Upgrade to 3/4" Foam Insulated Floor
Aluminum Diamond Plate Runner (12" Single Row; .056"; PLF)
Aluminum Diamond Plate Runner (12" Double Rows; .056"; PLF)



ALL SPORT & GOOSENECK POPULAR OPTIONS CONTINUED

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" 225 Black Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" 225 Flat Black Mod (Radial; From 15" 225 Silver Mod Radial Wheels; Special Order)
Upgrade to 16" Silver Mod Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum)
Upgrade to 16" Black Aluminum Wheels (Radial; From 15" 225 Aluminum)
Upgrade to 16" G-Rated Silver Mod Wheels (Radial; From 16" Silver Mod Radial)
Upgrade to 16" Aluminum Wheels (Radial; From 16" Silver Mod Wheels)
Upgrade to 16" Black Aluminum Wheels (Radial; From 16" Silver Mod Wheels)
Upgrade to 17.5" Aluminum Wheels (Radial; From 17.5" Silver Mod Wheels)
Upgrade to Black Aluminum Rims From Same Size Aluminum
Spare 15" Silver Mod Wheel w/225/75R15 Tire (6-Lug)
Spare 15" Aluminum Wheel w/225/75R15 Tire (6-Lug)

AXLES

AXLES
Upgrade to 3-3K Torsion Braked Axles (From 2-3K Braked)
Upgrade to 2-5K Torsion Braked Axles (From 2-3K Torsion Braked; Enclosed Peak Value Models Only; Requires Frame Upgrade)
Upgrade to 2-6k Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade; 2"x8" Frame Upgrade Required)
Upgrade to 2-7K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 2-8K Torsion Braked Axles (From 2-5K Braked; Includes 215/75R/17.5 Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 3-3K Torsion Braked Axles (From 2-5K Torsion Axles)
Upgrade to 3-5K Torsion Braked Axles (From 2-5K Braked; 2x8 Frame Upgrade Required)
Upgrade to 2-7K Torsion Braked Axles (From 2-6k Braked; Includes 16" Tire Upgrade) (2x8 Frame Upgrade Required)
Upgrade to 2-8K Torsion Braked Axles (From 2-7K Braked; Includes 215/75R/17.5 Tire Upgrade)

TIE-DOWNS

TIE-DOWNS
Light Duty Surface-Mounted D-Ring (Installed)
Light Duty Sliding D-Ring (For Recessed Slide Track; Installed)
Upgrade to Powder Coated Sliding D-Ring (From Existing Sliding D-Ring)
Heavy-Duty Recessed 5000# D-Rings w/Backing Plate
Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate(Zinc)
Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Stainless Steel)
Recessed Flip-Up Motorcycle Wheel Chock w/(4) Surface-Mounted D-Rings
Recessed Flip-Up Motorcycle Wheel Chock w/(4) Recessed Heavy Duty D-Rings

TIRE/WHEEL ASSEMBLIES & ACCESSORIES (CONTINUED)
Spare 15" Black Aluminum Wheel w/225/75R15 Tire
Spare 16" Silver Mod Wheel w/235/80R16 Tire
Spare 16" Aluminum Wheel w/235/80R16 Tire
Spare 16" Black Aluminum Wheel w/235/80R16 Tire
Spare 16" G-Rated Silver Mod Wheel w/235/80R16 Tire (14 Ply Rating)
Spare 17.5" Silver Mod Wheel w/215/75R17.5 Tire
Spare 17.5" Aluminum Wheel w/215/75R17.5 Tire
Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall)
Exterior Elevated Spare Tire Mount (Diamond Plate; Exterior Wall)
Spare Tire Mount (Interior; Floor Level)
Deluxe Recessed Spare Tire Well (Diamond Plate w/Hatch Cover)
Deluxe 8' Tire Rack (Foldable)
Integrated Heavy Duty Tire Rack

AXLES (CONTINUED)
Upgrade to 3-7K Torsion Braked Axles (From 2-7K Braked)
Upgrade to 2-7K Torsion Braked Axles (From 3-5K Braked)
Upgrade to 3-6k Torsion Braked Axles (From 3-5K Braked; Includes 16" Tire Upgrade)
Upgrade to 3-7K Torsion Braked Axles (From 3-5K Braked; Includes 16" Tire Upgrade)
Upgrade to 3-8K Torsion Braked Axles (From 3-5K Braked; Includes 215/75R/17.5 Tire Upgrade)
Upgrade to 2-3K Hydraulic Braked Axles (From 2-3K Torsion Braked)
Spread Axle Upgrade w/Tapered Fender Skirting (8' Wide Models)
Upgrade to Surge Braking System (Not Available For Gooseneck Models)
Upgrade to Zero Degree Axle(s)
Upgrade to 22.5 Degree Down Axle(s)
Upgrade to 45 Degree Down Axle(s)
Upgrade to Galvanized Torsion Axle (Minimum 4 Week Lead Time)

TIE-DOWNS (CONTINUED)
Recessed Flip-Up Motorcycle Wheel Chock
Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Surface-Mounted D-Rings
Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Heavy Duty D-Rings
Single Stainless Steel Tube Style Wheel Chock for Single Piece of Slide Track (Installed)
Stainless Steel Tube Style Wheel Chock
E-Track, Surface Mounted (Floor)
E-Track, Surface Mounted (Wall)
E-Track HD Recessed w/Backing Plate (Floor)

ALL SPORT & GOOSENECK POPULAR OPTIONS CONTINUED

TIE-DOWNS CONTINUED

TIE-DOWNS
E-Track HD Recessed w/Backing Plate (Walls)
Aluminum E-Track, Surface Mounted (Wall)
Aluminum E-Track, HD Recessed w/Backing Plate (Floor)
Aluminum E-Track, HD Recessed w/Backing Plate (Walls)
Aluminum Airline Track, Surface Mounted (Floor)
Aluminum Airline Track, Surface Mounted (Wall)

12V LIGHTING & ELECTRICAL

12V LIGHTING & ELECTRICAL
Add LED Backup Lights (Pair; Installed)
Additional LED Stop/Turn/Tail Lights (Pair; Installed)
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)
Upgrade to Additional LED Marker Lights Bullets
Diamond Plate Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)
Anodized Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)
(2) 12V LED Load Lights (Double Lights w/Single Switch, 950 Lumens)
12V LED Load Light (Single Light w/Switch, 950 Lumens)
Recessed LED Exterior Load Light Package For Side of Trailer: 1 Light w/Switch & Housing; 950 Lumens
12V LED Porch Light w/Wall Switch
K60 LED Exterior Scene Light Package: One 12V Wall Switch With (2) K60 Scene Lights
Mid-Ship Turn Signals (For Tandem Fenders Only; Pair)
Angled Back Up Lights (Mounts on Side of Trailer)
Upgrade to 12V Electric Pedestal Jack w/Battery & Box installed
12V Power Jack (Cigarette Lighter Plug)
Upgrade to LED Economy Dome Light (460 Lumens; From Incandescent Dome Light)
Additional 12V LED Dome Light (460 Lumens)
12 Volt Wall Switch
12 Volt Wall Switch (3-Way)

110V LIGHTING & ELECTRICAL

110V LIGHTING & ELECTRICAL
110V Power Package #1: (1) 15 AMP Motor Base Plug, (1) Wall Switch, (1) Receptacle, (1) 4' LED Wraparound Light. No Additions Available With This Package.
110V Power Package #2: 30 AMP Breaker, (1) 25' Shore Line, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) GFI Wall Receptacle, (2) 4' LED Wraparound Lights
110V Power Package #3 (30A): (1) 30 AMP Panel, (1) Wall Switch, (4) Standard Wall Receptacles, (1) GFCI Receptacle, (4) 4' LED Wraparound Lights, (1) Brace & Wire Stub for A/C Unit
110V Power Package #4: (1) 15 AMP Motor Base Plug, (2) Wall Receptacle
110V Power Package #5: (1) 60A Breaker Panel w/60A Converter & 50A Motor Base Plug, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) USB Wall Receptacle, (1) GFI Wall Receptacle, (2) 4' LED Wraparound Lights, 12V Deep Cycle Battery & Box

TIE-DOWNS (CONTINUED)
Aluminum Airline Track (Recessed in Floor; PLF)
Aluminum Airline Track (Recessed in Wall; PLF)
Recessed Slide Track (Track Only; D-Rings Sold Separately)
Recessed Slide Track: (2) Rows w/(4) Sliding D-Rings
Powder Coated Slide Track Upgrade (To Existing Slide Track; PBF)

12V LIGHTING & ELECTRICAL (CONTINUED)
Upgrade to 12 Volt (3-Way) Wall Switch
LED Puck Light Package: 8 Recessed Lights & Wall Switch (Requires Ceiling Liner)
Additional Recessed LED Puck Light(s)
LED Puck Lights Under Overhead Cabinet: (2) Round LED Flush Mount Dome Lights; (1) 12V Wall Switch
18" 12V LED Light (Requires Ceiling Liner)
Upgrade Interior Dome Light to 12V 18" LED Light
Upgrade to (3) 18" 12V LED Light From (2) 4' LED Wraparound (Requires Ceiling)
Trickle Charger for Battery
Deep Cycle Marine Battery & Box (Wired)
LED Interior Strip Light w/Housing Package (Per Foot, Per Section)
Cold Weather HD Arctic Flex 7-Way Wire Harness
Upgrade to Permaseal Wire Connectors
Upgrade Premium Light Package (LED Strip Lights w/Integrated Backup Lights, Marker Lights w/Clear Lenses)
Upgrade to Premium Light Package (LED Strip Lights w/No Backup Lights, Marker Lights w/Clear Lenses)
Wireless Backup Camera System w/7" LCD Screen
Add Pair LED 6" Oval Alternating Flashing Safety Lights (Orange) w/Exterior Toggle Switch (Hard Wired Into Auxiliary; 7-way Plug Required)

110V LIGHTING & ELECTRICAL (CONTINUED)
15A Motor Base Plug
30A Motor Base Plug (Replaces Shore Line; 110V Package Required)
30A Power Converter (110V Package #2)
30A Power Cord 25' Long (For Motor Base Plug)
30A Generator Line Switch
Upgrade to 50 AMP Breaker Box (Requires 110V Package #2)
50A Power Cord 25' Long (For Motor Base Plug)
60A Power Converter (110V Package Required)
110 Volt Wall Receptacle (Installed; Requires 110V Package)
110 Volt Combo USB/Wall Outlet Receptacle (Installed; Requires 110V Package #2)



ALL SPORT & GOOSENECK POPULAR OPTIONS CONTINUED

110V LIGHTING & ELECTRICAL CONTINUED

110V LIGHTING & ELECTRICAL
110 Volt Combo USB/Wall Outlet Receptacle (Installed; Requires 110V Package #2)
110 Volt Wall Switch (3-Way; Requires 110V Package #2)
GFI Wall Receptacle (Interior; Requires 30A Package)
GFI Wall Receptacle (Exterior; Requires 30A Package)
4' LED Wraparound Light (Requires 110V Package)

110V LIGHTING & ELECTRICAL (CONTINUED)
500W Swing-Mount Quartz Light
13,500 BTU Roof Mounted Air Conditioner (Requires 110V Package #2)
Heat Strip for A/C Unit
Brace & Stub Wire for Future AC Installation (Requires 110V Package #2; Includes 12 Gauge Wire & 20A Breaker)
Heater: Electric CADET Com-Pak Plus White Wall Fan, 1500 Watt (Requires 110V Pkg #2)

CABINETS

CABINETS
4' Straight Wall Base Cabinet, 2-Door (48"W x 24"D x 37"H)
5' Straight Wall Base Cabinet, 2-Door (60"W x 24"D x 37"H)
5' Angled Base Cabinet (Snow Trailer V-Nose)
6' Straight Wall Base Cabinet, 2-Door (72"W x 24"D x 37"H)
8' Straight Wall Base Cabinet, 2-Door (96"W x 24"D x 37"H)
8' Straight Wall Base Cabinet, 4-Door
Upgrade Base Cabinet to 28" L-Shape Extension
Overhead Cabinet, 1 Flip-Up Door (48"W x 13"D x 18"H)
Overhead Cabinet, 2-Door (48"W x 13"D x 18"H)
Overhead Cabinet, 1-Door (62"W x 12"D x 18"H)
48" Economy Overhead Furnace Cabinet: 1 Flip-Up Door; Furnace Not Included
60" Deluxe Overhead Furnace Cabinet: 1 Flip-Up Door; Furnace Not Included
Premium Overhead Cabinet, 1 Flip-Up Door (48"W x 13"D x 18"H)
Deluxe Overhead Cabinet, 4-Door (72"W x 13"D x 18"H)
Deluxe Overhead Cabinet, 4-Door (96"W x 13"D x 18"H)
Overhead Cabinet, 2 Flip-Up Doors (96"W x 13"D x 18"H)
Wheel Well Cabinet, 2-Door w/Shelving (72"W x 6 3/4"D x 62"H)
96" Premium Overhead Split Cabinet w/Center Shelf, 2 Flip-Up Doors (96"W x 18"D x 18"H)
Premium 50" Helmet Cabinet w/Hooks

CABINETS (CONTINUED)
24" Wardrobe Cabinet: Full-Height Door, (1) Shelf, (1) Clothing Rod (24"Wx24"Dx72"H)
36" Wardrobe Cabinet: Full-Height Door, (1) Shelf, (1) Clothing Rod (36"Wx24"Dx76"H)
44" Deluxe Wardrobe Cabinet (Gooseneck EWP; Requires Furnace Package)
Premium Wall-Mounted Coat Hanger (47.5", 10 Hooks)
Premium Ceiling-Mounted Coat Hanger (38", 22 Hooks)
48" Deluxe Boot Box: Padded Top, Ducted (Requires Furnace Package & Vertical Duct; Not Available in Gooseneck Models)
6' Horizontal Vented Duct (Angled End, 5 Vents)
8' Horizontal Vented Duct (8'Lx5"x5" w/5 Vents)
Vertical Corner Duct (Requires Furnace Package)
Add Heat Duct (PLF)
Clothing Rod for 48" Overhead Cabinets
4' Coat Rack Package (47' Slide Track w/(6) Adjustable Hooks)
18" Shelving w/Angled Gussets (PLF, Per Tier)
Upgrade to Formica Countertop (Base Cabinet Sold Separately)
Standard Tool Crib Package: (1) 72"x24" Horizontal Access Door (Over Fender, w/ Retainer Chains), (2) 38"x22" Vertical Access Doors (Ahead/Behind Fender), Adjustable Shelf Brackets in Vertical Cabinets, 3/8" Water Resistant Liner (Interior & Exterior of Box Frame), 19"D x 42"H x 128"L Box Frame Inside Trailer, Hinged Lid (3 Sections).

AWNINGS

AWNINGS
12' CareFree Fiesta Acrylic Fabric and Alumaguard Awning (Requires Door Roller Option if Installed Over Side Access Door)
16' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)
16' CareFree Fiesta Acrylic Fabric and Alumaguard Awning (Requires Door Roller Option if Installed Over Side Access Door)
18' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)

AWNINGS (CONTINUED)
20' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)
21' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)
21' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)
Door Roller for Awning

ALL SPORT & GOOSENECK POPULAR OPTIONS CONTINUED

VENTS & WINDOWS

VENTS & WINDOWS
14"x14" Manual Roof Vent
12V Power Roof Vent
110V Power Roof Vent (Requires 30A Package)
Fantastic Fan/Vent (Dometic 22-0462; Requires 30A Package)
Directional Salem Vent Kit (Plastic; Pair)
Maxx-Air Roof Vent Cover

MISC. OPTIONS & ACCESSORIES

MISC. OPTIONS & ACCESSORIES
Fold-Down Sofa/Sleeper
Fold-Down Bunk Beds
HappiJac Bed System w/(1) Queen Size Mattress
Fold-Down Dinette/Sleeper
Fold Down Bench (12"x48"; Work or Seating Type)
Fold-Down Padded Bench (48"L) Vertical Design
Premium 50" Fold-Up Padded Bench
Premium 36" Fold-Up Work Bench w/Integrated Tool Storage
Premium Cup Holder
Premium (2) Race Fuel Holder
Premium (3) Race Fuel Holder
Basic Stereo Package: Includes (4) Boss Speakers
Stairs to Gooseneck Attic (24"W x 32"D)
30 Gallon Fuel Transfer System: Includes 30 Gallon Tank, Fill Nozzle & Hose, Control Panel w/Gauge (Requires Marine Grade Battery)

SPECIAL PACKAGES

SPECIAL PACKAGES
Midnight Package: Includes 15" Black Aluminum Rims, Anodized Nose Cone, Anodized Top 12" & Bottom Trim 24".
Exterior Powder Coat Package (All Sport): Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim
Exterior Powder Coat Package (Gooseneck): Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim
Basic Heater Package (All Sport/Car Hauler): 20# Propane Tank (Tongue Mounted), Insulated Walls & Ceiling, 40K BTU Furnace, Safety Kit, Marine Grade Battery & Box, 48" Furnace Cabinet
Boondocker Package (Snow Trailers): Upgrade to Quad-Ply Flooring; Wrap Around Front Ramp With Spring Assist (72" Opening); 6" Diamond Plate Kick Plate
Extreme Weather Package (All Sport/Car Haulers): Upgrade to Foam Insulated Walls & Ceiling, 110V Package #2, 60 AMP Converter w/Breaker Box, Exterior Motor Base Plug, 40,000 BTU Furnace, Safety Kit (Fire Extinguisher, CO Detector & Smoke Alarm), Marine Grade Battery, 120" V-Nose Wrap Around Cabinet w/Furnace Compartment and Vented Battery Box, (1) 20# Tongue-Mounted Propane Tank.

VENTS & WINDOWS (CONTINUED)
Two-Way Directional Salem Vent Kit (Aluminum; Pair)
18"x24" Horizontal Radius Sliding Window w/Screen
18"x24" Vertical Radius Sliding Window w/Screen
24"x36" Radius Sliding Window w/Screen
24"x36" Egress Sliding Window (Tinted w/Screen)

MISC. OPTIONS & ACCESSORIES (CONTINUED)
20# Propane Tank w/Regulator (Tongue-Mounted Holder Included)
30# Propane Tank w/Regulator (Propane Compartment Required)
Upgrade to 30# Propane Tank from 20# Propane Tank w/Heavy Duty Mount
Upgrade to Underslung Propane Tank (Requires Package Including Standard Propane Tank)
Stabilizer Jacks
Stabilizer Jacks (Interior Rear; Drop Down Pair; Installed)
Bogey/Caster Wheels (Installed; Pair)
Scissor Jacks (Camper Style; Pair)
Add Exterior Marine Grade Speakers to Stereo System (Pair)
Add 3-Bay Stainless Steel Sink (Sink Package Required)
2-Burner Propane Range (Installed In Cabinet Top; Base Cabinet & Propane Tank Required)
5.0 Cu.Ft. Refrigerator: Recessed in Cabinet; 110V Package w/12V Battery or Propane w/Safety Kit and 12V Battery Required; 24" W X 26" L (in Cabinet).
1100W Microwave (1.2 Cu.Ft.; Recessed in Cabinet)

SPECIAL PACKAGES (CONTINUED)
Ducted Cabinet Package: Upgrade for Extreme Weather Package; Add 4' Duct, 62" Economy Cabinet.
Basic Sink Package: Stainless Steel Sink, 6 Gallon Water Heater, 20 Gallon Fresh Water Tank, 20 Gallon Grey Water Tank (Does Not Include Cabinet; Propane or 110V Power Package Required)
Custom Sink Package: Stainless Steel Sink, 6 Gallon Water Heater, 38 Gallon Fresh Water Tank, (2) 23 Gallon Grey Water Tanks (Does Not Include Cabinet; Propane or 110V Power Package Required)
Kicker Stereo Package: Includes (6) Speakers, AMP & Subwoofer, Clarion Face Unit w/Bluetooth.
Mid-Level Stereo Package: Includes (4) Speakers, AMP & Subwoofer, Pioneer AM/FM/CD Player w/Bluetooth, Battery Sold Separately.



RAMP CAPACITY BY MODEL

Ramp Type	Applicable Models	Capacity
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes), RA 2.0 (All Sizes), RW 2.0 (All Sizes), FA 2.0 (All Sizes), Landscape 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes), RA 2.0 (Optional, All Sizes), RW 2.0 (Optional, All Sizes), FA 2.0 (Optional, All Sizes), Landscape 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (PAIR)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
UHD Ramps (Fold-Down)	(All Sizes)	4000# (PAIR)
UHD Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Dump Trailers (Side-Stow, Optional)	(All Sizes)	4000# (PAIR)
ATV (83" Wide, Side-Stow)	(All Sizes)	1200# (PAIR)
ATV (84" / 98" Wide, Side-Stow)	(All Sizes)	750# (PAIR)
Open Motorcycle (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	U-SLINGSHOT	1500#
Open Car Hauler 2.0 (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler 2.0 10K (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler Standard (Stow)	(All Sizes)	4000# (PAIR)
Open Snow (Rear-Stow)	SnoPro Drive On/Off	750#
Sport Deck (Rear-Stow, Telescoping)	SSD	1000#
Enclosed Cargo (4' - 6' Wide Trailers)	(All Sizes)	1500#
Enclosed Cargo (7' - 7.5' Wide Trailers)	(All Sizes)	1500#
Enclosed Cargo (8.5' Wide Trailers, Premium)	(All Sizes)	1500#
Enclosed Motorcycle (7' Wide Trailers)	(All Sizes)	1500#
Enclosed Car Hauler (8.5' Wide Trailers)	(All Sizes)	4000#
Enclosed Gooseneck (8.5' Wide Trailers, Rear)	(All Sizes)	4000#
Enclosed Gooseneck (8.5' Trailers, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile (7', 7.5' and 101" Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile (7', 7.5' and 101" Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile (Hybrid, Rear)	(All Sizes)	1500#