

LIVESTOCK

GOOSENECK SERIES



7' x 16'

STANDARD FEATURES



- > 16' Floor, 7' Wide, 7' Tall
- > Gooseneck w/ 92" Attic, Adjustable Ball Style Coupler
- > All Box Tube Aluminum Chassis
- > One Piece, .040 Aluminum Roof w/ Heavy Duty Radius Roof Extrusion
- > Extruded Aluminum Decking, 12" O/C I-Beam Crossmembers
- > .040 Pre-Painted Exterior Side Sheets
- > GN & Extruded Aluminum Sides
- > Tandem 7K Braked, Dexter Torsion Ride Axles
- > Silver Mods., 235/80R16 - 8 Lug Wheels
- > All LED Exterior Lighting
- > 4 Wheel Electric Brakes w/ Safety Break-Away Kit
- > Full Swing Gate w/ Air Gaps and

- > Plexiglass Track & Sliding Calf Gate w/ Heavy Duty Galvanized Hardware
- > Under Gooseneck Spare Tire Holder
- > 32"x75" Side Access Door w/ Locking Bar
- > (2) Air Gaps w/ Plexitrac for Optional Plexiglass Sides and Rear Gate
- > Full-Length Running Boards; Heavy Duty Rear Step-Up Bumper
- > New Rear Gate Slam Latch System
- > Swinging Center Gate w/ Slam Latch (2-Gates - 24' & 28' Models)
- > Calf Gate in Gooseneck
- > (3) LED Dome Light w/ Toggle Switch
- > Red & White DOT Tape
- > (1) Manual Landing Gear
- > Gooseneck Partition Gate
- > 8-Year Limited Warranty

ADDITIONAL OPTIONS

- > Upgrade to 8' Wide
- > Upgrade to 7.5' Wide (Horse & Livestock) PBF
- > Upgrade to 8' Wide (Livestock) PBF (No Running Boards)
- > Upgrade to 6" O/C Floor Studs (From 12" O/C; PBF)
- > Upgrade to 16" 235 Aluminum (Radial; From 16" 235 Silver Mod Radial)
- > Upgrade to 16" G-Rated Silver Mod Wheels (Radial, From 16" Silver Mod Radial)
- > Add 6" to Box Height (Livestock Models) PBF
- > Double Rear Doors for Stock Models
- > Enclosed Rear Gate (No Air Gaps)
- > Sliding Calf Door in Center Gate
- > Adjustable Horse Vent
- > Plexiglass for Air Gaps (PLF, Per Foot Per Side, Livestock and Colt Models)
- > Plexiglass for Air Gaps (PKG, Rear Gate, Livestock and Colt Models)
- > Slant Load Divider (for Stock Trailers)
- > Cleated Rumber/Shelby Flooring (Replaces Extruded Aluminum; Livestock Models; PLF)
- > Rumber Flooring (Replaces Extruded Aluminum; Livestock Models; PLF)
- > HD Wall Liner 36" In Stock Area (PLF, per Wall)
- > HD Wall Liner 48" In Stock Area (PLF, per Wall)
- > Tie Rail (PLF)
- > Drop-Down Air Gap for Livestock GN
- > Riser Wall
- > Upgrade to Floating Center Gate w/ Slider (from Center Gate w/ Slider)
- > Add 36" Wide Ramp on Side of Trailer (Livestock, Stock LowPro models only)
- > Add 48" Wide Ramp on Side of Trailer (Livestock, Stock LowPro models only)
- > Ramp Over Rear Gate
- > Spare 16" Silver Mod Wheel w/ 235/80R16 Tire
- > 1/2" Rubber Mats for Livestock (PBF)

SCHEMATICS



COLOR OPTIONS





LIVESTOCK

GOOSENECK SERIES CONTINUED

7' x 20'


STANDARD FEATURES

- > 20' Floor, 7' Wide, 7' Tall
- > Gooseneck w/ 92" Attic, Adjustable Ball Style Coupler
- > All Box Tube Aluminum Chassis
- > One Piece, .040 Aluminum Roof w/ Heavy Duty Radius Roof Extrusion
- > Extruded Aluminum Decking, 12" O/C I-Beam Crossmembers
- > .040 Pre-Painted Exterior Side Sheets
- > GN & Extruded Aluminum Sides
- > Tandem 7K Braked, Dexter Torsion Ride Axles
- > Silver Mods., 235/80R16 - 8 Lug Wheels
- > All LED Exterior Lighting
- > 4 Wheel Electric Brakes w/ Safety Break-Away Kit
- > Full Swing Rear Gate w/ Air Gaps and Plexitrac & Sliding Calf Gate w/ Heavy Duty Galvanized Hardware
- > Under Gooseneck Spare Tire Holder
- > 32"x75" Side Access Door w/ Locking Bar
- > (2) Air Gaps w/ Plexitrac for Optional Plexiglass Sides and Rear Gate
- > Full-Length Running Boards; Heavy Duty Rear Step-Up Bumper
- > New Rear Gate Slam Latch System
- > Swinging Center Gate w/ Slam Latch (2-Gates - 24' & 28' Models)
- > Calf Gate in Gooseneck
- > (3) LED Dome Light w/ Toggle Switch
- > Red & White DOT Tape
- > (1) Manual Landing Gear
- > Gooseneck Partition Gate
- > 8-Year Limited Warranty

ADDITIONAL OPTIONS

- > Upgrade to 8' Wide
- > Upgrade to 7.5' Wide (Horse & Livestock) PBF
- > Upgrade to 8' Wide (Livestock) PBF (No Running Boards)
- > Upgrade to 6" O/C Floor Studs (From 12" O/C; PBF)
- > Upgrade to 16" 235 Aluminum (Radial; From 16" 235 Silver Mod Radial)
- > Upgrade to 16" G-Rated Silver Mod Wheels (Radial, From 16" Silver Mod Radial)
- > Add 6" to Box Height (Livestock Models) PBF
- > Double Rear Doors for Stock Models
- > Enclosed Rear Gate (No Air Gaps)
- > Sliding Calf Door in Center Gate
- > Adjustable Horse Vent
- > Plexiglass for Air Gaps (PLF, Per Foot Per Side, Livestock and Colt Models)
- > Plexiglass for Air Gaps (PKG, Rear Gate, Livestock and Colt Models)
- > Drop-Down Air Gap for Livestock GN Riser Wall
- > Slant Load Divider (for Stock Trailers)
- > Cleated Rumber/Shelby Flooring (Replaces Extruded Aluminum; Livestock Models; PLF)
- > Rumber Flooring (Replaces Extruded Aluminum; Livestock Models; PLF)
- > HD Wall Liner 36" In Stock Area (PLF, per Wall)
- > HD Wall Liner 48" In Stock Area (PLF, per Wall)
- > Tie Rail (PLF)
- > Upgrade to Floating Center Gate w/ Slider (from Center Gate w/Slider)
- > Add 36" Wide Ramp on Side of Trailer (Livestock, Stock LowPro models only)
- > Add 48" Wide Ramp on Side of Trailer (Livestock, Stock LowPro models only)
- > Add 60" Wide Ramp on Side of Trailer (Livestock, Stock LowPro models only)
- > Ramp Over Rear Gate
- > Spare 16" Silver Mod Wheel w/ 235/80R16 Tire
- > 1/2" Rubber Mats for Livestock (PBF)

SCHEMATICS



COLOR OPTIONS





LIVESTOCK

GOOSENECK SERIES CONTINUED

7' x 24'


STANDARD FEATURES

- > 24' Floor, 7' Wide, 7' Tall
- > Gooseneck w/ 92" Attic, Adjustable Ball Style Coupler
- > All Box Tube Aluminum Chassis
- > One Piece, .040 Aluminum Roof w/ Heavy Duty Radius Roof Extrusion
- > Extruded Aluminum Decking, 12" O/C I-Beam Crossmembers
- > .040 Pre-Painted Exterior Side Sheets
- > GN & Extruded Aluminum Sides
- > Tandem 7K Braked, Dexter Torsion Ride Axles
- > Silver Mods., 235/80R16 - 8 Lug Wheels
- > All LED Exterior Lighting
- > 4 Wheel Electric Brakes w/ Safety Break-Away Kit
- > Full Swing Rear Gate w/ Air Gaps and Plexitrac & Sliding Calf Gate w/ Heavy Duty Galvanized Hardware
- > Under Gooseneck Spare Tire Holder
- > 32"x75" Side Access Door w/ Locking Bar
- > (2) Air Gaps w/ Plexitrac for Optional Plexiglass Sides and Rear Gate
- > Full-Length Running Boards; Heavy Duty Rear Step-Up Bumper
- > New Rear Gate Slam Latch System
- > Swinging Center Gate w/ Slam Latch (2-Gates - 24' & 28' Models)
- > Calf Gate in Gooseneck
- > (3) LED Dome Light w/ Toggle Switch
- > Red & White DOT Tape
- > (1) Manual Landing Gear
- > Gooseneck Partition Gate
- > 8-Year Limited Warranty

ADDITIONAL OPTIONS

- > Upgrade to 8' Wide
- > Upgrade to 7.5' Wide (Horse & Livestock) PBF
- > Upgrade to 8' Wide (Livestock) PBF (No Running Boards)
- > Upgrade to 6" O/C Floor Studs (From 12" O/C; PBF)
- > Upgrade to 16" 235 Aluminum (Radial; From 16" 235 Silver Mod Radial)
- > Upgrade to 16" G-Rated Silver Mod Wheels (Radial, From 16" Silver Mod Radial)
- > Add 6" to Box Height (Livestock Models) PBF
- > Double Rear Doors for Stock Models
- > Enclosed Rear Gate (No Air Gaps)
- > Sliding Calf Door in Center Gate
- > Adjustable Horse Vent
- > Plexiglass for Air Gaps (PLF, Per Foot Per Side, Livestock and Colt Models)
- > Plexiglass for Air Gaps (PKG, Rear Gate, Livestock and Colt Models)
- > Drop-Down Air Gap for Livestock GN Riser Wall
- > Slant Load Divider (for Stock Trailers)
- > Cleated Rubber/Shelby Flooring (Replaces Extruded Aluminum; Livestock Models; PLF)
- > Rubber Flooring (Replaces Extruded Aluminum; Livestock Models; PLF)
- > HD Wall Liner 36" In Stock Area (PLF, per Wall)
- > HD Wall Liner 48" In Stock Area (PLF, per Wall)
- > Tie Rail (PLF)
- > Upgrade to Floating Center Gate w/ Slider (from Center Gate w/Slider)
- > Add 36" Wide Ramp on Side of Trailer (Livestock, Stock LowPro models only)
- > Add 48" Wide Ramp on Side of Trailer (Livestock, Stock LowPro models only)
- > Add 60" Wide Ramp on Side of Trailer (Livestock, Stock LowPro models only)
- > Ramp Over Rear Gate
- > Spare 16" Silver Mod Wheel w/ 235/80R16 Tire
- > 1/2" Rubber Mats for Livestock (PBF)

SCHEMATICS



COLOR OPTIONS





LIVESTOCK

GOOSENECK SERIES CONTINUED

7' x 28'


STANDARD FEATURES

- > 28' Floor, 7' Wide, 7' Tall
- > Gooseneck w/ 92" Attic, Adjustable Ball Style Coupler
- > All Box Tube Aluminum Chassis
- > One Piece, .040 Aluminum Roof w/ Heavy Duty Radius Roof Extrusion
- > Extruded Aluminum Decking, 12" O/C I-Beam Crossmembers
- > .040 Pre-Painted Exterior Side Sheets
- > GN & Extruded Aluminum Sides
- > Tandem 7K Braked, Dexter Torsion Ride Axles
- > Silver Mods., 235/80R16 - 8 Lug Wheels
- > All LED Exterior Lighting
- > 4 Wheel Electric Brakes w/ Safety Break-Away Kit
- > Full Swing Rear Gate w/ Air Gaps and Plexitrac & Sliding Calf Gate w/ Heavy Duty Galvanized Hardware
- > Under Gooseneck Spare Tire Holder
- > 32"x75" Side Access Door w/ Locking Bar
- > (2) Air Gaps w/ Plexitrac for Optional Plexi Glass Sides and Rear Gate
- > Full-Length Running Boards; Heavy Duty Rear Step-Up Bumper
- > New Rear Gate Slam Latch System
- > Swinging Center Gate w/ Slam Latch (2-Gates - 24' & 28' Models)
- > Calf Gate in Gooseneck
- > (3) LED Dome Light w/ Toggle Switch
- > Red & White DOT Tape
- > (1) Manual Landing Gear
- > Gooseneck Partition Gate
- > 8-Year Limited Warranty

ADDITIONAL OPTIONS

- > Upgrade to 8' Wide
- > Upgrade to 7.5' Wide (Horse & Livestock) PBF
- > Upgrade to 8' Wide (Livestock) PBF (No Running Boards)
- > Upgrade to 6" O/C Floor Studs (From 12" O/C; PBF)
- > Additional 1' of Length in Stock Area
- > Upgrade to 2-8k Torsion Braked Axles (From 2-7k Braked; Includes 215/75R17.5 Tire Upgrade)
- > Upgrade to 16" 235 Aluminum (Radial; From 16" 235 Silver Mod Radial)
- > Upgrade to 16" G-Rated Silver Mod Wheels (Radial, From 16" Silver Mod Radial)
- > Add 6" to Box Height (Livestock Models) PBF
- > Double Rear Doors for Stock Models
- > Enclosed Rear Gate (No Air Gaps)
- > Sliding Calf Door in Center Gate
- > Plexiglass for Air Gaps (PLF, Per Foot Per Side, Livestock and Colt Models)
- > Plexiglass for Air Gaps (PKG, Rear Gate, Livestock and Colt Models)
- > Drop-Down Air Gap for Livestock GN Riser Wall
- > Slant Load Divider (for Stock Trailers)
- > Cleated Rubber/Shelby Flooring (Replaces Extruded Aluminum; Livestock Models; PLF)
- > Rubber Flooring (Replaces Extruded Aluminum; Livestock Models; PLF)
- > HD Wall Liner 48" In Stock Area (PLF, per Wall)
- > Tie Rail (PLF)
- > Upgrade to Floating Center Gate w/ Slider (from Center Gate w/ Slider)
- > Add 36" Wide Ramp on Side of Trailer (Livestock, Stock LowPro models only)
- > Add 48" Wide Ramp on Side of Trailer (Livestock, Stock LowPro models only)
- > Add 60" Wide Ramp on Side of Trailer (Livestock, Stock LowPro models only)
- > Ramp Over Rear Gate
- > Spare 16" Silver Mod Wheel w/ 235/80R16 Tire
- > 1/2" Rubber Mats for Livestock (PBF)

SCHEMATICS



COLOR OPTIONS



Metallic Grey

Trailer Black

Crystal White