

STOCK LOWPRO

DDFW GOOSENECK SERIES



7' x 16'

STANDARD FEATURES

- > 16' Floor, 7' Wide, 6' Tall
- > Gooseneck w/ 92" Attic, Adjustable Ball Style GN Hitch
- > All Box Tube Aluminum Chassis
- > One Piece, .040 Aluminum Roof w/ Heavy Duty Radius Roof Extrusion
- > Extruded Aluminum Decking, 12" O/C I-Beam Crossmembers
- > .040 Pre-Painted Exterior Side Sheets & Lower Extruded Aluminum Sides
- > Tandem 5.2K Braked, Dexter Torsion Ride Axles
- > 4 Wheel Electric Brakes w/ Safety Break-Away Kit
- > All LED Exterior Lighting
- > Pen Gate at Escape Door Open to Outside
- > Newly Designed 4' Adjustable Stalls w/ Spring Latch System (6 - 16" model)
- > Tack Area - 40" Tack, 32"x64" Tack Access Door w/ Sliding Window &

- Screen, 1/2" Rubber Mats, & (1) LED Dome Light w/ Wall Switch
- > Aluminum Rims, 225/75R15 - 6 Lug Wheels
- > Heavy Duty Rear Step-Up Rubber Bumper
- > 45"x18" Drop Down Feed Window (Per Stall)
- > (1) Air Gap w/ Flip Down Cover
- > Full-Length Running Boards
- > 50/50 Double Rear Doors w/ Sliding

- Windows and Bars
- > Full-length LED Strip Lights in Stock Area, Both Sides
- > Manual Landing Gear
- > Escape Door Pen Gate, U-Bolt Spring Latches for Pen Gate Tie Backs
- > Double Action Pop-up Vent Per-Stall
- > 36"x64" Escape Door w/ Locking Bar & 30"x24" Drop Down Feed Window
- > 8-Year Limited Warranty



ADDITIONAL OPTIONS

- > Upgrade to 8' Wide
- > Stainless Steel Nose Wrap - Mirror Finish (Nose Cone)
- > Upgrade to Black Aluminum Rims from Aluminum (Same Size)
- > Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum)
- > Add 3" to Box Height (Horse Models; PBF)
- > Ramp Over Double Doors
- > Access Door to Tack Area 20"x64" (Interior)
- > Upgrade to 45"x24" Drop Down Feed Window (Premium, Integrated Bars) from 45"x18" Drop Down Feed Window
- > Upgrade to Additional LED Marker Lights Bullets
- > 12V LED Load Light (Single Light w/ Switch, 950 Lumen)
- > 110V Power Package #2 (1) 30 Amp Breaker w/ 25' Shore Line, (2) Standard Wall Receptacle & (2) GFI Wall Receptacle
- > Brace and Stub Wire for Future AC Installation
- > 30A Power Converter (110 V#2 or #5

- Package Required)
- > .030 Ceiling Liner w/ Insulation (Tack Area - GN)
- > .030 Wall Liner w/ Insulation (Tack Area - GN)
- > .030 Ceiling Liner w/ Insulation (Horse Area; PLF)
- > .030 Wall Liner w/ Insulation Above HD Liner (Horse Area; PLF)
- > Bucket Hangers (Stock Area) (per Pen Gate)
- > Bucket Hangers (Tack Room) (Set of 6)

- > 36"x18" Hat Shelf for LowPro w/ Clothing Rod
- > Upgrade Rear Ramp to Stainless Steel Skin
- > Elevated Spare Tire Mount (Exterior Wall; Under Gooseneck)
- > Spare 15" Silver Mod Wheel w/ 225/75R15 Wheel
- > Spare 16" Silver Mod Wheel w/ 235/80R16 Wheel
- > Powdercoat LowPro Pen Gate (EA)

SCHEMATICS



COLOR OPTIONS





STOCK LOWPRO

DDFW GOOSENECK SERIES CONTINUED

7' x 20'



STANDARD FEATURES

- > 20' Floor, 7' Wide, 6' Tall
- > Gooseneck w/ 92" Attic, Adjustable Ball Style GN Hitch
- > All Box Tube Aluminum Chassis
- > One Piece, .040 Aluminum Roof w/ Heavy Duty Radius Roof Extrusion
- > Extruded Aluminum Decking, 12" O/C I-Beam Crossmembers
- > .040 Pre-Painted Exterior Side Sheets & Lower Extruded Aluminum Sides
- > Tandem 5.2K Braked, Dexter Torsion Ride Axles
- > 4 Wheel Electric Brakes w/ Safety Break-Away Kit
- > All LED Exterior Lighting
- > Newly Designed 4' Adjustable Stalls w/ Spring Latch System (8 - 20' model)
- > Tack Area - 40" Tack, 32"x64" Tack
- > Access Door w/ Sliding Window & Screen, 1/2" Rubber Mats, & (1) LED Dome Light w/ Wall Switch
- > Aluminum Rims, 225/75R15 - 6 Lug Wheels
- > Heavy Duty Rear Step-Up Rubber Bumper
- > 45"x18" Drop Down Feed Window (Per Stall)
- > (1) Air Gap w/ Flip Down Cover
- > Full-Length Running Boards
- > 50/50 Double Rear Doors w/ Sliding
- > Windows and Bars
- > Full-length LED Strip Lights in Stock Area, Both Sides
- > Manual Landing Gear
- > Escape Door Pen Gate, U-Bolt Spring Latches for Pen Gate Tie Backs
- > 36"x64" Escape Door w/ Locking Bar & 30"x24" Drop Down Feed Window
- > Double Action Pop-up Vent Per-Stall
- > 8-Year Limited Warranty

ADDITIONAL OPTIONS

- > Upgrade to 8' Wide
- > Stainless Steel Nose Wrap - Mirror Finish (Nose Cone)
- > Upgrade to Black Aluminum Rims from Aluminum (Same Size)
- > Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum)
- > Add 3" to Box Height (Horse Models; PBF)
- > Ramp Over Double Doors
- > Access Door to Tack Area 20" x 64" (Interior)
- > Upgrade to 45"x24" Drop Down Feed Window (Premium, Integrated Bars) from 45"x18" Drop Down Feed Window
- > Upgrade to Additional LED Marker Lights Bullets
- > 12V LED Load Light (Single Light w/ Switch, 950 Lumen)
- > 110V Power Package #2 (1) 30 Amp Breaker w/ 25' Shore Line, (2) Standard Wall Receptacle & (2) GFI Wall Receptacle
- > Brace and Stub Wire for Future AC Installation
- > .030 Ceiling Liner w/ Insulation (Tack Area - GN)
- > .030 Wall Liner w/ Insulation (Tack Area - GN)
- > .030 Ceiling Liner w/ Insulation (Horse Area; PLF)
- > .030 Wall Liner w/ Insulation Above HD Liner (Horse Area; PLF)
- > Bucket Hangers (Stock Area) (per Pen Gate)
- > Bucket Hangers (Tack Room) (Set of 6)
- > 36"x18" Hat Shelf for LowPro w/ Clothing Rod
- > Upgrade Rear Ramp to Stainless Steel Skin
- > Add 36" Wide Ramp on Side of Trailer (DDFW models only)
- > Elevated Spare Tire Mount (Exterior Wall; Under Gooseneck)
- > Spare 15" Silver Mod Wheel w/ 225/75R15 Wheel
- > Spare 16" Silver Mod Wheel w/ 235/80R16 Wheel
- > Powdercoat LowPro Pen Gate (EA)

SCHEMATICS



COLOR OPTIONS





STOCK LOWPRO

DDFW GOOSENECK SERIES CONTINUED

7' x 24'




STANDARD FEATURES

- > 24' Floor, 7' Wide, 6' Tall
- > Gooseneck w/ 92" Attic, Adjustable Ball Style GN Hitch
- > All Box Tube Aluminum Chassis
- > One Piece, .040 Aluminum Roof w/ Heavy Duty Radius Roof Extrusion
- > Extruded Aluminum Decking, 12" O/C I-Beam Crossmembers
- > .040 Pre-Painted Exterior Side Sheets & Lower Extruded Aluminum Sides
- > Tandem 5.2K Braked, Dexter Torsion Ride Axles
- > 4 Wheel Electric Brakes w/ Safety Break-Away Kit
- > All LED Exterior Lighting
- > Newly Designed 4' Adjustable Stalls w/ Spring Latch System (10 - 24' model)
- > Tack Area - 40" Tack, 32"x64" Tack Access Door w/ Sliding Window & Screen, 1/2" Rubber Mats, & (1) LED Dome Light w/ Wall Switch
- > Aluminum Rims, 225/75R15 - 6 Lug Wheels
- > Heavy Duty Rear Step-Up Rubber Bumper
- > 45"x18" Drop Down Feed Window (Per Stall)
- > (1) Air Gap w/ Flip Down Cover
- > Full-Length Running Boards
- > 50/50 Double Rear Doors w/ Sliding Windows and Bars
- > Full-length LED Strip Lights in Stock Area, Both Sides
- > Manual Landing Gear
- > Escape Door Pen Gate, U-Bolt Spring Latches for Pen Gate Tie Backs
- > 36"x64" Escape Door w/ Locking Bar & 30"x24" Drop Down Feed Window
- > Double Action Pop-up Vent Per-Stall
- > 8-Year Limited Warranty

ADDITIONAL OPTIONS

- > Upgrade to 8' Wide
- > Stainless Steel Nose Wrap - Mirror Finish (Nose Cone)
- > Upgrade to Black Aluminum Rims from Aluminum (Same Size)
- > Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum)
- > Add 3" to Box Height (Horse Models; PBF)
- > Ramp Over Double Doors
- > Access Door to Tack Area 20" x 64" (Interior)
- > Upgrade to 45"x24" Drop Down Feed Window (Premium, Integrated Bars) from 45"x18" Drop Down Feed Window
- > Upgrade to Additional LED Marker Lights Bullets
- > 12V LED Load Light (Single Light w/ Switch, 950 Lumen)
- > 110V Power Package #2 (1) 30 Amp Breaker w/ 25' Shore Line, (2) Standard Wall Receptacle & (2) GFI Wall Receptacle
- > Brace and Stub Wire for Future AC Installation
- > .030 Ceiling Liner w/ Insulation (Tack Area - GN)
- > .030 Wall Liner w/ Insulation (Tack Area - GN)
- > .030 Ceiling Liner w/ Insulation (Horse Area; PLF)
- > .030 Wall Liner w/ Insulation Above HD Liner (Horse Area; PLF)
- > Bucket Hangers (Stock Area) (per Pen Gate)
- > Bucket Hangers (Tack Room) (Set of 6)
- > 36"x18" Hat Shelf for LowPro w/ Clothing Rod
- > Upgrade Rear Ramp to Stainless Steel Skin
- > Add 36" Wide Ramp on Side of Trailer (DDFW models only)
- > Elevated Spare Tire Mount (Exterior Wall; Under Gooseneck)
- > Spare 15" Silver Mod Wheel w/ 225/75R15 Wheel
- > Spare 16" Silver Mod Wheel w/ 235/80R16 Wheel
- > Powdercoat LowPro Pen Gate (EA)

SCHEMATICS



COLOR OPTIONS





STOCK LOWPRO

DDFW GOOSENECK SERIES CONTINUED

7' x 26'

STANDARD FEATURES

- 26' Floor, 7' Wide, 6' Tall
 - Gooseneck w/ 92" Attic, Adjustable Ball Style GN Hitch
 - All Box Tube Aluminum Chassis
 - One Piece, .040 Aluminum Roof w/ Heavy Duty Radius Roof Extrusion
 - Extruded Aluminum Decking, 12" O/C I-Beam Crossmembers
 - .040 Pre-Painted Exterior Side Sheets & Lower Extruded Aluminum Sides
- Tandem 5.2K Braked, Dexter Torsion Ride Axles
 - 4 Wheel Electric Brakes w/ Safety Break-Away Kit
 - All LED Exterior Lighting
 - Newly Designed 4' Adjustable Stalls w/ Spring Latch System (10 - 26' model)
 - Tack Area - 64" Tack, 32"x64" Tack Access Door w/ Sliding Window & Screen, 1/2" Rubber Mats, & (1) LED
- Dome Light w/ Wall Switch
 - Aluminum Rims, 225/75R15 - 6 Lug Wheels
 - Heavy Duty Rear Step-Up Rubber Bumper
 - 45"x18" Drop Down Feed Window (Per Stall)
 - (1) Air Gap w/ Flip Down Cover
 - Full-Length Running Boards
 - 50/50 Double Rear Doors w/ Sliding



- Windows and Bars
- Full-length LED Strip Lights in Stock Area, Both Sides
- Manual Landing Gear
- Escape Door Pen Gate, U-Bolt Spring Latches for Pen Gate Tie Backs
- 36"x64" Escape Door w/ Locking Bar & 30"x24" Drop Down Feed Window
- Double Action Pop-up Vent Per-Stall
- 8-Year Limited Warranty

ADDITIONAL OPTIONS

- Upgrade to 8' Wide
 - Stainless Steel Nose Wrap - Mirror Finish (Nose Cone)
 - Upgrade to 2-7k Torsion Braked Axles (From 2-5K; Includes 16" Tire Upgrade)
 - Upgrade to Black Aluminum Rims from Aluminum (Same Size)
 - Add 3" to Box Height (Horse Models; PBF)
 - Ramp Over Double Doors
 - Access Door to Tack Area 20" x 64" (Interior)
 - Upgrade to 45"x24" Drop Down
- Feed Window (Premium, Integrated Bars) from 45"x18" Drop Down Feed Window
 - Upgrade to Additional LED Marker Lights Bullets
 - 12V LED Load Light (Single Light w/ Switch, 950 Lumen)
 - 110V Power Package #2 (1) 30 Amp Breaker w/ 25' Shore Line, (2) Standard Wall Receptacle & (2) GFI Wall Receptacle
 - Brace and Stub Wire for Future AC Installation
- .030 Ceiling Liner w/ Insulation (Tack Area - GN)
 - .030 Wall Liner w/ Insulation (Tack Area - GN)
 - .030 Ceiling Liner w/ Insulation (Horse Area; PLF)
 - .030 Wall Liner w/ Insulation Above HD Liner (Horse Area; PLF)
 - Bucket Hangers (Stock Area) (per Pen Gate)
 - Bucket Hangers (Tack Room) (Set of 6)
 - 36"x18" Hat Shelf for LowPro w/

- Clothing Rod
- Upgrade Rear Ramp to Stainless Steel Skin
- Add 36" Wide Ramp on Side of Trailer (DDFW models only)
- Elevated Spare Tire Mount (Exterior Wall; Under Gooseneck)
- Spare 15" Silver Mod Wheel w/ 225/75R15 Wheel
- Spare 16" Silver Mod Wheel w/ 235/80R16 Wheel
- Powdercoat LowPro Pen Gate (EA)

SCHEMATICS



COLOR OPTIONS

