

# STOCK LOWPRO

GOOSENECK SERIES



7' x 16'



## STANDARD FEATURES

- > 16' Floor, 7' Wide, 6' Tall
- > Gooseneck w/ 92" Attic, Adjustable Ball Style GN Hitch
- > All Box Tube Aluminum Chassis
- > One Piece, .040 Aluminum Roof w/ Heavy Duty Radius Roof Extrusion
- > Extruded Aluminum Decking, 12" O/C I-Beam Crossmembers
- > .040 Pre-Painted Exterior Side Sheets
- > GN & Extruded Aluminum Sides
- > 32"x64" Stock Access Door w/ Butterfly Locking Bar (Livestock Style)
- > 4 Wheel Electric Brakes w/ Safety Break-Away Kit
- > All LED Exterior Lighting
- > Tack Area - 40" Tack, 32"x64" Tack Access Door w/ Sliding Window & Screen (C/S location), 1/2" Rubber Mats, & (1) LED Dome Light w/ Wall Switch
- > Tandem 5.2K Braked, Dexter Torsion Ride Axles
- > Aluminum Rims, 225/75R15 - 6 Lug Wheels
- > Heavy Duty Rear Step-Up Rubber Bumper
- > (3) Air Gaps w/ Plexitrac for Standard Plexiglass Sides
- > Full-Length Running Boards
- > 50/50 Double Rear Doors w/ Sliding Windows and Bars
- > Full-length LED Strips Lights in Stock Area, Both Sides
- > Manual Landing Gear
- > Escape Door Pen Gate, U-Bolt Spring Latches for Pen Gate Tie Backs
- > Newly Designed 4' Adjustable Stalls w/ Spring Latch System (6 - 16' model)
- > 8-Year Limited Warranty

## ADDITIONAL OPTIONS

- > Upgrade to 8' Wide Livestock (Require Livestock Siding (Per Stall)
- > Stainless Steel Nose Wrap - Mirror Finish
- > Upgrade to Black Aluminum Rims from Aluminum (Same Size)
- > Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum)
- > Add 6" to Box Height (Livestock Models) PBF
- > Ramp Over Double Doors
- > Access Door to Tack Area 20" x 64" (Interior)
- > Add Drop-Down Vent/Feed Slot to Livestock (Require Livestock Siding (Per Stall)
- > 12V LED Load Light (Single Light w/ Switch, 950 Lumen)
- > 110V Power Package #2 (1) 30 Amp Breaker w/ 25' Shore Line, (2) Standard Wall Receptacle & (2) GFI Wall Receptacle
- > Brace and Stub Wire for Future AC Installation
- > .030 Ceiling Liner w/ Insulation (Tack Area - GN)
- > .030 Wall Liner w/ Insulation (Tack Area - GN)
- > .030 Ceiling Liner w/ Insulation (Horse Area; PLF)
- > Additional Pen Gate for Livestock Trailer
- > Bucket Hangers (Tack Room) (Set of 6)
- > Bucket Hangers (Stock Area) (per Pen Gate)
- > 8' Plexiglass Holder (Mounts to Interior Wall High)
- > 36"x18" Hat Shelf for LowPro w/ Clothing Rod
- > 1/2" Rubber Mats for Livestock (PBF)
- > Upgrade Rear Ramp to Stainless Steel Skin
- > Add 36" Wide Ramp on Side of Trailer (Livestock, Stock LowPro models only)
- > Elevated Spare Tire Mount (Exterior Wall; Under Gooseneck)
- > Spare 15" Silver Mod Wheel w/ 225/75R15 Wheel
- > Spare 16" Silver Mod Wheel w/ 235/80R16 Wheel
- > Powdercoat LowPro Pen Gate (EA)

## SCHEMATICS



## COLOR OPTIONS





# STOCK LOWPRO

## GOOSENECK SERIES CONTINUED

**7' x 20'**




### STANDARD FEATURES

- > 20' Floor, 7' Wide, 6' Tall
- > Gooseneck w/ 92" Attic, Adjustable Ball Style GN Hitch
- > All Box Tube Aluminum Chassis
- > One Piece, .040 Aluminum Roof w/ Heavy Duty Radius Roof Extrusion
- > Extruded Aluminum Decking, 12" O/C I-Beam Crossmembers
- > .040 Pre-Painted Exterior Side Sheets
- > GN & Extruded Aluminum Sides
- > 32"x64" Stock Access Door w/ Butterfly Locking Bar (Livestock Style)
- > 4 Wheel Electric Brakes w/ Safety Break-Away Kit
- > All LED Exterior Lighting
- > Tack Area - 40" Tack, 32"x64" Tack Access Door w/ Sliding Window & Screen (C/S location), 1/2" Rubber Mats, & (1) LED Dome Light w/ Wall Switch
- > Tandem 5.2K Braked, Dexter Torsion Ride Axles
- > Aluminum Rims, 225/75R15 - 6 Lug Wheels
- > Heavy Duty Rear Step-Up Rubber Bumper
- > (3) Air Gaps w/ Plexitrac for Standard Plexiglass Sides
- > Full-Length Running Boards
- > 50/50 Double Rear Doors w/ Sliding Windows and Bars
- > Full-length LED Strips Lights in Stock Area, Both Sides
- > Manual Landing Gear
- > Escape Door Pen Gate, U-Bolt Spring Latches for Pen Gate Tie Backs
- > Newly Designed 4' Adjustable Stalls w/ Spring Latch System (8 - 20' model)
- > 8-Year Limited Warranty

### ADDITIONAL OPTIONS

- > Upgrade to 8' Wide
- > Stainless Steel Nose Wrap - Mirror Finish
- > Upgrade to Black Aluminum Rims from Aluminum (Same Size)
- > Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum)
- > Add 6" to Box Height (Livestock Models) PBF
- > Ramp Over Double Doors
- > Access Door to Tack Area 20" x 64" (Interior)
- > Add Drop-Down Vent/Feed Slot to Livestock
- (Require Livestock Siding) (Per Stall)
- > Upgrade to Additional LED Marker Lights Bullets
- > 12V LED Load Light (Single Light w/ Switch, 950 Lumen)
- > 110V Power Package #2 (1) 30 Amp Breaker w/ 25' Shore Line, (2) Standard Wall Receptacle & (2) GFI Wall Receptacle
- > Brace and Stub Wire for Future AC Installation
- > .030 Ceiling Liner w/ Insulation (Tack Area - GN)
- > .030 Wall Liner w/ Insulation (Tack Area - GN)
- > .030 Ceiling Liner w/ Insulation (Horse Area; PLF)
- > Bucket Hangers (Stock Area) (per Pen Gate)
- > Bucket Hangers (Tack Room) (Set of 6)
- > Additional Pen Gate for Livestock Trailer
- > 8' Plexiglass Holder (Mounts to Interior Wall High)
- > 36"x18" Hat Shelf for LowPro w/ Clothing Rod
- > Upgrade Rear Ramp to Stainless Steel Skin
- > Add 36" Wide Ramp on Side of Trailer (Livestock, Stock LowPro models only)
- > Elevated Spare Tire Mount (Exterior Wall; Under Gooseneck)
- > Spare 15" Silver Mod Wheel w/ 225/75R15 Wheel
- > Spare 16" Silver Mod Wheel w/ 235/80R16 Wheel
- > Powdercoat LowPro Pen Gate (EA)

### SCHEMATICS



### COLOR OPTIONS



**7' x 24'**



## STANDARD FEATURES

- > 24' Floor, 7' Wide, 6' Tall
- > Gooseneck w/ 92" Attic, Adjustable Ball Style GN Hitch
- > All Box Tube Aluminum Chassis
- > One Piece, .040 Aluminum Roof w/ Heavy Duty Radius Roof Extrusion
- > Extruded Aluminum Decking, 12" O/C I-Beam Crossmembers
- > .040 Pre-Painted Exterior Side Sheets
- GN & Extruded Aluminum Sides
- > 32"x64" Stock Access Door w/ Butterfly Locking Bar (Livestock Style)
- > 4 Wheel Electric Brakes w/ Safety Break-Away Kit
- > All LED Exterior Lighting
- > Tack Area - 40" Tack, 32"x64" Tack Access Door w/ Sliding Window & Screen (C/S location), 1/2" Rubber Mats,
- & (1) LED Dome Light w/ Wall Switch
- > Tandem 5.2K Braked, Dexter Torsion Ride Axles
- > Aluminum Rims, 225/75R15 - 6 Lug Wheels
- > Heavy Duty Rear Step-Up Rubber Bumper
- > (3) Air Gaps w/ Plexitrac for Standard Plexiglass Sides
- > Full-Length Running Boards
- > 50/50 Double Rear Doors w/ Sliding
- Windows and Bars
- > Full-length LED Strips Lights in Stock Area, Both Sides
- > Manual Landing Gear
- > Escape Door Pen Gate, U-Bolt Spring Latches for Pen Gate Tie Backs
- > Newly Designed 4' Adjustable Stalls w/ Spring Latch System (10 - 24' model)
- > 8-Year Limited Warranty

## ADDITIONAL OPTIONS

- > Upgrade to 8' Wide
- > Stainless Steel Nose Wrap - Mirror Finish
- > Upgrade to Black Aluminum Rims from Aluminum (Same Size)
- > Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum)
- > Add 6" to Box Height (Livestock Models) PBF
- > Ramp Over Double Doors
- > Access Door to Tack Area 20" x 64" (Interior)
- > Add Drop-Down Vent/Feed Slot to Livestock
- (Require Livestock Siding) (Per Stall)
- > Upgrade to Additional LED Marker Lights Bullets
- > 12V LED Load Light (Single Light w/ Switch, 950 Lumen)
- > 110V Power Package #2 (1) 30 Amp Breaker w/ 25' Shore Line, (2) Standard Wall Receptacle & (2) GFI Wall Receptacle
- > Brace and Stub Wire for Future AC Installation
- > .030 Ceiling Liner w/ Insulation (Tack Area - GN)
- > .030 Wall Liner w/ Insulation (Tack Area - GN)
- > .030 Ceiling Liner w/ Insulation (Horse Area; PLF)
- > Additional Pen Gate for Livestock Trailer
- > Bucket Hangers (Stock Area) (per Pen Gate)
- > Bucket Hangers (Tack Room) (Set of 6)
- > 8' Plexiglass Holder (Mounts to Interior Wall High)
- > 36"x18" Hat Shelf for LowPro w/
- Clothing Rod
- > Upgrade Rear Ramp to Stainless Steel Skin
- > Add 36" Wide Ramp on Side of Trailer (Livestock, Stock LowPro models only)
- > Elevated Spare Tire Mount (Exterior Wall; Under Gooseneck)
- > Spare 15" Silver Mod Wheel w/ 225/75R15 Wheel
- > Spare 16" Silver Mod Wheel w/ 235/80R16 Wheel
- > Powdercoat LowPro Pen Gate (EA)

## SCHEMATICS



## COLOR OPTIONS

