

ENCLOSED CARGO

4x6 – 8.5x20



STANDARD FEATURES

- > All Aluminum Construction
- > Dexter Torsion Ride Axles
- > Interior LED Lighting
- > 16" O/C Wall & Roof Studs
- > Exterior LED Lighting
- > 3/8" Water Resistant Walls
- > 24" O/C Floor Crossmembers
- > Smooth .030 Bonded Side Panels
- > 5/8" Water Resistant Decking (4' & 5' Wide)
- > 2"x3" Subframe Tubing
- > One-Piece Aluminum Roof
- > Single Barn Door (4' Wide Only)
- > V-Nose Construction
- > Roof Vent
- > Double Barn Doors (5' Wide)
- > 24" Stone Guard
- > 2000# Center Jack
- > Safety Chains
- > 2" Coupler
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

Trailer Model	4x6	5x8	5x10
Model Number	HEC4x6-IF	HEC5x8-IF	HEC5x10-IF
Box (WxLxH)	50"x6'x60"	60"x8'x66"	60"x10'x66"
Interior (WxLxH)	47"x5'10"x58"	57"x7'10"x64"	57"x9'10"x64"
Overall (WxLxH)	72"x10'x72"	82"x12'8"x78"	82"x14'8"x78"
Deck Height	12"	13"	13"
Hitch Height	11"	12"	12"
Rear Door Opening (WxH)	42"x54"	52"x60"	52"x60"
Axle(s) - Qty/Rating	1-2200# Idler	1-3500# Idler	1-3500# Idler
Wheels	13" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	175/80R13	205/7515	205/75R15
GVWR	2200#	2990#	2990#
Curb Weight	650#	875#	950#
Payload	1550#	2115#	2040#
V-Nose	24"	28"	28"
Coupler Rating/Ball Size	3500# / 2"	3500# / 2"	3500# / 2"
Power Connection	4-Way Flat	4-Way Flat	4-Way Flat

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION
Add 3", 6", or 9" to Box Height
Upgrade to 16" O/C Floor Studs
EXTERIOR
Two Tone Color w/6" Anodized Divider
Upgrade to 36" Stone Guard
RAMP OPTIONS
Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap
DOORS/WINDOWS/VENTS
32"x58" Side Access Door w/Paddle Handle & Piano Hinge
12V LIGHTING & ELECTRICAL OPTIONS
Recessed LED Puck Light Package

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" Silver Mod
Upgrade to 13" Aluminum
Upgrade to 15" Aluminum Wheels
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Spare 13" Silver Mod Wheel w/ 175/80R13 Tire
Spare 13" Aluminum Wheel w/ 175/80R13 Tire
Bolt-On Spare Tire Carrier (Tongue-Mounted)
TIE DOWN OPTIONS
5000# Recessed Heavy Duty D-Ring w/Backing Plate
Zinc 6000# Recessed Swivel D-Ring w/Backing Plate

COLOR OPTIONS



4x6 – 5x10



ENCLOSED CARGO

4x6 – 8.5x20 CONTINUED

6x10 – 6x12 TA

STANDARD FEATURES

- > All Aluminum Construction
- > Dexter Torsion Ride Axles
- > Interior LED Lighting
- > 16" O/C Wall & Roof Studs
- > Exterior LED Lighting
- > 3/8" Water Resistant Walls
- > 24" O/C Floor Crossmembers
- > Smooth .030" Bonded Side Panels
- > 3/4" Water Resistant Decking
- > 2"x3" Subframe Tubing
- > One-Piece Aluminum Roof
- > Double Barn Doors
- > Sloped V-Nose Construction
- > Roof Vent
- > 24" Stone Guard
- > 2000# Center Jack
- > Safety Chains
- > 32"x66" Side Door
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	6x10	6X12 SA	6X12 TA
Model Number	HEC6x10-IF	HEC6x12SA-IF	HEC6x12TA-IF
Box (WxLxH)	72"x10"x78"	72"x12"x78"	72"x12"x78"
Interior (WxLxH)	69"x9'10"x76"	69"x11'10"x76"	69"x11'10"x76"
Overall (WxLxH)	94"x15'7"x90"	94"x17'7"x90"	94"x19'7"x90"
Deck Height	13"	13"	13"
Hitch Height	12"	12"	12"
Rear Door Opening (WxH)	64"x72"	64"x72"	64"x72"
Axle(s) - Qty/Rating	1-3500# Idler	1-3500# Idler	2-3500# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15
GVWR	2990#	2990#	7000#
Curb Weight	1120#	1300#	1450#
Payload	1870#	1690#	5550#
V-Nose	38-1/2"	38-1/2"	38-1/2"
Coupler Rating/Ball Size	8000# / 2"	8000# / 2"	8000# / 2"
Power Connection	4-Way Flat	4-Way Flat	7-Way Round

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION
Add 3", 6", or 9" to Box Height
Upgrade to 16" O/C Floor Studs
EXTERIOR
Two Tone Color w/6" Anodized Divider
Upgrade to 36" Stone Guard
INTERIOR
Upgrade to White Vinyl Backed Luan Walls w/Divider
White Vinyl Backed Luan Ceiling
AXLE OPTIONS
Upgrade to 1-3K Torsion Braked Axle
RAMP OPTIONS
Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap
DOORS/WINDOWS/VENTS
Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" Aluminum Wheels (Radial; From 15" 205 Silver Mod Radial)
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall)
TIE DOWN OPTIONS
5000# Recessed Heavy Duty D-Ring w/Backing Plate
Stainless Steel 6000# Recessed Swivel D-Ring w/Backing Plate
12V LIGHTING & ELECTRICAL OPTIONS
LED Porch Light w/12V Wall Switch
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights
Recessed LED Puck Light Package

COLOR OPTIONS

 Windstar Silver	 Flat Black	 Crystal White
 Indigo Blue	 Penske Yellow	 Forest Green
 Orange	 Charcoal	 Pewter Metallic
 Victory Red	 Champagne	 Brandywine



ENCLOSED CARGO

4x6 – 8.5x20 CONTINUED

7x12 TA – 7x20

STANDARD FEATURES

- > All Aluminum Construction
- > Dexter Torsion Ride Axles
- > 2000# Center Jack
- > 16" O/C Wall & Roof Studs
- > Exterior LED Lighting
- > Safety Chains
- > 24" O/C Floor Crossmembers
- > Smooth .030" Bonded Side Panels
- > A-Frame Coupler
- > 2"x5" Subframe Tubing
- > One-Piece Aluminum Roof
- > 32"x66" Side Door
- > Sloped V-Nose Construction
- > Roof Vent
- > Interior LED Lighting
- > 3/8" Water Resistant Walls
- > 3/4" Water Resistant Decking
- > Double Barn Doors
- > 24" Stone Guard
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7x12 TA	7x14	7x16	7x18	7x20
Model Number	HEC7x12-IF	HEC7x14-IF	HEC7x16-IF	HEC7x18-IF	HEC7x20-IF
Box (WxLxH)	84"x12"x78"	84"x14"x78"	84" x16' x78"	84"x18"x78"	84"x20"x78"
Interior (WxLxH)	81"x11'10"x76"	81"x13'10"x76"	81"x15'10"x76"	81"x17'10"x76"	81"x19'10"x76"
Overall (WxLxH)	102"x17'10"x90"	102"x19'10"x90"	102"x21'10"x90"	102"x23'10"x90"	102"x23'10"x90"
Deck Height	13"	13"	13"	13"	13"
Hitch Height	12"	12"	12"	12"	12"
Rear Door Opening (WxH)	76"x72"	76"x72"	76"x72"	76"x72"	76"x72"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75S215	205/75R15	205/75R15
GVWR	7000#	7000#	7000#	7000#	7000#
Curb Weight	1450#	1750#	1900#	2075#	2275#
Payload	5550#	5250#	5100#	4925#	4725#
V-Nose	60"	60"	60"	60"	60"
Coupler Rating/Ball Size	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION
Add 3", 6", or 9" to Box Height
Upgrade to 16" O/C Floor Studs
EXTERIOR
Two Tone Color w/6" Anodized Divider
Upgrade to 36" Stone Guard
INTERIOR
Upgrade to White Vinyl Backed Luan Walls w/Divider
White Vinyl Backed Luan Ceiling
AXLE OPTIONS
Upgrade to 2-5K Torsion Braked Axles & Frame (Includes Axle Carrier Upgrade and 16" O/C Floor Stud Upgrade and Upgrade to 15" 225 6-Lug Tires)
RAMP OPTIONS
Rear Stowable Ramp Kit: (2) 26"x6" Ramps; Extrusion to Hook Ramps, Add (2) Extra Strap Hinges to Each Barn Door, Ramp Lock Extrusion (Full Width/Both Ends of Each Ramp)
Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap (From Barn Door)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" Aluminum Wheels
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall)
TIE DOWN OPTIONS
5000# Recessed Heavy Duty D-Ring w/Backing Plate
Zinc 6000# Recessed Swivel D-Ring w/Backing Plate
12V LIGHTING & ELECTRICAL OPTIONS
LED Porch Light w/12V Wall Switch
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights
Recessed LED Puck Light Package
DOORS/WINDOWS/VENTS
Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door

COLOR OPTIONS

		
Windstar Silver	Flat Black	Crystal White
		
Indigo Blue	Penske Yellow	Forest Green
		
Orange	Charcoal	Pewter Metallic
		
Victory Red	Champagne	Brandywine



ENCLOSED CARGO

4x6 – 8.5x20 CONTINUED

7.5x12 – 7.5x20

STANDARD FEATURES

- > All Aluminum Construction
- > Dexter Torsion Ride Axles
- > 2000# Center Jack
- > 16" O/C Wall & Roof Studs
- > Exterior LED Lighting
- > Safety Chains
- > 24" O/C Floor Crossmembers
- > Smooth .030" Bonded Side Panels
- > A-Frame Coupler
- > 2"x5" Subframe Tubing
- > One-Piece Aluminum Roof
- > 32"x66" Side Door
- > Sloped V-Nose Construction
- > Roof Vent
- > Interior LED Lighting
- > 3/8" Water Resistant Walls
- > 3/4" Water Resistant Decking
- > Double Barn Doors
- > 24" Stone Guard
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.5x12 TA	7.5x14	7.5x16	7.5x18	7.5x20
Model Number	HEC7.5x12-IF	HEC7.5x14-IF	HEC7.5x16-IF	HEC7.5x18-IF	HEC7.5x20-IF
Box (WxLxH)	90"x12"x78"	90"x14"x78"	90"x16"x78"	90"x18"x78"	90"x20"x78"
Interior (WxLxH)	87"x11'10"x76"	87"x13'10"x76"	87"x15'10"x76"	87"x17'10"x76"	87"x19'10"x76"
Overall (WxLxH)	102"x17'10"x90"	102"x19'10"x90"	102"x21'10"x90"	102"x23'10"x90"	102"x23'10"x90"
Deck Height	13"	13"	13"	13"	13"
Hitch Height	12"	12"	12"	12"	12"
Rear Door Opening (WxH)	80"x72"	80"x72"	80"x72"	80"x72"	80"x72"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	7000#	7000#	7000#	7000#	7000#
Curb Weight	1450#	1750#	1900#	2075#	2275#
Payload	5550#	5250#	5100#	4925#	4725#
V-Nose	60"	60"	60"	60"	60"
Coupler Rating/Ball Size	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION
Add 3", 6", or 9" to Box Height
Upgrade to 16" O/C Floor Studs
EXTERIOR
Two Tone Color w/6" Anodized Divider
Upgrade to 36" Stone Guard
INTERIOR
Upgrade to White Vinyl Backed Luan Walls w/ Divider
White Vinyl Backed Luan Ceiling
AXLE OPTIONS
Upgrade to 2-5K Torsion Braked Axles & Frame (Includes Axle Carrier Upgrade and 16" O/C Floor Stud Upgrade and Upgrade to 15" 225 6-Lug Tires)
RAMP OPTIONS
Rear Stowable Ramp Kit: (2) 26"x6" Ramps; Extrusion to Hook Ramps, Add (2) Extra Strap Hinges to Each Barn Door, Ramp Lock Extrusion (Full Width/Both Ends of Each Ramp)
Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" Aluminum Wheels
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall)
TIE DOWN OPTIONS
5000# Recessed Heavy Duty D-Ring w/Backing Plate
Zinc 6000# Recessed Swivel D-Ring w/Backing Plate
12V LIGHTING & ELECTRICAL OPTIONS
LED Porch Light w/12V Wall Switch
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights
Recessed LED Puck Light Package
DOORS/WINDOWS/VENTS
Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door

COLOR OPTIONS

Windstar Silver	Flat Black	Crystal White
Indigo Blue	Penske Yellow	Forest Green
Orange	Charcoal	Pewter Metallic
Victory Red	Champagne	Brandywine



ENCLOSED CARGO

4x6 – 8.5x20 CONTINUED

8.5x12 – 8.5x20

STANDARD FEATURES

- > All Aluminum Construction
- > 2000# Center Jack
- > 3/8" Water Resistant Walls
- > 16" O/C Wall & Roof Studs
- > Safety Chains
- > Sloped V-Nose Construction
- > 24" O/C Floor Crossmembers
- > (3) Interior LED Dome Lights w/Switch
- > 2"x5" Subframe Tubing
- > Double Barn Doors
- > A-Frame Tongue
- > One-Piece Aluminum Roof
- > Dexter Torsion Ride Axles
- > Smooth .030" Bonded Side Panels
- > Polished Aluminum Fenders
- > 32"x66" Side Door
- > Roof Vent
- > 24" Stone Guard
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	8.5x12	8.5x14	8.5x16	8.5x18	8.5x20
Model Number	HEC8.5x12-IF	HEC8.5x14-IF	HEC8.5x16-IF	HEC8.5x18-IF	HEC8.5x20-IF
Box (WxLxH)	99"x12"x78"	99"x14"x78"	99"x16"x78"	99"x18"x78"	99"x20"x78"
Interior (WxLxH)	96"x11'10"x76"	96"x13'10"x76"	96"x15'10"x76"	96"x17'10"x76"	96"x19'10"x76"
Overall (WxLxH)	102"x18'8"x92"	102"x20'8"x92"	102"x22'8"x92"	102"x24'8"x92"	102"x26'8"x92"
Deck Height	15"	15"	15"	15"	15"
Hitch Height	14"	14"	14"	14"	14"
Rear Door Opening (WxH)	89"x72"	89"x72"	89"x72"	89"x72"	89"x72"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked
Wheels	15" Silver Mods	15" Silver Mods	15" Silver Mods	15" Silver Mods	15" Silver Mods
Tires	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	7000#	7000#	7000#	7000#	7000#
Curb Weight	1850#	1950#	2050#	2275#	2475#
Payload	5150#	5050#	4950#	4725#	4525#
V-Nose	53"	53"	53"	53"	53"
Coupler Rating/Ball Size	15000# / 2-5/16"	15000# / 2-5/16"	15000# / 2-5/16"	15000# / 2-5/16"	15000# / 2-5/16"
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION	TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Add 3", 6", or 9" to Box Height	Upgrade to 15" Aluminum Wheels
Upgrade to 16" O/C Floor Studs	Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
EXTERIOR	Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Two Tone Color w/6" Anodized Divider	Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall)
Upgrade to 36" Stone Guard	TIE DOWN OPTIONS
INTERIOR	5000# Recessed Heavy Duty D-Ring w/Backing Plate
Upgrade to White Vinyl Backed Luan Walls w/Divider	Zinc 6000# Recessed Swivel D-Ring w/Backing Plate
White Vinyl Backed Luan Ceiling	12V LIGHTING & ELECTRICAL OPTIONS
AXLE OPTIONS	LED Porch Light w/12V Wall Switch
Upgrade to 2-5K Torsion Braked Axles & Frame (Includes Axle Carrier Upgrade and 16" O/C Floor Stud Upgrade, & Upgrade to 15" 225 6-Lug Tires)	Upgrade to 12" LED Slimline Tail/Turn/Stop Lights
RAMP OPTIONS	Recessed LED Puck Light Package
Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap (From Barn Door)	DOORS/WINDOWS/VENTS
	Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door

COLOR OPTIONS





ENCLOSED CARGO POPULAR OPTIONS

CONSTRUCTION OPTIONS

CONSTRUCTION OPTIONS
Flat Front Construction
Cast Polished Corners for Flat Front
Upgrade to Radius Roof Construction (Up to 30'; Sloped V-Nose, Cast Corners, & Rear Canopies are Not Available With This Option)
2' Round Nose w/Anodized Nose Cone
Add Slope in V-Nose
3" Extra Height
6" Extra Height
9" Extra Height
12" Extra Height
15" Extra Height (Requires .080" Wall Stud Upgrade and HD Rear Ramp)
18" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080" Wall Stud Upgrade)
21" Extra Height (Requires .080" Wall Stud Upgrade and HD Rear Ramp)
24" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080" Wall Stud Upgrade)
Decrease Height 6"
Decrease Height 12"
Additional Length in 2' Intervals (6' Wide)
Additional Length in 2' Intervals (7' Wide)
Additional Length in 2' Intervals (7.5' Wide)
Additional Length in 2' Intervals (8.5' Wide)
Upgrade Trailer Sub Frame to 2"x8" (From 2"x6"; PBF; Cargo Models going to 12K GVWR Axles +)
Add Beavertail w/Extra High Door (6' Wide +, 16' +)
Reverse Beavertail Construction (6' Wide +)
12" Extended Tongue (For 3K Tandem Axle Enclosed with 2"x5" Frame; Includes Center Beam Upgrade)
16" Extended Tongue (For 5K Tandem Axle Enclosed; Trailer Must Have 2"x6" Frame or Larger)

DOORS, RAMPS, & COMPARTMENTS

DOORS, RAMPS, & COMPARTMENTS
26"x58" Side Access Door w/Paddle Handle and Piano Hinge
32"x58" Side Access Door w/Paddle Handle and Piano Hinge
32"x66" Side Access Door w/Paddle Handle and Piano Hinge
32"x72" Side Access Door w/Paddle Handle and Piano Hinge
32"x72" Radius RV Door w/Screen (Window Optional)
Upgrade to 32"x72" Side Access Door w/Paddle Handle and Piano Hinge (From 66")
Upgrade to Dexter 32"x72" Radius Door (From 32"x72" Piano Hinged Door)
Upgrade to 32"x72" Radius RV Door w/Screen (Window Optional; From Standard 32"x72" Side Access Door)
Upgrade to 36" Wide Side Access Door (From 32")
Upgrade to 48" Wide Side Access Door (From 32")
48"x72" Split Side Access Door(s)

CONSTRUCTION OPTIONS (CONTINUED)
Upgrade to Triple Tube Tongue (Enclosed Cargo)
Upgrade to 2-5/16" A-Frame Coupler (From 2" A-Frame Coupler)
Upgrade to 3" Adjustable 2-5/16" A-Frame Coupler
Upgrade to 8000# Pedestal Jack (From Wheel or Center Jack)
Upgrade to 10000# Pedestal Jack (From Wheel or Center Jack)
Upgrade to 5000# Center-Mount Wheel Jack (From 1500# Wheel / 2000# Center Jack)
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)
Upgrade Wall Studs to 2"x2" (PBF)
Upgrade to .080" Wall Studs
Upgrade Ceiling Studs to 2"x2" (PBF)
Walk-On Roof (Reinforced; PBF)
Heavy Duty Winch Mount (Winch Not Included)
8' Platform Roof w/Ladder & Rail Kit
10' Catwalk (Includes Ladder to Roof & 3 Ladder Racks)
12' Catwalk (Includes Ladder to Roof & 3 Ladder Racks)
14' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)
16' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)
18' Catwalk (Includes Ladder to Roof & 5 Ladder Racks)
20' Catwalk (Includes Ladder to Roof & 6 Ladder Racks)
Ladder to Roof (Outside V-Nose)
Upgrade to Roller on Rear Ladder Rack
Ladder Racks
Rear Canopy Loading Light System: 2013 Version (Not Available w/Radius Roof)
Rear Canopy Loading Light System: 2020 Version (Not Available w/Radius Roof)

DOORS, RAMPS, & COMPARTMENTS (CONTINUED)
Upgrade to 48"x72" Split Side Access Doors (From 32"x72" Side Access Door)
Upgrade to 78" Tall Side Access Door (From 72" Height; Excludes Radius RV Door)
Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap (From Barn Door)
Upgrade to Car Hauler Grade Rear Ramp (From Standard Ramp)
Diamond Plate Transition Flap (Ramp to Box)
Aluminum Starter Flap to Rear Ramp
Barn Doors on Side of Trailer (74"x72")
Ramp Door w/Spring Assist on Side of Trailer (74"x72")
30"x30" Generator Door w/Salem Vent & Paddle Handle (Lockable)
36"x36" Generator Door w/Salem Vent & Paddle Handle (Lockable)
Generator Compartment (30"H x 30"W x 24"D; Door Optional)



ENCLOSED CARGO POPULAR OPTIONS CONTINUED

DOORS, RAMPS, & COMPARTMENTS CONTINUED

DOORS, RAMPS, & COMPARTMENTS	DOORS, RAMPS, & COMPARTMENTS (CONTINUED)
Generator Compartment (36"H x 36"W x 24"D; Door Optional)	Rear Full-Length Step Across Rear of Trailer (12" Deep w/Expanded Aluminum on Top; Barn Doors Only)
Slide-Out Generator Tray	Aluminum Grab Handle For Side Access Door
Upgrade to Insulated Generator Compartment (Requires Generator Compartment)	Keyed Locking Hasps for Rear Ramp
Propane Compartment (30"H x 30"W x 24"D) w/Vented Non-Locking Door	Upgrade to L-Latches (Freezer Latches) Per Ramp, Replaces Locking Bars (Premium Models w/Car Hauler Grade Rear Ramp)
Propane Compartment (36"H x 36"W x 24"D) w/Vented Non-Locking Door	Locking Bar for Side Access Door
14" x 14" Fuel Door w/Paddle Handle	Keyed Locking Hasps for Side Door Locking Bar
24" x 24" Fuel Door w/Paddle Handle	Upgrade to Full Piano Hinge For Rear Ramp
Concession Door (4'x4')	Upgrade to Full Piano Hinge For Side Access Door
Concession Door (4'x6')	Rear Door Air Curtain
Concession Door (4'x8')	Pull Down Screen for Rear Door Opening
Escape Door (4'x4'; Driver's Side Over Wheel Well)	Pop Out Tent Bed (60"H x 80"L Rough Opening)
30" x 30" Hatch Door	Keyless Entry System (For Side Access Door)
RV-Style Pull-Out Step (Steel)	Rear Stowable Ramp Kit: (2) 26"x 6' Ramps, Extrusion to Hook Ramps, Ramps to Stow Interior of Barn Doors, (4) Extra Strap Hinges
Aluminum Fold-Down Step	
Powder Coated Aluminum Flip-Down Step	
Aluminum Pull-Out Step	
Aluminum Loop Step (Stationary)	

EXTERIOR OPTIONS

EXTERIOR OPTIONS	EXTERIOR OPTIONS (CONTINUED)
.040" Skin Upgrade (Black, White, & Silver Only)	Upgrade to 48" Stone Guard (From 24")
.050" Skin Upgrade (Black & White Only)	Two-Tone Color Package w/No Anodized Divider
Anodized Aluminum Side & Rear Trim Panel (12"; PBF)	Two-Tone Color w/6" Anodized Divider
Aluminum Diamond Plate Side & Rear Trim Panel (12"; PBF)	Two-Tone Color w/12" Anodized Divider
Anodized Aluminum Side & Rear Trim Panel (24"; PBF)	Two-Tone Color w/24" Anodized Divider
Aluminum Diamond Plate Side & Rear Trim Panel (24"; PBF)	Upgrade to Anodized Nose Cone
Upgrade to Larger 7" Bottom Trim (PBF)	Add Red & White DOT Tape to Trailer (PLF; Required on Any Trailer Over 10,000 lbs. GVWR)
Upgrade to 36" Stone Guard (From 24")	Upgrade to Translucent Roofing (From Mill-Finish Aluminum; PBF)

INTERIOR OPTIONS

INTERIOR OPTIONS	INTERIOR OPTIONS (CONTINUED)
White .030" Aluminum Side Walls, Bonded	3/4" Foam Insulation (Side Walls; PBF)
White .030" Aluminum Side Walls, Screwed	3/4" Foam Insulation (Ceiling; Requires Ceiling Liner)
White .030" Aluminum Ceiling, Bonded	2" Foam Insulation (Ceiling Only; PBF)
White .030" Aluminum Ceiling, Screwed	.030" Aluminum Cove (All Colors)
White Vinyl Backed Luan (Ceiling Only; PBF)	Anodized Roof Coves
Upgrade to 3/8" Plywood Walls (From 3/8" Water Resistant; May Extend Lead Times)	Anodized Spring Cover
Upgrade to White Vinyl Faced Luan Walls (From 3/8" Water Resistant)	Diamond Plate Spring Cover
Upgrade to White Vinyl Backed 3/8" Plywood (From 3/8" Water Resistant; PBF)	.030" Aluminum Spring Assist Cover for 4'5' Wide Trailer Rear Ramp Door
Upgrade to 3/8" Water Resistant Walls (Cargo Trailers; From White Luan Walls; PBF)	.030" Aluminum Spring Assist Cover for Rear Ramp Door
Upgrade to 3/8" Plywood Walls (Cargo Trailers; From White Luan Walls; PBF)	Partition Wall w/32" Access Door
Upgrade to 1/2" Plywood Walls (Cargo Trailers; PBF)	Diamond Plate Kick Plate (6")



ENCLOSED CARGO POPULAR OPTIONS CONTINUED

INTERIOR OPTIONS CONTINUED

INTERIOR OPTIONS
Diamond Plate Kick Plate (12")
Diamond Plate Kickplate (24")
Water Resistant Kick Plate (12")

FLOORING

FLOORING
Upgrade to 3/4" Water Resistant Decking (From 5/8" Water Resistant Decking; PBF)
Upgrade to 3/4" Pressure Treated Plywood (From 3/4" Water Resistant Decking)
Upgrade to 3/4" Quad-Ply Decking (Non-Skid Surface, FRP Backer; PBF)
Additional Layer of 3/4" Water Resistant Decking
Upgrade to Extruded Aluminum Floor (Charge For Ramp and V-Nose; PLF)
Aluminum Diamond Plate Floor Overlay (.045"; PLF)
Upgrade to Black Marble Vinyl Flooring (PLF)
Upgrade to Checkerboard Vinyl Flooring (Black & White; PLF)
Painted Epoxy Floor Covering (PBF)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 13" Aluminum (Radial; From 13" Silver Mod Wheels)
Upgrade to 15" Silver Mod (Radial; From 13" Silver Mod Wheels; Includes Fender Upgrade)
Upgrade to 15" 225 Silver Mod Wheels (Radial; From 15" 205 Silver Mod Radial)
Upgrade to 15" Aluminum (Radial; From 15" Silver Mod Radial Wheels)
Upgrade to 15" Black Aluminum (Radial; From 15" Silver Mod Radial Wheels)
Upgrade to 15" Flat Black Mod (Radial; From 15" Silver Mod Radial Wheels; Special Order)
Upgrade to 15" Galvanized (Radial; From 15" Silver Mod Radial Wheels)
Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" 225 Black Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" 225 Flat Black Mod (Radial; From 15" 225 Silver Mod Radial Wheels; Special Order)
Upgrade to 16" Silver Mod Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum)
Upgrade to 16" Black Aluminum Wheels (Radial; From 15" 225 Aluminum)
Upgrade to 16" G-Rated Silver Mod Wheels (Radial; From 16" Silver Mod Radial)
Upgrade to 16" Aluminum Wheels (Radial; From 16" Silver Mod Wheels)
Upgrade to 16" Black Aluminum Wheels (Radial; From 16" Silver Mod Wheels)
Upgrade to Black Aluminum Rims from Aluminum (Same Size)

INTERIOR OPTIONS (CONTINUED)
Extruded Aluminum Kick Plate (6")
Carpet on Walls (Charcoal Only, 3' Up Wall, Calculate 4' for V-Nose)
Upgrade to Black TPO Coin Walls (3' Up Wall, Calculate 4' for V-Nose; PLF)

FLOORING (CONTINUED)
Upgrade to Rubber Coin Flooring (Black; PLF)
Upgrade to TPO Coin Flooring (Black)
Upgrade to Extruded Aluminum Floor (From Rubber TPO; Charge for Ramp/V-Nose; Include Starter)
Flap (If Added to Order; PLF)
Upgrade to Charcoal Carpet Flooring (PLF)
Upgrade to 3/4" Foam Insulated Floor
Aluminum Diamond Plate Runner (12" Single Row; .056"; PLF)
Aluminum Diamond Plate Runner (12" Double Rows; .056"; PLF)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES (CONTINUED)
Spare 13" Silver Mod Wheel w/ 175/80R13 Tire
Spare 13" Aluminum Wheel w/ 175/80R13 Tire
Spare 13" Galvanized Wheel w/ 175/80R13 Tire
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Spare 15" Black Aluminum Wheel w/ 205/75R15 Tire
Spare 15" Galvanized Wheel w/ 205/75R15 Tire
Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (5-Lug)
Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (6-Lug)
Spare 15" Aluminum Wheel w/ 225/75R15 Tire (5-Lug)
Spare 15" Aluminum Wheel w/ 225/75R15 Tire (6-Lug)
Spare 15" Black Aluminum Wheel w/ 225/75R15 Tire
Spare 16" Silver Mod Wheel w/ 235/80R16 Tire
Spare 16" Aluminum Wheel w/ 235/80R16 Tire
Spare 16" Black Aluminum Wheel w/ 235/80R16 Tire
Spare 16" G-Rated Silver Mod Wheel w/ 235/80R16 Tire (14 Ply Rating)
Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall)
Exterior Elevated Spare Tire Mount (Diamond Plate; Exterior Wall)
Spare Tire Mount (Interior; Floor Level)
Deluxe Recessed Spare Tire Well (Diamond Plate w/Hatch Cover)



ENCLOSED CARGO POPULAR OPTIONS CONTINUED

AXLES

AXLES
Upgrade to 1-3K Torsion Braked Axle (From 1-3K Torsion Idler; Trailer Must Have at Least 12" E-Rated Tires)
Upgrade to 2-3K Torsion Braked Axles (From 1-3K Torsion Idler)
Upgrade to 2-5K Torsion Braked Axles & Frame (From 2-3K Braked; Enclosed Models; Includes Axle Carrier Upgrade and 16" O/C Floor Stud Upgrade, & Upgrade to 15" 225 6-Lug Tires)
Upgrade to 2-6K Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade; 2"x8" Frame Upgrade Required)
Upgrade to 2-7K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade; 2" x 8" Frame Upgrade Required)

AXLES (CONTINUED)
Upgrade to 2-3K Hydraulic Braked Axles (From 2-3K Torsion Braked)
Spread Axle Upgrade w/Individual Fenders (7' & 7.5' Wide Trailers)
Spread Axle Upgrade w/Tapered Fender Skirting (8' Wide Models)
Upgrade to Surge Brakes (From Compatible Brake Size)
Upgrade to Zero Degree Axle(s)
Upgrade to 22.5 Degree Down Axle(s)
Upgrade to 45 Degree Down Axle(s)
Upgrade to Galvanized Axle (Torsion; Minimum 4-Week Lead Time)

TIE-DOWNS

TIE-DOWNS
Light Duty Surface-Mounted D-Ring (Installed)
Light Duty Sliding D-Ring (For Recessed Slide Track; Installed)
Upgrade to Powder Coated Sliding D-Ring (From Existing Sliding D-Ring)
Heavy-Duty Recessed 5000# D-Rings w/Backing Plate
Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Zinc)
Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Stainless Steel)
Recessed Flip-Up Motorcycle Wheel Chock w/(4) Surface-Mounted D-Rings
Recessed Flip-Up Motorcycle Wheel Chock w/(4) Recessed Heavy Duty D-Rings
Recessed Flip-Up Motorcycle Wheel Chock
Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Surface-Mounted D-Rings
Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Heavy Duty D-Rings
Single Stainless Steel Tube Style Wheel Chock for Single Piece of Slide Track (Installed)
Stainless Steel Tube Style Wheel Chock
E-Track - Surface Mounted; Floor

TIE-DOWNS (CONTINUED)
E-Track - Surface Mounted; Wall
E-Track - HD Recessed w/Backing Plate; Floor
E-Track - HD Recessed w/Backing Plate; Walls
E-Track (Aluminum) - Surface Mounted; Wall
E-Track (Aluminum) - HD Recessed w/Backing Plate; Floor
E-Track (Aluminum) - HD Recessed w/Backing Plate; Walls
Airline Track (Aluminum) - Surface Mounted; Floor
Airline Track (Aluminum) - Surface Mounted; Wall
Airline Track (Aluminum) - Recessed in Floor; PLF
Airline Track (Aluminum) - Recessed in Wall; PLF
Recessed Slide Track - Track Only; D-Rings Sold Separately
Recessed Slide Track - (2) Rows w/(4) Sliding D-Rings
Powder Coated Slide Track Upgrade (For Existing Slide Track; PBF)

12V LIGHTING & ELECTRICAL

12V LIGHTING & ELECTRICAL
Additional LED Backup Lights (Pair; Installed)
Additional LED Stop/Turn/Tail Lights (Pair; Installed)
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)
Upgrade to Additional LED Marker Light Bullets
Diamond Plate Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)
Anodized Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)
(2) 12V LED Load Lights (Double Lights w/Single Switch, 950 Lumens)
12V LED Load Light (Single Light w/Switch, 950 Lumens)
Recessed LED Exterior Load Light/Switch/Housing Pkg (Side of Trailer; 950 Lumens)
12V LED Porch Light w/Wall Switch
K60 LED Exterior Scene Light Package: One 12V Wall Switch With (2) K60 Scene Lights
Mid-Ship Turn Signals (For Tandem Fenders Only; Pair)

12V LIGHTING & ELECTRICAL (CONTINUED)
Angled Back Up Lights (Mounts on Side of Trailer)
Upgrade to 12V Electric Pedestal Jack w/Battery & Box Installed
12V Power Jack (Cigarette Lighter Plug)
Upgrade to LED Economy Dome Light (460 Lumens; From Incandescent Dome Light)
Additional 12V LED Dome Light (460 Lumens)
12 Volt Wall Switch
12 Volt Wall Switch (3-Way)
Upgrade to 12 Volt 3-Way Wall Switch
LED Puck Light Package (8 Recessed Lights & Wall Switch; Requires Ceiling Liner)
Additional Recessed LED Puck Light
LED Puck Light Package Under Overhead Cabinet: (2) Round LED Flush Mount Dome Lights; (1) 12V Wall Switch
18" 12V LED Light (Requires Ceiling Liner)



ENCLOSED CARGO POPULAR OPTIONS CONTINUED

12V LIGHTING & ELECTRICAL CONTINUED

12V LIGHTING & ELECTRICAL
Upgrade Interior Dome Light to 12V 18" LED Light
Upgrade to (3) 18" 12V LED Light (From (2) 4' LED Wraparound; Requires Ceiling)
Trickle Charger for Battery
Deep Cycle Marine Battery & Box (Wired)
LED Interior Strip Light w/Housing Package (Per Foot, Per Section)
Upgrade to 7-Way Plug w/Junction Box (From 4-Way Plug)

110V LIGHTING & ELECTRICAL

110V LIGHTING & ELECTRICAL
110V Power Package #1: (1) 15 AMP Motor Base Plug, (1) Wall Switch, (1) Receptacle, (1) 4' LED Wraparound Light (No Additions Available With This Package)
110V Power Package #2: 30 AMP Breaker, (1) 25' Shore Line, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) GFI Wall Receptacle, (2) 4' LED Wraparound Lights.
110V Power Package #3: (1) 30 AMP Panel, (1) Wall Switch, (4) Standard Wall Receptacles, (1) GFCI Receptacle, (4) 4' LED Wraparound Lights, (1) Brace & Wire Stub for A/C Unit
110V Power Package #4: (1) 15 Amp Motor Base Plug, (2) Wall Receptacles
110V Power Package #5: (1) 60A Breaker Panel w/60A Converter & 50A Motor Base Plug, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) USB Wall Receptacle, (1) GFI Wall Receptacle, (2) 4' LED Wraparound Lights, 12V Deep Cycle Battery & Box
15A Motor Base Plug
30A Motor Base Plug (Replaces Shore Line; 110V Package Required)
30A Power Converter (110V Package #2)
30A Power Cord (25' Long; For Motorbase Plug)
30A Generator Line Switch

CABINETS

CABINETS
2-Door V-Nose Base Cabinet (50" & 60" Wide Models)
2-Door V-Nose Base Cabinet (80" Wide Models)
4-Door V-Nose Base Cabinet (80" Wide Models)
2-Door V-Nose Base Cabinet (84" Wide Models; 78"W x 22"D x 37"H)
4-Door V-Nose Base Cabinet (84" Wide Models; 74"W x 31"D x 37"H)
2-Door V-Nose Base Cabinet (90" Wide Models)
2-Door V-Nose Base Cabinet (99" Wide Models; 83"W x 30"D x 37"H)
4-Door V-Nose Base Cabinet (99" Wide Models; 83"W x 30"D x 37"H)
Upgrade V-Nose Base Cabinet to Full Width/Depth of V-Nose (72", 80" & 84" Wide Models)
Upgrade V-Nose Base Cabinet to Full Width/Depth of V-Nose (90" & 99" Wide Models)
2-Door V-Nose Overhead Cabinet (50" & 60" Wide Models)
2-Door V-Nose Overhead Cabinet (80" Wide Models)
2-Door V-Nose Overhead Cabinet (84" Wide Models)

12V LIGHTING & ELECTRICAL (CONTINUED)
Upgrade to Permaseal Wire Connectors
Upgrade Premium Light Package (LED Strip Lights w/Integrated Backup Lights, Marker Lights w/Clear Lens)
Upgrade to Premium Light Package (LED Strip Lights w/No Backup Lights, Marker Lights w/Clear Lenses)
Wireless Backup Camera System w/7" LCD Screen
Add Pair of LED 6" Oval Alternating Flashing Safety Lights (Orange) w/Exterior Toggle Switch (Hardwired Into Auxiliary; 7-Way Plug Required)

110V LIGHTING & ELECTRICAL (CONTINUED)
Upgrade to 50A Breaker Box (Requires 110V Package #2)
50A Power Cord (25' Long; For Motor Base Plug)
60A Power Converter (110V Package Required)
110 Volt Wall Receptacle (Installed; Requires 110V Package)
110 Volt Combo USB/Wall Outlet Receptacle (Installed; Requires 110V Package #2)
110 Volt Wall Switch (3-Way; Requires 110V Package #2)
GFI Wall Receptacle (Exterior; Requires 30A Package)
4' LED Wraparound Light (Requires 110V Package)
GFI Wall Receptacle (Interior; Requires 30A Package)
500W Swing-Mount Quartz Light
13,500 BTU Roof-Mounted Air Conditioner (Requires 110V Package #2)
Heat Strip for A/C Unit
Brace & Stub Wire for Future AC Installation (Requires 110V Package #2; 12 Gauge Wire and 20A Breaker)
Heater: Electric CADET Com-Pak Plus White Wall Fan, 1500 Watt (Requires 110V Pkg #2)

CABINETS (CONTINUED)
2-Door V-Nose Overhead Cabinet (84" Wide Models)
2-Door V-Nose Overhead Cabinet (90" Wide Models)
2-Door V-Nose Overhead Cabinet (99" Wide Models; 56"W x 19"D x 19"H)
2-Door V-Nose Overhead Cabinet (99" Wide Models; 72"W x 19"D x 19"H; Special Option Cabinet)
4' Straight Wall Base Cabinet (2-Door; 48"W x 24"D x 37"H)
5' Straight Wall Base Cabinet (2-Door; 60"W x 24"D x 37"H)
6' Straight Wall Base Cabinet (2-Door; 72"W x 24"D x 37"H)
8' Straight Wall Base Cabinet (2-Door; 96"W x 24"D x 37"H)
8' Straight Wall Base Cabinet (4-Door)
Upgrade Base Cabinet to 28" L-Shape Extension
8' Flat Front Base Cabinet (4-Door)
Add 4" Depth to 8' Flat Front 4-Door Base Cabinet (24" Deep)
Overhead Cabinet w/1 Flip-Up Door (48"W x 13"D x 18"H)



ENCLOSED CARGO POPULAR OPTIONS CONTINUED

CABINETS CONTINUED

CABINETS
Overhead Cabinet (2-Door; 48"W x 13"D x 18"H)
Premium Overhead Cabinet (1 Flip-Up Door; 48"W x 13"D x 18"H)
Overhead Cabinet (1 Door; 62"W x 12"D x 18"H)
Deluxe Overhead Cabinet (4-Door; 72"W x 13"D x 18"H)
Deluxe Overhead Cabinet (4-Door; 96"W x 13"D x 18"H)
Overhead Cabinet (2 Flip-Up Doors; 96"W x 13"D x 18"H)
8' Flat Front Overhead Cabinet (4-Door)
Add 8" Depth to 8' Flat Front 4-Door Overhead Cabinet (24" Deep)
Upgrade V-Nose Overhead Cabinet to Full Width/Depth of V-Nose (72", 80" & 84" Wide Models)
Wheel Well Cabinet With Shelving (2-Door; 72"W x 6 3/4"D x 62"H)
Premium 50" Helmet Cabinet w/Hooks
24" Wardrobe (Single, Full-Height Door, (1) Shelf, (1) Clothing Rod; 24"W x 24"D x 72"H)

AWNINGS

AWNINGS
12' CareFree Fiesta Acrylic Fabric and Alumaguard Awning (Requires Door Roller Option if Installed Over Side Access Door)
16' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)
16' CareFree Fiesta Acrylic Fabric and Alumaguard Awning (Requires Door Roller Option if Installed Over Side Access Door)
18' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)

VENTS & WINDOWS

VENTS & WINDOWS
14"x14" Manual Roof Vent
12V Power Roof Vent
110V Power Roof Vent (Requires 30A Package)
Fantastic Fan/Vent (Dometic 22-0462; Requires 30A Package)
Maxx-Air Roof Vent Cover
Directional Salem Vent Kit (Plastic; Pair)

CABINETS (CONTINUED)
96" Overhead Premium Split Cabinet w/Center Shelf (2 Flip-Up Doors; 96"W x 18"D x 18"H)
36" Wardrobe (Single, Full-Height Door, (1) Shelf, (1) Clothing Rod; 36"W x 24"D x 76"H)
Premium 47.5" Wall-Mounted Coat Hanger (10 Hooks)
Premium 38" Ceiling-Mounted Coat Hanger (22 Hooks)
Clothing Rod for Overhead Cabinets (48" Cabinets Only)
4' Coat Rack Package (47' Slide Track w/(6) Adjustable Hooks)
18" Shelving w/ Angled Gussets (PLF, Per Tier)
Upgrade to Formica Countertop (Base Cabinet Sold Separately)
Standard Tool Crib Package: (1) 72"x24" Horizontal Access Door (Over Fender, w/ Retainer Chains); (2) 38"x22" Vertical Access Doors (Ahead/Behind Fender); Adjustable Shelf Brackets in Vertical Cabinets; 3/8" Water Resistant Liner (Interior & Exterior of Box Frame); 19"D x 42"H x 128"L Box Frame Inside Trailer; Hinged Lid (3 Sections)

AWNINGS (CONTINUED)
20' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)
21' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)
Door Roller for Awning

VENTS & WINDOWS (CONTINUED)
Two-Way Directional Salem Vent Kit (Aluminum; Pair)
18"x24" Horizontal Radius Sliding Window w/Screen
18"x24" Vertical Radius Sliding Window w/Screen
24"x36" Radius Sliding Window w/Screen
24"x36" Tinted Egress Sliding Window w/Screen



ENCLOSED CARGO POPULAR OPTIONS CONTINUED

MISC. OPTIONS & ACCESSORIES

MISC. OPTIONS & ACCESSORIES
Fold-Down Sofa/Sleeper
Fold-Down Bunk Beds
HappiJac Bed System w/(1) Queen Size Mattress
Fold-Down Dinette/Sleeper
Fold Down Bench (12"x48"; Work or Sitting)
Fold-Down Padded Bench (48"L; Vertical Design)
Premium 50" Fold-Up Padded Bench
Premium 36" Fold-Up Work Bench w/Integrated Tool Storage

POWDER COATING OPTIONS

POWDER COATING OPTIONS
Exterior Powder Coat Package: Includes Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim

MISC. OPTIONS & ACCESSORIES (CONTINUED)
Premium Cup Holder
Premium (2) Race Fuel Holder
Premium (3) Race Fuel Holder
Stabilizer Jacks
Basic Stereo Package - Includes (4) Boss Speakers
Bogey/Caster Wheels (Installed; Pair)
Scissor Jacks (Camper Style; Pair)
Upgrade to Wheel on 2000# Center Jack



RAMP CAPACITY BY MODEL

Ramp Type	Applicable Models	Capacity
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes); AR 2.0 (All Sizes); WR 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes); AR 2.0 (Optional, All Sizes); WR 2.0 (Optional, All Sizes); FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (PAIR)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Patriot Ramps (Fold-Down)	(All Sizes)	4000# (PAIR)
Patriot Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Dump Trailers (Side-Stow, Optional)	(All Sizes)	4000# (PAIR)
ATV Ramps (83" Wide, Side-Stow)	(All Sizes)	1200# (PAIR)
ATV Ramps (88" Wide, Side-Stow)	(All Sizes)	750# (PAIR)
Open Motorcycle Ramp (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	HU-SLINGSHOT	1500#
Open Car Hauler 2.0 Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler 2.0 Ramps 10K (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler Standard Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Snow Ramp (Rear-Stow)	HFS	750#
Sport Deck (Rear-Stow, Telescoping Ramps)	HSD	1000#
Enclosed Cargo Ramp (4', 5', 6' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (7' & 7.5' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (8.5' Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle Ramp (7' Wide)	(All Sizes)	1500#
Enclosed Car Hauler Ramp (8.5' Wide)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Rear)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (Crossover, Rear)	(All Sizes)	1500#



TONGUE EXTENSION BY MODEL

Trailer Type	Allowable Extension	Additional Requirements	Item Number	Description
Enclosed Cargo (4' & 5' Wide)	N/A	Frame Upgrade Required; Consult Engineering	N/A	N/A
Enclosed Cargo (6', 7', 7.5' Wide)	12"	N/A	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame); Includes Center Beam Upgrade; Not Available With All Sport or Snow Trailers.
Enclosed Cargo (8.5' Wide, Premium)	12" (16" w/ Upgrade)	Min. 6" Frame for 16" Tongue Extension; Upgrade May Be Required	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame); Includes Center Beam Upgrade; Not Available With All Sport or Snow Trailers.
Enclosed Motorcycle (7' Wide)	12"	N/A	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame); Includes Center Beam Upgrade; Not Available With All Sport or Snow Trailers.
Enclosed Car Hauler (8.5' Wide, Premium)	16"	N/A	TONGUE16EXTCH	16" Extended Tongue (For 5k Tandem Axle Enclosed w/2"x6" Frame or Larger); Not Available With All Sport or Snow Trailers.
Enclosed Car Hauler - All Sport (8.5' Wide)	N/A	Extended Tongue Incompatible With Front Ramp	N/A	N/A
Enclosed Snowmobile (7' & 7.5' Wide)	N/A	Extended Tongue Incompatible With Front Ramp	N/A	N/A
Enclosed Snowmobile (101" Wide)	10"	Requires 3"x5" Tongue Upgrade w/Straight-Pull Coupler	TBD	TBD