H = IALL-SPORT ELEVATION



8.5'x36', 8.5'x38' & 8.5'x42'

STANDARD FEATURES

- > All-Aluminum Construction
- > Front Style: Gooseneck Construction
- > 2"x8" Box Tube, Main Frame
- > 16" O/C Floor, Wall & Roof Studs
- > Hidden Beavertail Construction
- Screwless .040 Bonded Sides >
- > One Piece Aluminum Roof
- Radius Roof Construction >
- > Dexter Torsion Ride Axles [45 Degree Down]
- > Spread Axle Design w/ Tapered Skirting
- > (2) Fold-Down Padded Bench (48"L)
- > HD Rear Ramp w/ Spring Assist (Includes > FTH Flap System & Piano Hinge System) >
- > Premium Exterior Light Package (Integrated Slim Brake and
- > Backup Lights & Clear Lense Marker Lights) > Roof Vent

- > Basic Heater Package (2) 30# Propane Tanks w/Compartment > (Under Goose), Insulated Walls & Ceiling, >
- 40K BTU Furnace Safety Kit, Marine Grade Battery & Box, 96" Furnace Cabinet w/ Integrated Boot Box
- > Hydraulic Landing Gear

- 72" Angled Side Ramp w/Spring Assist >
- > Premium Aluminum Ramp Hinges
- > Freezer Latch System for Rear Ramp
- > (4) HD 5000# Recessed D-Rings
- 15000# Safety Chains
- (2) 32"x72" Side Access Door
- > Aluminum Fold-Down Step
- > Sloped Drive Over Fender Kit w/ Ski Guides >

- Premium 50" Fold-Up Work Bench w/ > Integrated Tool Storage
- (5) LED Porch Lights: (2) Over Rear Ramp, (2) Over SAD & (1) Over Front Ramp
- > Mid-Level Stereo Package: Includes (4) Speakers, AMP & Subwoofer, Pioneer AM/FM/CD Player w/Bluetooth
- > 110V Package EWP: (1) 60A Breaker Panel w/Converter & Motor Base Plug, (2) 3-Way Wall Switches, (1) GFI Wall Receptacle, (1) Standard Wall Receptacle, (1) USB Receptacle, (12) Puck Lights
- > (2) 53"x19" Sliding Window w/Screen (No Bars)
- (1) 14"x14" Fuel Door
- > 24" Stone Guard

- > 7" Base Rail & 3" Top Rail Trim
- > Quad-Ply Decking (3/4")
- > (3) LED Dome Lights w/Switch
- > White Luan Walls and Ceiling
- > (2) Premium Ceiling-Mounted Coat Hanger (38", 22 Hooks)
- > (2) Premium Wall-Mounted Coat Hanger (47.5", 10 Hooks)
- > 44" Deluxe Wardrobe Cabinet (Gooseneck EWP; Ducted; Requires Furnace Package)
- > 96" Premium Overhead Split Cabinet w/ Center Shelf & (2) Flip-Up Doors (96"W x 18"D x 18"H)
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

| TRAILER MODEL | 8.5x36 | 8.5x38 | 8.5x42 |
|---------------------------|------------------------|------------------------|------------------------|
| Model Number | HEG8.5X36AS-ELE | HEG8.5X38AS-ELE | HEG8.5X42AS-ELE |
| Box (WxLxH) | 99"x28'x84" | 99"x30'x84" | 99"x34'x84" |
| Interior (WxLxH) | 96"x27'2"x82" | 96"x29'2"x82" | 96"x33'2"x82" |
| Overall (WxLxH) | 101"x36'x8'11" | 101"x38'x9' | 101"x38'x9'2" |
| Deck Height | 24-3/4" | 24-3/4" | 24-3/4" |
| Rear Door Opening ((WxH)) | 91"x81" | 91"x81" | 91"x81" |
| Axle(s) - Qty/Rating | 2-6000# Braked | 2-6000# Braked | 2-6000# Braked |
| Wheels | 16" Black Aluminum | 16" Black Aluminum | 16" Black Aluminum |
| Tires | 235/80R16 | 235/80R16 | 235/80R16 |
| GVWR | 12000# | 12000# | 12000# |
| Curb Weight | TBD | TBD | 5995# |
| Payload | TBD | TBD | 6005# |
| Coupler Rating/Ball Size | 25000# / Adjustable | 25000# / Adjustable | 25000# / Adjustable |
| Power Connection | Artic Flex 7-Way Round | Artic Flex 7-Way Round | Artic Flex 7-Way Round |



Excludes Radius RV Door)

Two-Way Directional Salem Vent Kit (Aluminum; Pair)

ENCLOSED GOOSENECK ALL-SPORT ELEVATION CONTINUED

8.5'x36', 8.5'x38' & 8.5'x42' continued

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

| CONSTRUCTION OPTIONS | AXLE OPTIONS |
|---|---|
| Add 3" to Box Height (PBF) | Upgrade to 2-7K Torsion Braked Axles (From 2-6K Braked; |
| Add 6" to Box Height (PBF) | Includes 16" Tire Upgrade) |
| Add 9" to Box Height (PBF) | Upgrade to 2-8K Torsion Braked Axles (From 2-7K Braked; Includes 215/75R/17.5" Tire Upgrade) |
| Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF) | TIRE/WHEEL ASSEMBLIES & ACCESSORIES |
| EXTERIOR OPTIONS | Spare 16" Silver Mod Wheel w/ 235/80R16 Tire |
| Two-Tone Color Package w/6" Anodized Divider | |
| Two-Tone Color Package w/No Anodized Divider | Spare 16" Aluminum Wheel w/ 235/80R16 Tire |
| Upgrade to .040" Exterior Skin (Black or White Only; Extended Lead Times May Apply; PBF) | Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall) |
| DOOR/WINDOW/VENT OPTIONS | |
| Upgrade to 78" Height Side Access Door (From 72" Door; | |







Champagne

Brandywine





ALL SPORT & GOOSENECK POPULAR OPTIONS

CONSTRUCTION OPTIONS

| CONSTRUCTION OPTIONS | CONSTRUCTION OPTIONS (CONTINUED) |
|--|--|
| Upgrade to Radius Roof Construction (Up to 30') | Reverse Beavertail Construction (7' Wide & Up) |
| Add Slope in V-Nose | Upgrade to 3" Adjustable 2-5/16" A-Frame Coupler |
| Cast Polished Corners for Flat Front | Upgrade to 8000# Pedestal Jack (From Wheel or Center Jack) |
| 3" Extra Height | Upgrade to 10000# Pedestal Jack (From Wheel or Center Jack) |
| 6" Extra Height | Upgrade to Electric Landing Gear (Gooseneck Models Only) |
| 9" Extra Height | Upgrade to Big Foot Hydraulic Landing Gear (Gooseneck Models Only; Single Leg) |
| 12" Extra Height | Upgrade to 12" 0/C Floor Studs (From 16" 0/C; PBF) |
| 15" Extra Height (Requires .080" Wall Stud Upgrade and HD Rear Ramp) | Upgrade to Trussed Roof System (Not Compatible w/Radius Roof) |
| 18" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080" Wall Stud Upgrade) | Upgrade to .080" Wall Studs |
| 21" Extra Height (Requires .080" Wall Stud Upgrade and HD Rear Ramp) | Upgrade Wall Studs to 2"x2" (PBF) |
| 24" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080 Wall Stud Upgrade) | Upgrade Ceiling Studs to 2"x2" (PBF) |
| Decrease Height 6" | Walk On Roof (Reinforced; PBF) |
| Decrease Height 12" | Heavy Duty Winch Mount (Winch Not Included) |
| Additional Length in 2' Intervals (8.5' Wide) | Rear Canopy Loading Light System: 2013 Version (Not Available w/Radius Roof) |
| Upgrade Trailer Frame (Peak Value Model; PBF; Includes Axle Carrier Upgrade and 16" O/C Floor Stud Upgrade) | Rear Canopy Loading Light System: 2020 Version (Not Available w/Radius Roof) |
| Upgrade Trailer Sub Frame to 2"x8" (From 2"x6": PBF) | |

DOORS, RAMPS, & COMPARTMENTS

| DOORS, RAMPS, & COMPARTMENTS | DOORS, RAMPS, & COMPARTMENTS (CONTINUED) |
|---|---|
| 32"x72" Side Access Door w/Paddle Handle | Under Gooseneck Storage Compartment w/Flip-Up Door (60"W x 28"H x 24"D) |
| 32"x72" Radius RV Door w/Screen (Window Optional) | Propane Compartment w/Vented Non Locking Door (30"H x 30"W x 24") |
| Upgrade to Dexter 32"x72" Radius Door (From 32"x72" Piano Hinged Door) | Propane Compartment w/Vented Non Locking Door (36"H x 36"W x 24") |
| Upgrade to 32"x72" Radius RV Door w/Screen (Window Optional; From Standard 32"x72" Side Access Door) | 14"x14" Fuel Door w/Paddle Handle |
| | 24"x24" Fuel Door w/Paddle Handle |
| Upgrade to 36" Wide Side Access Door (From 32") | 4'x4' Escape Door (Driver's Side Over Wheel Well) |
| Upgrade to 48" Wide Side Access Door (From 32") | Elite Escape Door (6'x8' Fold-Up Door w/Removable Fender; Extends to 9'L Wh |
| 48"x72" Split Side Access Door(s) | Adding Spread Axle Upgrade) |
| Upgrade to 48"x72" Split Side Access Doors (From 32"x72" Side Access Door) | 30"x30" Hatch Door |
| Upgrade to 78" Height Side Access Door (From 72" Door; Excludes Radius RV Door) | RV-Style Pull-Out Step (Steel) |
| Upgrade to X-Wide 95" Rear Opening (Rear Ramp Only) | Aluminum Fold-Down Step |
| Diamond Plate Transition Flap (Ramp to Box) | Powder Coated Aluminum Flip-Down Step |
| Aluminum Starter Flap to Rear Ramp | Upgrade to Powder Coated Aluminum Flip-Down Step (From Standard Step) |
| Add (2) 2x4 Wingstock Stringers to Rear Car Hauler Grade Ramp (Maximum Weight | Aluminum Pull-Out Step |
| Capacity - 5000#) | Aluminum Loop Step (Stationary) |
| 30"x30" Generator Door w/Salem Vent & Paddle Handle (Lockable) | Aluminum Grab Handle For Side Access Door |
| 36"x36" Generator Door w/Salem Vent & Paddle Handle (Lockable) | Keyed Locking Hasps for Rear Ramp |
| 30"x30"x24" Generator Compartment w/Optional Door | |
| 36"x36"x24" Generator Compartment w/Optional Door | Upgrade to L-Latches (Freezer Latches) Per Ramp, Replaces Locking Bars (Pre Models w/Car Hauler Grade Rear Ramp) |
| Slide Out Generator Tray | Locking Bar for Side Access Door |
| Upgrade to Insulated Generator Compartment (Requires Generator Compartment) | Keyed Locking Hasps for Side Door Locking Bar |
| Under Gooseneck Generator Compartment w/Door & Vent (33"W x 20"H x 22"D) | Upgrade to Premium Aluminum Ramp Hinge Set (From S/S Strap Hinges; Prem Models) |



DOORS, RAMPS, & COMPARTMENTS CONTINUED

| DOORS, RAMPS, & COMPARTMENTS | DOORS, RAMPS, & COMPARTMENTS (CONTINUED) |
|--|--|
| Upgrade to Full Piano Hinge For Rear Ramp | Pop-Out Tent Bed (60"H x 80"L Rough Opening) |
| Upgrade to Full Piano Hinge For Side Access Door | Keyless Entry System (For Side Access Door) |
| Rear Door Air Curtain | Upgrade to 6' Extruded Aluminum Bi-Fold Ramp Extension (Car Hauler Models) |
| Pull-Down Screen for Rear Door Opening | |

EXTERIOR OPTIONS

| EXTERIOR OPTIONS | EXTERIOR OPTIONS (CONTINUED) |
|--|--|
| .040" Skin Upgrade (Black, White, & Silver Only) | Upgrade to 48" Stone Guard (From 24") |
| .050" Skin Upgrade (Black & White Only) | Two-Tone Color Package w/No Anodized Divider |
| Anodized Aluminum Side & Rear Trim Panel (12"; PBF) | Two-Tone Color w/6" Anodized Divider |
| Aluminum Diamond Plate Side & Rear Trim Panel (12"; PBF) | Two-Tone Color w/12" Anodized Divider |
| Anodized Aluminum Side & Rear Trim Panel (24"; PBF) | Two-Tone Color w/24" Anodized Divider |
| Aluminum Diamond Plate Side & Rear Trim Panel (24"; PBF) | Upgrade to Anodized Nose Cone |
| Upgrade to Larger 7" Bottom Trim (PBF) | Add Red & White DOT Tape to Trailer (PLF; Required For Any Trailer Over 10,000 lbs GVWR) |
| Upgrade to 36" Stone Guard (From 24") | Upgrade to Translucent Roofing (From Mill-Finish Aluminum; PBF) |

INTERIOR OPTIONS

| INTERIOR OPTIONS | INTERIOR OPTIONS (CONTINUED) |
|--|--|
| White .030" Aluminum Side Walls, Bonded | Anodized Roof Coves |
| White .030" Aluminum Side Walls, Screwed | Anodized Spring Cover |
| White .030" Aluminum Ceiling, Bonded | Diamond Plate Spring Cover |
| White .030" Aluminum Ceiling, Screwed | .030" Aluminum Spring Assist Cover for Rear Ramp Door |
| Upgrade to 3/8" Water Resistant Walls (Cargo Trailers; From White Luan Walls; PBF) | Partition Wall w/32" Access Door |
| Upgrade to 3/8" Plywood Walls (Cargo Trailers; From White Luan Walls; PBF) | Diamond Plate Kick Plate (6") |
| Upgrade to 1/2" Plywood Walls (Cargo Trailers; PBF) | Diamond Plate Kick Plate (12") |
| 3/4" Foam Insulation (Side Walls; PBF) | Diamond Plate Kick Plate (24") |
| 3/4" Foam Insulation (Ceiling; Requires Ceiling Liner) | Water Resistant Kick Plate (12") |
| 2" Foam Insulation (Ceiling Only; PBF) | Extruded Aluminum Kick Plate (6") |
| Upgrade to 2" Foam Insulation (Ceiling Only; PBF) | Carpet on Walls (Charcoal Only, 3' Up Wall, Calculate 4' for V-Nose) |
| .030" Aluminum Cove (All Colors) | Upgrade to Black TPO Coin Walls (3' Up Wall, Calculate 4' for V-Nose; PLF) |

FLOORING

| FLOORING | FLOORING (CONTINUED) |
|--|---|
| Upgrade to 3/4" Pressure Treated Plywood (From 3/4" Water Resistant Decking) | Painted Epoxy Floor Covering (PBF) |
| Upgrade to 3/4" Quad Ply Decking (Non-Skid Surface, FRP Backer; PBF) | Upgrade to Rubber Coin Flooring (Black; PLF) |
| Additional Layer of 3/4" Water Resistant Decking | Upgrade to TPO Coin Flooring (Black) |
| Upgrade to Extruded Aluminum Floor (Charge for Ramp and V-Nose; PLF) | Upgrade to Charcoal Carpet Flooring (PLF) |
| Aluminum Diamond Plate Floor Overlay (.045"; PLF) | Upgrade to 3/4" Foam Insulated Floor |
| Upgrade to Black Marble Vinyl Flooring (PLF) | Aluminum Diamond Plate Runner (12" Single Row; .056"; PLF) |
| Upgrade to Checkerboard Vinyl Flooring (Black & White; PLF) | Aluminum Diamond Plate Runner (12" Double Rows; .056"; PLF) |



TIRE/WHEEL ASSEMBLIES & ACCESSORIES

| TIRE/WHEEL ASSEMBLIES & ACCESSORIES |
|---|
| Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial) |
| Upgrade to 15" 225 Black Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial) |
| Upgrade to 15" 225 Flat Black Mod (Radial; From 15" 225 Silver Mod Radial Wheels; Special Order) |
| Upgrade to 16" Silver Mod Wheels (Radial; From 15" 225 Silver Mod Radial) |
| Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum) |
| Upgrade to 16" Black Aluminum Wheels (Radial; From 15" 225 Aluminum) |
| Upgrade to 16" G-Rated Silver Mod Wheels (Radial; From 16" Silver Mod Radial) |
| Upgrade to 16" Aluminum Wheels (Radial; From 16" Silver Mod Wheels) |
| Upgrade to 16" Black Aluminum Wheels (Radial; From 16" Silver Mod Wheels) |
| Upgrade to 17.5" Aluminum Wheels (Radial; From 17.5" Silver Mod Wheels) |
| Upgrade to Black Aluminum Rims from Aluminum (Same Size) |
| Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (6-Lug) |
| Spare 15" Aluminum Wheel w/ 225/75R15 Tire (6-Lug) |

| TIRE/WHEEL ASSEMBLIES & ACCESSORIES (CONTINUED) | | |
|--|--|--|
| Spare 15" Black Aluminum Wheel w/ 225/75R15 Tire | | |
| Spare 16" Silver Mod Wheel w/ 235/80R16 Tire | | |
| Spare 16" Aluminum Wheel w/ 235/80R16 Tire | | |
| Spare 16" Black Aluminum Wheel w/ 235/80R16 Tire | | |
| Spare 16" G-Rated Silver Mod Wheel w/ 235/80R16 Tire (14 Ply Rating) | | |
| Spare 17.5" Silver Mod Wheel w/ 215/75R17.5 Tire | | |
| Spare 17.5" Aluminum Wheel w/ 215/75R17.5 Tire | | |
| Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall) | | |
| Exterior Elevated Spare Tire Mount (Diamond Plate; Exterior Wall) | | |
| Spare Tire Mount (Interior; Floor Level) | | |
| Deluxe Recessed Spare Tire Well (Diamond Plate w/Hatch Cover) | | |
| Deluxe 8' Tire Rack (Foldable) | | |
| Integrated Heavy Duty Tire Rack | | |

AXLES

| AXLES | AXLES (CONTINUED) |
|---|---|
| Upgrade to 3-3K Torsion Braked Axles (From 2-3K Braked) | Upgrade to 3-7K Torsion Braked Axles (From 2-7K Braked) |
| Upgrade to 2-5K Torsion Braked Axles (From 2-3K Torsion Braked; Peak Value Only; | Upgrade to 2-7K Torsion Braked Axles (From 3-5K Braked) |
| Requires Frame Upgrade) | Upgrade to 3-6K Torsion Braked Axles (From 3-5K Braked; Includes 16" Tire Upgrade) |
| Upgrade to 2-6K Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required) | Upgrade to 3-7K Torsion Braked Axles (From 3-5K Braked; Includes 16" Tire Upgrade) |
| Upgrade to 2-7K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required) | Upgrade to 3-8K Torsion Braked Axles (From 3-5K Braked; Includes 215/75R/17.5 Tire Upgrade) |
| Upgrade to 2-8K Torsion Braked Axles (From 2-5K Braked; Includes 215/75R/17.5 Tire | Upgrade to 2-3K Hydraulic Braked Axles (From 2-3K Torsion Braked) |
| Upgrade; 2x8 Frame Upgrade Required) | Spread Axle Upgrade w/Tapered Fender Skirting (8' Wide Models) |
| Upgrade to 3-3K Torsion Braked Axles (From 2-5K Torsion Axles) | Upgrade to Surge Braking System (Not Available on Gooseneck Models) |
| Upgrade to 3-5K Torsion Braked Axles (From 2-5K Braked; 2x8 Frame Upgrade Required) | Upgrade to Zero Degree Axle(s) |
| Upgrade to 2-7K Torsion Braked Axles (From 2-6K Braked; Includes 16" Tire Upgrade; | Upgrade to 22.5 Degree Down Axle(s) |
| 2x8 Frame Upgrade Required) | Upgrade to 45 Degree Down Axle(s) |
| Upgrade to 2-8K Torsion Braked Axles (From 2-7K Braked; Includes 215/75R/17.5 Tire Upgrade) | Upgrade to Galvanized Torsion Axle (Minimum 4 Week Lead Time) |

TIE-DOWNS

| TIE-DOWNS | | |
|--|--|--|
| Light Duty Surface-Mounted D-Ring (Installed) | | |
| Light Duty Sliding D-Ring (For Recessed Slide Track; Installed) | | |
| Upgrade to Powder Coated Sliding D-Ring (From Existing Sliding D-Ring) | | |
| Heavy-Duty Recessed 5000# D-Rings w/Backing Plate | | |
| Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Zinc) | | |
| Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Stainless Steel) | | |
| Recessed Flip-Up Motorcycle Wheel Chock w/(4) Surface-Mounted D-Rings | | |
| Recessed Flip-Up Motorcycle Wheel Chock w/(4) Recessed Heavy Duty D-Rings | | |

| TIE-DOWNS (CONTINUED) |
|---|
| Recessed Flip-Up Motorcycle Wheel Chock |
| Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Surface-Mounted D-Rings |
| Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Heavy Duty D-Rings |
| Single Stainless Steel Tube Style Wheel Chock for Single Piece of Slide Track (Installed) |
| Stainless Steel Tube Style Wheel Chock |
| E-Track - Surface Mounted; Floor |
| E-Track - Surface Mounted; Wall |
| E-Track - HD Recessed w/Backing Plate; Floor |
| E-Track - HD Recessed w/Backing Plate; Walls |



TIE-DOWNS CONTINUED

| TIE-DOWNS | TIE-DOWNS (CONTINUED) |
|---|---|
| E-Track (Aluminum) - Surface Mounted; Wall | Airline Track (Recessed in Wall; Aluminum, PLF) |
| E-Track (Aluminum) - HD Recessed w/Backing Plate; Floor | Recessed Slide Track (Track Only; D-Rings Sold Separately) |
| E-Track (Aluminum) - HD Recessed w/Backing Plate; Wall | Recessed Slide Track (2) Rows w/ (4) Sliding D-Rings |
| Airline Track (Aluminum) - Surface Mounted; Floor | Powder Coated Slide Track Upgrade (For Existing Slide Track; PBF) |
| Airline Track (Aluminum) - Surface Mounted; Wall | |
| Airline Track (Aluminum) - Recessed in Floor; PLF | |

12V LIGHTING & ELECTRICAL

| 12V LIGHTING & ELECTRICAL | 12V LIGHTING & ELECTRICAL (CONTINUED) |
|---|---|
| Add LED Backup Lights (Pair; Installed) | Upgrade to 12 Volt (3-Way) Wall Switch |
| Additional LED Stop/Turn/Tail Lights (Pair; Installed) | LED Puck Light Package (8 Recessed Lights & Wall Switch; Requires Ceiling Liner) |
| Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair) | Additional Recessed LED Puck Light |
| Upgrade to Additional LED Marker Light Bullets | LED Puck Light Package Under Overhead Cabinet: (2) Round LED Flush Mount Dome |
| Diamond Plate Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed) | Lights; (1) 12V Wall Switch |
| Anodized Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed) | 18" 12V LED Light (Requires Ceiling Liner) |
| (2) 12V LED Load Lights (Double Lights w/Single Switch, 950 Lumens) | Upgrade Interior Dome Light to 12V 18" LED Light |
| 12V LED Load Light (Single Light w/Switch, 950 Lumens) | Upgrade to (3) 18" 12V LED Lights (From (2) 4' LED Wraparound; Requires Ceiling) |
| Recessed LED Exterior Load Light/Switch/Housing Pkg (Side of Trailer; 950 Lumens) | Trickle Charger for Battery |
| 12V LED Porch Light w/Wall Switch | Deep Cycle Marine Battery & Box (Wired) |
| K60 LED Exterior Scene Light Package: One 12V Wall Switch With (2) K60 Scene Lights | LED Interior Strip Light w/Housing Package (Per Foot, Per Section) |
| Mid-Ship Turn Signals (For Tandem Fenders Only: Pair) | Upgrade to Permaseal Wire Connectors |
| Angled Back Up Lights (Mounts on Side of Trailer) | Upgrade to Premium Light Package (LED Strip Lights w/Integrated Backup Lights, |
| Upgrade to 12V Electric Pedestal Jack w/Battery & Box Installed | Marker Lights w/Clear Lenses) |
| 12V Power Jack (Cigarette Lighter Plug) | Upgrade to Premium Light Package (LED Strip Lights w/No Backup Lights, Marker Lights w/Clear Lenses) |
| Upgrade to LED Economy Dome Light 460 Lumens (From Incandescent Dome Light) | Wireless Backup Camera System w/7" LCD Screen |
| Additional 12V LED Dome Light (460 Lumens) | Add LED 6" Oval Alternating Flashing Safety Lights (Orange) w/Exterior Toggle Switch |
| 12 Volt Wall Switch | (Pair; Hardwired Into Auxiliary; 7-Way Plug Required) |
| 12 Volt Wall Switch (3-Way) | |

| 110V LIGH | TING & ELECTRICAL |
|--------------|---|
| | r Package #1: (1) 15 AMP Motor Base Plug, (1) Wall Switch, (1) Receptacle, /raparound Light (No Additions Available With This Package) |
| | Package #2: 30 AMP Breaker, (1) 25' Shore Line, (2) 3-Way Wall Switches, (1) all Receptacle, (1) GFI Wall Receptacle, (2) 4' LED Wraparound Lights. |
| | r Package #3: (1) 30 AMP Panel, (1) Wall Switch, (4) Standard Wall Recepta Cl Receptacle, (4) 4' LED Wraparound Lights, (1) Brace & Wire Stub for A/C |
| 110V Powe | r Package #4: (1) 15 Amp Motor Base Plug, (2) Wall Receptacles |
| Plug, (2) 3- | r Package #5: (1) 60A Breaker Panel w/60A Converter & 50A Motor Base Nay Wall Switches, (1) Standard Wall Receptacle, (1) USB Wall Receptacle, Receptacle, (2) 4' LED Wraparound Lights, 12V Deep Cycle Battery & Box |
| 15A Motor | Base Plug |

| 30A Motor Base Plug (Replaces Shoreline; 110V Package Required) 30A Power Converter (110V Pkg #2) 30A Power Cord 25' Long (For Motorbase Plug) 30A Generator Line Switch Upgrade to 50 Amp Breaker Box (Requires 110V Package #2) 50A Power Cord 25' Long (For Motor Base Plug) 60A Power Converter (110V Package Required) 110 Volt Wall Receptacle (Installed; Requires 110V Package) |
|--|
| 30A Power Cord 25' Long (For Motorbase Plug) 30A Generator Line Switch Upgrade to 50 Amp Breaker Box (Requires 110V Package #2) 50A Power Cord 25' Long (For Motor Base Plug) 60A Power Converter (110V Package Required) |
| 30A Generator Line Switch Upgrade to 50 Amp Breaker Box (Requires 110V Package #2) 50A Power Cord 25' Long (For Motor Base Plug) 60A Power Converter (110V Package Required) |
| Upgrade to 50 Amp Breaker Box (Requires 110V Package #2) 50A Power Cord 25' Long (For Motor Base Plug) 60A Power Converter (110V Package Required) |
| 50A Power Cord 25' Long (For Motor Base Plug) 60A Power Converter (110V Package Required) |
| 60A Power Converter (110V Package Required) |
| |
| 110 Volt Wall Receptacle (Installed: Requires 110V Package) |
| ro for the nooperation (inclusion, noquiros rios rubitago) |
| 110 Volt Combo USB/Wall Outlet Receptacle (Installed; Requires 110V Package #2) |
| 110 Volt Wall Switch (3-Way; Requires 110V Package #2) |



110V LIGHTING & ELECTRICAL CONTINUED

110V LIGHTING & ELECTRICAL

GFI Wall Receptacle (Interior; Requires 30A Package)

- GFI Wall Receptacle (Exterior; Requires 30A Package) 4' LED Wraparound Light (Requires 110V Package)
- 500W Swing-Mount Quartz Light
- 13,500 BTU Roof Mounted Air Conditioner (Requires 110V Package #2)

110V LIGHTING & ELECTRICAL (CONTINUED)

Heat Strip for A/C Unit

Brace & Stub Wire for Future AC Installation (Requires 110V Package #2; 12 Gauge Wire and 20A Breaker)

Heater: Electric CADET Com-Pak Plus White Wall Fan, 1500 Watt (Requires 110V Pkg #2)

CABINETS

| CABINETS | CABINETS (CONTINUED) |
|--|--|
| 2-Door 4' Straight Wall Base Cabinet (48"W x 24"D x 37"H) | 24" Wide Wardrobe Cabinet With (1) Full-Height Door, (1) Shelf, (1) Clothing Rod (24"W |
| 2-Door 5' Straight Wall Base Cabinet (60"W x 24"D x 37"H) | x 24"D x 72"H) |
| 5' Angled Base Cabinet for Snow Trailer V-Nose | 36" Wide Wardrobe Cabinet With (1) Full-Height Door, (1) Shelf, (1) Clothing Rod (36"W x 24"D x 76"H) |
| 2-Door 6' Straight Wall Base Cabinet (72"W x 24"D x 37"H) | 44" Deluxe Wardrobe Cabinet (Gooseneck EWP; Ducted; Requires Furnace Package) |
| 2-Door 8' Straight Wall Base Cabinet (96"W x 24"D x 37"H) | Premium Wall-Mounted Coat Hanger (47.5", 10 Hooks) |
| 4-Door 8' Straight Wall Base Cabinet | Premium Ceiling-Mounted Coat Hanger (38", 22 Hooks) |
| Upgrade Base Cabinet to 28" L-Shape Extension | 48" Deluxe Boot Box w/Padded Top Ducted; Requires Furnace Package & Vertical Duct; |
| Overhead Cabinet w/1 Flip-Up Door (48"W x13"D x 18"H) | Not Available in Gooseneck Models) |
| 1-Door Overhead Cabinet (62"W x 12"D x 18"H) | 6' Horizontal Vented Duct (Angled End, 5 Vents) |
| 2-Door Overhead Cabinet (48"W x13"D x 18"H) | 8' Horizontal Vented Duct (8'Lx5"x5" w/5 Vents) |
| Premium Overhead Cabinet w/1 Flip-Up Door (48"W x 13"D x 18"H) | Vertical Corner Duct (Requires Furnace Package) |
| 48" Economy Overhead Furnace Cabinet (1 Flip-Up Door; 48"L; Furnace Not Included) | Add Heat Duct (PLF) |
| 60" Deluxe Overhead Furnace Cabinet (1 Flip-Up Door; 60"L; Furnace Not Included) | Clothing Rod for Overhead Cabinets (48" Cabinets Only) |
| 4-Door Deluxe Overhead Cabinet (72"W x 13"D x 18"H) | 4' Coat Rack Package (47' Slide Track w/(6) Adjustable Hooks) |
| 4-Door Deluxe Overhead Cabinet (96"W x 13"D x 18"H) | 18" Shelving w/Angled Gussets (PLF, Per Tier) |
| Overhead Cabinet w/2 Flip-Up Doors (96"W x 13"D x 18"H) | Upgrade to Formica Countertop (Base Cabinet Sold Separately) |
| 2-Door Wheel Well Cabinet w/Shelving (72"W x 6 3/4"D x 62"H) | Standard Tool Crib Package: (1) 72"x24" Horizontal Access Door (Over Fender, w/ |
| 96" Premium Overhead Split Cabinet w/Center Shelf & 2 Flip-Up Doors (96"W x 18"D x 18"H) | Retainer Chains); (2) 38"x22" Vertical Access Doors (Ahead/Behind Fender); Adjustable Shelf Brackets in Vertical Cabinets; 3/8" Water Resistant Liner (Interior & Exterior of |
| Premium 50" Helmet Cabinet w/Hooks | Box Frame); 19"D x 42"H x 128"L Box Frame Inside Trailer; Hinged Lid (3 Sections) |

AWNINGS

AWNINGS

12' CareFree Fiesta Acrylic Fabric and Alumaguard Awning (Requires Door Roller Option if Installed Over Side Access Door)

16' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)

16' CareFree Fiesta Acrylic Fabric and Alumaguard Awning (Requires Door Roller Option if Installed Over Side Access Door)

18' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)

AWNINGS (CONTINUED)

20' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)

21' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)

Door Roller for Awning



VENTS & WINDOWS

| VENTS & WINDOWS | VENTS & WINDOWS (CONTINUED) |
|--|---|
| 14"x14" Manual Roof Vent | Two-Way Directional Salem Vent Kit (Aluminum; Pair) |
| 12V Power Roof Vent | 18"x24" Horizontal Radius Sliding Window w/Screen |
| 110V Power Roof Vent (Requires 30A Package) | 18"x24" Vertical Radius Sliding Window w/Screen |
| Fantastic Fan/Vent (Dometic 22-0462; Requires 30A Package) | 24"x36" Radius Sliding Window w/ Screen |
| Maxx-Air Roof Vent Cover | 24"x36" Egress Sliding Window (Tinted w/Screen) |
| Directional Salem Vent Kit (Plastic; Pair) | |

MISC. OPTIONS & ACCESSORIES

| MISC. OPTIONS & ACCESSORIES | MISC. OPTIONS & ACCESSORIES (CONTINUED) |
|---|---|
| Fold-Down Sofa/Sleeper | 20# Propane Tank w/Regulator (Tongue-Mounted Holder Included) |
| Fold-Down Bunk Beds | 30# Propane Tank w/Regulator (Propane Compartment Required) |
| HappiJac Bed System w/(1) Queen Size Mattress | Upgrade to 30# Propane Tank w/Heavy Duty Mount (From 20# Propane Tank) |
| Fold-Down Dinette/Sleeper | Upgrade to Underslung Propane Tank (Requires Package Including Standard Propane Tank) |
| Fold-Down Bench (12"x48": Work or Sitting) | Stabilizer Jacks |
| Fold-Down Padded Bench (48"L; Vertical Design) | Stabilizer Jacks (Interior Rear; Drop Down; Installed; Pair) |
| Premium 50" Fold-Up Padded Bench | Bogey/Caster Wheels (Installed; Pair) |
| Premium 36" Fold-Up Work Bench w/Integrated Tool Storage | Scissor Jacks (Camper Style; Pair) |
| Premium Cup Holder | Add Exterior Marine Grade Speakers to Stereo System (Pair) |
| Premium (2) Race Fuel Holder | Add 3-Bay Stainless Steel Sink (Sink Package Required) |
| Premium (3) Race Fuel Holder | 2-Burner Propane Range (Installed In Cabinet Top; Base Cabinet and Propane Tank Required) |
| Basic Stereo Package - Includes (4) Boss Speakers | 5.0 Cu.Ft. Refrigerator (24"x26"; Recessed in Cabinet. 110V Package w/12V Battery or |
| Stairs to the Gooseneck Area (24"W x 32"D) | Propane w/Safety Kit and 12V Battery Required) |
| 30 Gallon Fuel Transfer System: 30 Gallon Tank, Fill Nozzle & Hose, & Control Panel With Gauge (Requires Marine Grade Battery) | 1100W Microwave (1.2 Cu.Ft.; Recessed in Cabinet) |

SPECIAL PACKAGES

SPECIAL PACKAGES

Midnight Package: Includes 15" Black Aluminum Rims, Anodized Nose Cone, Anodized Top 12" & Bottom Trim 24"

Exterior Powder Coat Package (All Sport): Includes Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim

Exterior Powder Coat Package (Gooseneck): Includes Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim

Basic Heater Package (All Sport): Includes 20# Propane Tank (Tongue Mounted), Insulated Walls & Ceiling, 40K BTU Furnace, Safety Kit, Marine Grade Battery & Box, 48" Furnace Cabinet

Boondocker Package (Snow Trailers): Includes Upgrade to Quad-Ply Flooring, Wrap Around Front Ramp With Spring Assist (72" Opening), and 6" Diamond Plate Kick Plate

Extreme Weather Package (All-Sport): Includes Upgrade to Foam Insulated Walls and Ceiling, 110V Package #2, 60 AMP Converter w/Breaker Box, Exterior Motor Base Plug, 40,000 BTU Furnace, Safety Kit (Fire Extinguisher, CO Detector & Smoke Alarm), Marine Grade Battery, 120" V-Nose Wrap Around Cabinet w/Furnace Compartment and Vented Battery Box and (1) 20# Tongue-Mounted Propane Tank.)

SPECIAL PACKAGES (CONTINUED)

Ducted Cabinet Package (Upgrade for Extreme Weather Package): 4' Duct, 62" Economy Cabinet

Basic Sink Package: Includes Stainless Steel Sink, 6 Gallon Water Heater, 20 Gallon Fresh Water Tank, 20 Gallon Grey Water Tank (Does Not Include Cabinet, Propane or 110V Power Package Required)

Custom Sink Package: Includes Stainless Steel Sink, 6 Gallon Water Heater, 38 Gallon Fresh Water Tank, (2) 23 Gallon Grey Water Tanks (Does Not Include Cabinet, Propane or 110V Power Package Required)

Kicker Stereo Package: Includes (6) Speakers, AMP & Subwoofer, Clarion Face Unit w/ Bluetooth Capabilities

Mid-Level Stereo Package: Includes (4) Speakers, AMP & Subwoofer, Pioneer AM/FM/ CD Player w/Bluetooth, Battery Sold Separately





RAMP CAPACITY BY MODEL

| Ramp Type | Applicable Models | Capacity |
|---|--|--------------|
| Utility Trailer Rear Ramp (Fold-Down) | SSR (All Sizes); AR 2.0 (All Sizes); WR 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes) | 750# |
| Utility Trailer Rear Ramp (Fold-Down, Bi-Fold) | SSR (Optional, All Sizes); AR 2.0 (Optional, All Sizes); WR 2.0 (Optional, All Sizes); FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes) | 750# |
| Deckover Equipment Trailer Ramps (Stow) | (All Sizes) | 4000# (PAIR) |
| Deckover Equipment Trailer Ramps 14K (Fold-Down) | (All Sizes) | 5000# (PAIR) |
| Patriot Ramps (Fold-Down) | (All Sizes) | 4000# (PAIR) |
| Patriot Ramps 14K (Fold-Down) | (All Sizes) | 5000# (PAIR) |
| Dump Trailers (Side-Stow, Optional) | (All Sizes) | 4000# (PAIR) |
| ATV Ramps (83" Wide, Side-Stow) | (All Sizes) | 1200# (PAIR) |
| ATV Ramps (88" Wide, Side-Stow) | (All Sizes) | 750# (PAIR) |
| Open Motorcycle Ramp (Rear-Stow) | (All Sizes) | 1200# |
| Slingshot Rear Ramp (Fold-Down, Bi-Fold) | HU-SLINGSHOT | 1500# |
| Open Car Hauler 2.0 Ramps (Stow) | (All Sizes) | 4000# (PAIR) |
| Open Car Hauler 2.0 Ramps 10K (Stow) | (All Sizes) | 4000# (PAIR) |
| Open Car Hauler Standard Ramps (Stow) | (All Sizes) | 4000# (PAIR) |
| Open Snow Ramp (Rear-Stow) | HFS | 750# |
| Sport Deck (Rear-Stow, Telescoping Ramps) | HSD | 1000# |
| Enclosed Cargo Ramp (4', 5', 6' Wide) | (All Sizes) | 1500# |
| Enclosed Cargo Ramp (7' & 7.5' Wide) | (All Sizes) | 1500# |
| Enclosed Cargo Ramp (8.5' Wide, Premium) | (All Sizes) | 1500# |
| Enclosed Motorcycle Ramp (7' Wide) | (All Sizes) | 1500# |
| Enclosed Car Hauler Ramp (8.5' Wide) | (All Sizes) | 4000# |
| Enclosed Gooseneck Ramp (8.5' Wide, Rear) | (All Sizes) | 4000# |
| Enclosed Gooseneck Ramp (8.5' Wide, Side, Optional) | (All Sizes) | 1200# |
| Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Rear) | (All Sizes) | 1500# |
| Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Front) | (All Sizes) | 1200# |
| Enclosed Snowmobile Ramp (Crossover, Rear) | (All Sizes) | 1500# |

