# 88" OPEN ATV

**TRAILERS** 102", 10', 12', 14', 18'



#### **STANDARD FEATURES**

**STANDARD SPECIFICATIONS** 

- > All Aluminum Construction
- > Torsion Ride Axles
- > 24" 0/C Crossmembers
- > 2"x3" Subframe Tubing
- > Removable Ramps/Side Panels
- > 1/2" Marine Tech Plywood Decking

### 102", 10', 12', 14', 18'

- > Rear Edge Protector
- > 4-Way Flat Power Connection
- > Recessed LED Marker Lights
- > 3500# Wishbone Style Coupler w/2" Ball
- > (2) 5000# Safety Chains

TRAILER MODEL	88X102	88X10	88X12	88X14	88X18
Model Number	HATV88X102W	HATV88X10W	HATV88X12W	HATV88X14W	HATV88X18W
Deck (WxL)	88"x102"	88"x120"	88"x144"	88"x168"	88"x216"
Overall (WxL)	92"x12'6"	92"x14'	92"x16'	92"x18'	92"x22'
Deck Height	23 1/2"	23 1/2"	23 1/2"	23 1/2"	23 1/2"
Hitch Height	18"	18"	18"	18"	18"
Surface Mount D-Rings	4	4	6	6	6
Axle(s) - Qty/Rating	1-2200# Idler	1-2200# Idler	1-3500# Idler	1-3500# Idler	2-2200# Braked
Wheels	12" E-Rated Silver Mod				
Tires	ST145/R12E	ST145/R12E	ST145/R12E	ST145/R12E	ST145/R12E
GVWR	2200#	2200#	2990#	2990#	4000#
Curb Weight	380#	430#	450#	475#	835#
Payload	1820#	1770#	2540#	2515#	3565#
Wheel Jack	TBD	TBD	1200#	1200#	1200#
Power Connection	4-Way Flat	4-Way Flat	4-Way Flat	4-Way Flat	7-Way Round

#### **OPTIONS & ACCESSORIES** (Expanded list of available options can be found in MES option Section)

CONSTRUCTION OPTIONS	AXLE OPTIONS		
Upgrade to Extruded Aluminum Decking	Upgrade to 2-2K Torsion Idler Axles (From 1-3K Idler; 14' Model, 2990 GVWR)		
TIRE/WHEEL ASSEMBLIES & ACCESSORIES	Upgrade to 2-2K Torsion Braked Axles (From 1-3K Torsion Idler, 14' Model)		
Upgrade to 13" Silver Mod Wheels (From 12" E-Rated Silver Mod)	RAMP OPTIONS		
Upgrade to 15" Silver Mod (From 12" E-Rated Wheels, Includes Drop Tongue)	Side Load Ramps Upgrade (102")		
Spare 12" Silver Mod Wheel w/ 145/R12 Tire	Side Load Ramps Upgrade (120")		
Spare 13" Silver Mod Wheel w/ 175/80R13 Tire	Side Load Ramps Upgrade (14')		
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire	Side Load Ramps Upgrade (18')		
Upgrade to 12" Aluminum Spoke Wheels (145/R12 Tire; From 12" Silver Mod)	TIE-DOWN OPTIONS		
Upgrade to 13" Aluminum (Radial; From 13" Silver Mod Wheels)	Light Duty Surface-Mounted D-Ring (Installed)		
Upgrade to 15" Aluminum (Radial; From 15" Silver Mod Radial Wheels)	Heavy Duty Recessed D-Rings		
Bolt-On Spare Tire Carrier (Tongue-Mounted)	ACCESSORIES		
	Add 1200# Tongue-Mounted Wheel Jack		

Stabilizer Jacks (Installed; Pair)





## RAMP CAPACITY BY MODEL

Ramp Type	Applicable Models	Capacity
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes); AR 2.0 (All Sizes); WR 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes); AR 2.0 (Optional, All Sizes); WR 2.0 (Optional, All Sizes); FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (PAIR)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Patriot Ramps (Fold-Down)	(All Sizes)	4000# (PAIR)
Patriot Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Dump Trailers (Side-Stow, Optional)	(All Sizes)	4000# (PAIR)
ATV Ramps (83" Wide, Side-Stow)	(All Sizes)	1200# (PAIR)
ATV Ramps (88" Wide, Side-Stow)	(All Sizes)	750# (PAIR)
Open Motorcycle Ramp (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	HU-SLINGSHOT	1500#
Open Car Hauler 2.0 Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler 2.0 Ramps 10K (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler Standard Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Snow Ramp (Rear-Stow)	HFS	750#
Sport Deck (Rear-Stow, Telescoping Ramps)	HSD	1000#
Enclosed Cargo Ramp (4', 5', 6' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (7' & 7.5' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (8.5' Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle Ramp (7' Wide)	(All Sizes)	1500#
Enclosed Car Hauler Ramp (8.5' Wide)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Rear)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (Crossover, Rear)	(All Sizes)	1500#





## TONGUE EXTENSION BY MODEL

Trailer Type	Allowable Extension	Additional Requirements	Item Number	Description
Enclosed Cargo (4' & 5' Wide)	N/A	Frame Upgrade Required; Consult Engineering	N/A	N/A
Enclosed Cargo (6', 7', 7.5' Wide)	12"	N/A	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame); Includes Center Beam Upgrade; Not Available With All Sport or Snow Trailers.
Enclosed Cargo (8.5' Wide, Premium)	12" (16" w/ Upgrade)	Min. 6" Frame for 16" Tongue Extension; Upgrade May Be Required	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame); Includes Center Beam Upgrade; Not Available With All Sport or Snow Trailers.
Enclosed Motorcycle (7' Wide)	12"	N/A	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame); Includes Center Beam Upgrade; Not Available With All Sport or Snow Trailers.
Enclosed Car Hauler (8.5' Wide, Premium)	16"	N/A	TONGUE16EXTCH	16" Extended Tongue (For 5k Tandem Axle Enclosed w/2"x6" Frame or Larger); Not Available With All Sport or Snow Trailers.
Enclosed Car Hauler - All Sport (8.5' Wide)	N/A	Extended Tongue Incompatible With Front Ramp	N/A	N/A
Enclosed Snowmobile (7' & 7.5' Wide)	N/A	Extended Tongue Incompatible With Front Ramp	N/A	N/A
Enclosed Snowmobile (101" Wide)	10"	Requires 3"x5" Tongue Upgrade w/Straight-Pull Coupler	TBD	TBD

