

ALL-SPORT ELEVATION

18', 22', 24'



18' - 24'

STANDARD FEATURES

- All-Aluminum Construction
- One Piece Aluminum Roof
- Hidden Beavertail Construction
- V-Nose Construction w/12" Radius
- 24" Stone Guard
- Dexter Torsion Ride Axles (18'-22': 45 Degree Down; 24': 22.5 Degree Down)
- Spread Axle Design w/Tapered Skirting
- (4) HD 5000# Recessed D-Rings
- (2) Rows of Recessed Slide Track w/(8) Sliding D-Rings
- Car Hauler Grade Rear Ramp w/FTH Flap System and Piano Hinge System
- (2) 32" x 72" Side Access Door w/Flip Down Aluminum Step
- (1) 14"x14" Fuel Door
- Roof Vent
- (3) LED Dome Lights w/Switch
- (5) LED Porch Lights: (2) Over Rear Ramp, (1) Over Each SAD & (1) Over Front Ramp
- 110V Extreme Weather Package: (1) 60A Breaker Panel w/Converter and Motorbase Plug, (2) 3-Way Wall Switches, (1) GFCI Wall Receptacle, (1) Standard Wall Receptacle, (1) USB Receptacle, (12) Puck Lights
- Premium Exterior Light Package (Integrated Slim Brake and Backup Lights & Clear Lens Marker Lights)
- Basic Heater Package: 40# Propane Tank w/ HD Tongue-Mount, White Ceiling, Insulated Walls & Ceiling, 40K BTU Furnace, Safety Kit, Marine Grade Battery & Box, 48" Furnace Cabinet
- (1) 40# Propane Tank w/HD Mount Upgrade
- 3/4" Quad-Ply Decking
- White Luan Walls and Ceiling
- (2) Fold-Down Padded Bench (48"L)
- Combo Wall (3 Rows in Box, 2 Rows in V-Nose)
- Angled Brackets (Convert Cabinets to Combo Wall)
- (2) Premium Ceiling-Mounted Coat Hanger (38", 22 Hooks)
- Boondocker Package: Upgrade to Quad-Ply Flooring, Wraparound Front Ramp w/ Spring Assist (72" Wide Opening) & 6" Extruded Aluminum Kick Plate
- 48" Deluxe Boot Box w/Padded Top & Duct (Requires Furnace Pkg)
- Vertical Corner Duct (Requires Furnace Package)
- (2) Premium 48" Overhead Cabinets w/(1) Flip-Up Door Each (48"W x 13"D x 18"H)
- Adjustable Wall Hooks For Combo Wall (18': 2 Hooks; 4-22': 4 Hooks)
- Deluxe Floor Drain System (Full Width Slot, Exterior Clean Out)
- Premium Aluminum Ramp Hinges
- Freezer Latch System for Rear Ramp
- Sloped Drive Over Fender Kit w/Ski Guides
- Rear Door Canopy (2020 Version w/4 Puck Lights)
- Screwless .030 Bonded Sides
- Powdercoat Exterior Package
- 4" Trim (Top/Rear), 7" Trim (Bottom)
- Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	8.5x18 CH All Sport Elevation	8.5x22 CH All Sport Elevation	8.5x24 CH All Sport Elevation
Model Number	MCH8.5X18-AS-ELE	MCH8.5X22-AS-ELE	MCH8.5X24-AS-ELE
Subframe	2"x6"	2"x6"	2"x8"
Floor Studs	16" O/C	16" O/C	16" O/C
Wall & Roof Studs	16" O/C	16" O/C	16" O/C
Box (WxLxH)	99"x18'x90"	99"x22'x90"	99"x24'x90"
Interior (WxLxH)	96"x17'10"x88"	96"x21'10"x88"	96"x23'10"x88"
Overall (WxLxH)	102"x27'4"x116"	102"x31'4"x116"	102"x33'4"x116"
Deck Height	28-1/4"	28-1/4"	28-1/4"
Hitch Height	21-5/8"	21-5/8"	21-5/8"
Rear Door Opening (WxH)	91"x87"	91"x87"	91"x87"
Front Door Opening (WxH)	64"x83"	64"x83"	64"x83"
V-Nose w/ 12" Radius	72"	72"	72"
Axle(s) - Qty/Rating	2-5200# Braked	2-5200# Braked	2-5200# Braked
GVWR	9900#	9900#	9900#
Wheels	15" Aluminum	15" Aluminum	15" Aluminum
Tires	225/75R15	225/75R15	225/75R15
Side Door	32"x72"	32"x72"	32"x72"
Power Connection	Arctic Flex 7-Way Round	Arctic Flex 7-Way Round	Arctic Flex 7-Way Round
Coupler Rating/Ball Size	15000# / 2-5/16"	15000# / 2-5/16"	15000# / 2-5/16"
Jack	5000# Center Wheel Jack	5000# Center Wheel Jack	5000# Center Wheel Jack
Safety Chains	12,500#	12,500#	12,500#
Curb Weight	TBD	3935#	TBD
Payload	TBD	6055#	TBD

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" to Box Height (PBF)
Add 6" to Box Height (PBF)
Add 9" to Box Height (PBF)
Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)
EXTERIOR OPTIONS
Two-Tone Color Package w/6" Anodized Divider
Two-Tone Color Package w/No Anodized Divider
Upgrade to .040" Exterior Skin (Black, White, or Silver Only; Extended Lead Times May Apply; PBF)
DOOR/WINDOW/VENT OPTIONS
Upgrade to 6' Extruded Aluminum Bi-Fold Ramp Extension
FLOORING OPTIONS
Airline Track (Recessed in Floor; Aluminum, PLF)

AXLE OPTIONS

Upgrade to 2-6K Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade; Requires 2x8 Frame Upgrade)

Upgrade to 2-7K Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade; Requires 2x8 Frame Upgrade)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

Spare 15" Silver Mod Wheel w/225/75R15 Tire (6-Lug)

Spare 15" Aluminum Wheel w/225/75R15 Tire (6-Lug)

Spare 15" Black Aluminum Wheel w/225/75R15 Tire

Spare 16" Silver Mod Wheel w/235/80R16 Tire

Spare 16" Aluminum Wheel w/235/80R16 Tire

2024 Interior Elevated Spare Tire Mount (Universal Fitment)

COLOR OPTIONS

		
Windstar Silver	Flat Black	Crystal White
		
Indigo Blue	Penske Yellow	Forest Green
		
Orange	Charcoal	Pewter Metallic
		
Victory Red	Champagne	Brandywine

ALL SPORT & GOOSENECK POPULAR OPTIONS

CONSTRUCTION OPTIONS

CONSTRUCTION OPTIONS
Upgrade to Radius Roof Construction (Up to 30')
Add Slope in V-Nose
Cast Polished Corners for Flat Front
3" Extra Height
6" Extra Height
9" Extra Height
12" Extra Height
15" Extra Height (Requires .080" Wall Stud Upgrade and HD Rear Ramp)
18" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080" Wall Stud Upgrade)
21" Extra Height (Requires .080" Wall Stud Upgrade and HD Rear Ramp)
24" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080" Wall Stud Upgrade)
Height Decrease 6"
Height Decrease 12"
Additional Length in 2' Intervals (8.5' Wide)
Upgrade Trailer Frame (Peak Value; PBF; Includes Axle Carrier Upgrade and 16" O/C Floor Stud Upgrade)

DOORS, RAMPS, & COMPARTMENTS

DOORS, RAMPS, & COMPARTMENTS
32"x72" Side Access Door w/Paddle Handle
32"x72" Radius RV Door w/Screen (Window Optional)
Upgrade to Dexter 32"x72" Radius Door (From Piano Hinge Door)
Upgrade to 32"x72" Radius RV Door w/Screen & Optional Window (From Standard 32"x72" Side Access Door)
Upgrade to 36" Wide Side Access Door (From 32")
Upgrade to 48" Wide Side Access Door (From 32")
48"x72" Split Side Access Door(s)
Upgrade to 48"x72" Split Side Access Doors (From 32"x72" Side Access Door)
Upgrade to 78" Height Side Access Door (From 72"; Excludes Radius RV Door)
Upgrade to X-Wide 95" Rear Opening (Rear Ramp Only)
Diamond Plate Transition Flap (Ramp to Box)
Aluminum Starter Flap to Rear Ramp
Add (2) 2x4 Wingstock Stringers to Rear Ramp (CH Grade Only; Maximum Weight Capacity - 5000#)
30"x30" Generator Door w/Salem Vent & Paddle Handle (Lockable)
36"x36" Generator Door w/Salem Vent & Paddle Handle (Lockable)
Generator Compartment (30"Hx30"Wx24"D) – Door Optional
Generator Compartment (36"Hx36"Wx24"D) – Door Optional
Slide Out Generator Tray
Upgrade to Insulated Generator Compartment (Requires Generator Compartment)
Under Gooseneck Generator Compartment w/Door & Vent (33"W x 20"H x 22"D)
Under Gooseneck Storage Compartment w/Flip-Up Door (60"W x 28"H x 24"D)

CONSTRUCTION OPTIONS (CONTINUED)

Upgrade Trailer Sub Frame to 2"x8" (From 2"x6"; PBF)
Reverse Beavertail Construction (7' & Wider)
Upgrade to 3" Adjustable 2-5/16" A-Frame Coupler
Upgrade to 8000# Pedestal Jack (From Wheel or Center Jack)
Upgrade to 10000# Pedestal Jack (From Wheel or Center Jack)
Upgrade to Electric Landing Gear (Gooseneck Models Only)
Upgrade to Big Foot Hydraulic Landing Gear (Gooseneck Models Only; Single Leg)
Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)
Upgrade to Trussed Roof System (Not Compatible w/Radius)
Upgrade to .080" Wall Studs
Upgrade Wall Studs to 2"x2" (PBF)
Upgrade Ceiling Studs to 2"x2" (PBF)
Walk On Roof (Reinforced; PBF)
Heavy Duty Winch Mount (Winch Not Included)
Rear Canopy Loading Light System – 2013 Version (Not Available w/Radius Roof)
Rear Canopy Loading Light System – 2020 Version (Not Available w/Radius Roof)

DOORS, RAMPS, & COMPARTMENTS (CONTINUED)

Propane Compartment (30"H x 30"W x 24") w/Vented Non Locking Door
Propane Compartment (36"H x 36"W x 24") w/Vented Non Locking Door
14"x14" Fuel Door w/Paddle Handle
24"x24" Fuel Door w/Paddle Handle
4'x4' Escape Door (Driver's Side Over Wheel Well)
Elite Escape Door (6'W x 8'L Fold Up Door w/Removable Fender; Extends to 9'L w/ Spread Axle Upgrade)
30"x30" Hatch Door
RV-Style Pull-Out Step (Steel)
Aluminum Fold-Down Step
Powder Coated Aluminum Flip-Down Step
Upgrade to Powder Coated Aluminum Flip-Down Step (From Standard Step)
Aluminum Pull-Out Step
Aluminum Loop Step (Stationary)
Aluminum Grab Handle For Side Access Door
Keyed Locking Hasps for Rear Ramp
Upgrade to L-Latches/Freezer Latches (Per Ramp; Replaces Locking Bars; Premium Models w/CH Grade Rear Ramp Only)
Locking Bar for Side Access Door
Keyed Locking Hasps for Side Door Locking Bar
Upgrade to Premium Aluminum Ramp Hinges (Set; From S/S Strap Hinges; Premium CH/GN Models)
Upgrade to Full Piano Hinge For Rear Ramp

ALL SPORT & GOOSENECK POPULAR OPTIONS CONTINUED

DOORS, RAMPS, & COMPARTMENTS CONTINUED

DOORS, RAMPS, & COMPARTMENTS
Upgrade to Full Piano Hinge For Side Access Door
Rear Door Air Curtain
Pull-Down Screen for Rear Door Opening

DOORS, RAMPS, & COMPARTMENTS (CONTINUED)
Pop Out Tent Bed (60"H x 80"L Rough Opening)
Keyless Entry System (For Side Access Door)
Upgrade to 6' Extruded Aluminum Bi-Fold Ramp Extension (Car Hauler Models)

EXTERIOR OPTIONS

EXTERIOR OPTIONS
.040" Skin Upgrade (Black, White, & Silver Only)
.050" Skin Upgrade (Black & White Only)
Anodized Aluminum Side & Rear Trim Panel (12"; PBF)
Aluminum Diamond Plate Side & Rear Trim Panel (12"; PBF)
Anodized Aluminum Side & Rear Trim Panel (24"; PBF)
Aluminum Diamond Plate Side & Rear Trim Panel (24"; PBF)
Upgrade to Larger 7" Bottom Trim (PBF)
Upgrade to 36" Stone Guard (From 24")

EXTERIOR OPTIONS (CONTINUED)
Upgrade to 48" Stone Guard (From 24")
Two-Tone Color Package w/No Anodized Divider
Two-Tone Color Package w/6" Anodized Divider
Two-Tone Color Package w/12" Anodized Divider
Two-Tone Color Package w/24" Anodized Divider
Upgrade to Anodized Nose Cone
Add Red & White DOT Tape to Trailer (PLF; Required for Any Trailer Over 10,000lb GVWR)
Upgrade to Translucent Roofing (From Mill-Finish Aluminum; PBF)

INTERIOR OPTIONS

INTERIOR OPTIONS
White .030" Aluminum Side Walls (Bonded)
White .030" Aluminum Side Walls (Screwed)
White .030" Aluminum Ceiling (Bonded)
White .030" Aluminum Ceiling (Screwed)
Upgrade to 3/8" Water Resistant Walls (Cargo Trailers; From White Luan Walls; PBF)
Upgrade to 3/8" Plywood Walls (Cargo Trailers; From White Luan Walls; PBF)
Upgrade to 1/2" Plywood Walls (Cargo Trailers; PBF)
3/4" Foam Insulation (Side Walls; PBF)
3/4" Foam Insulation (Ceiling; Liner Required)
2" Foam Insulation (Ceiling Only; PBF)
Upgrade to 2" Foam Insulation (Ceiling Only; PBF)
.030" Aluminum Cove (All Colors)

INTERIOR OPTIONS (CONTINUED)
Anodized Roof Coves
Anodized Spring Cover
Diamond Plate Spring Cover
.030" Aluminum Spring Assist Cover for Rear Ramp Door
Partition Wall w/32" Access Door
6" Diamond Plate Kick Plate
12" Diamond Plate Kick Plate
24" Diamond Plate Kick Plate
12" Water Resistant Kick Plate
6" Extruded Aluminum Kick Plate
Carpet on Walls (Charcoal; 3' Up Walls; 4' for V-Nose)
Upgrade to Black TPO Coin Walls (3' Up Walls; 4' for V-Nose; PLF)

FLOORING

FLOORING
Upgrade to 3/4" Pressure Treated Plywood (From 3/4" Water Resistant Decking)
Upgrade to 3/4" Quad-Ply Decking (Non-Skid Surface, FRP Backer; PBF)
Additional Layer of 3/4" Water Resistant Decking
Upgrade to Extruded Aluminum Floor (Charge for Ramp & V-Nose; PLF)
Aluminum Diamond Plate Floor Overlay (.045"; PLF)
Upgrade to Black Marble Vinyl Flooring (PLF)
Upgrade to Checkerboard Vinyl Flooring (Black & White; PLF)

FLOORING (CONTINUED)
Painted Epoxy Floor Covering (PBF)
Upgrade to Rubber Coin Flooring (Black; PLF)
Upgrade to TPO Coin Flooring (Black)
Upgrade to Charcoal Carpet Flooring (PLF)
Upgrade to 3/4" Foam Insulated Floor
Aluminum Diamond Plate Runner (12" Single Row; .056"; PLF)
Aluminum Diamond Plate Runner (12" Double Rows; .056"; PLF)

ALL SPORT & GOOSENECK POPULAR OPTIONS CONTINUED

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" 225 Black Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" 225 Flat Black Mod (Radial; From 15" 225 Silver Mod Radial Wheels) – Special Order
Upgrade to 16" Silver Mod Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum)
Upgrade to 16" Black Aluminum Wheels (Radial; From 15" 225 Aluminum)
Upgrade to 16" G-Rated Silver Mod Wheels (Radial; From 16" Silver Mod Radial)
Upgrade to 16" Aluminum Wheels (Radial; From 16" Silver Mod Wheels)
Upgrade to 16" Black Aluminum Wheels (Radial; From 16" Silver Mod Wheels)
Upgrade to 17.5" Aluminum Wheels (Radial; From 17.5" Silver Mod Wheels)
Upgrade to Black Aluminum Rims from Aluminum (Same Size)
Spare 15" Silver Mod Wheel w/225/75R15 Tire (6-Lug)
Spare 15" Aluminum Wheel w/225/75R15 Tire (6-Lug)

AXLES

AXLES
Upgrade to 3-3K Torsion Braked Axles (From 2-3K Braked)
Upgrade to 2-5K Torsion Braked Axles (From 2-3K Torsion Braked; Peak Value Only; Frame Upgrade Required)
Upgrade to 2-6K Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade; 2"x8" Frame Upgrade Required)
Upgrade to 2-7K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade; 2"x8" Frame Upgrade Required)
Upgrade to 2-8K Torsion Braked Axles (From 2-5K Braked; Includes 215/75R/17.5 Tire Upgrade; 2"x8" Frame Upgrade Required)
Upgrade to 3-3K Torsion Braked Axles (From 2-5K Torsion Axles)
Upgrade to 3-5K Torsion Braked Axles (From 2-5K Braked; 2"x8" Frame Upgrade Required)
Upgrade to 2-7K Torsion Braked Axles (From 2-6K Braked; Includes 16" Tire Upgrade; 2"x8" Frame Upgrade Required)
Upgrade to 2-8K Torsion Braked Axles (From 2-7K Braked; Includes 215/75R/17.5 Tire Upgrade)
Upgrade to 3-7K Torsion Braked Axles (From 2-7K Braked)

TIE-DOWNS

TIE-DOWNS
Light Duty Surface-Mounted D-Ring (Installed)
Light Duty Sliding D-Ring (For Recessed Slide Track; Installed)
Upgrade to Powder Coated Sliding D-Ring (From Existing Sliding D-Ring)
Heavy-Duty Recessed 5000# D-Rings w/Backing Plate
Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate(Zinc)
Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Stainless Steel)
Recessed Flip-Up Motorcycle Wheel Chock w/(4) Surface-Mounted D-Rings
Recessed Flip-Up Motorcycle Wheel Chock w/(4) Recessed Heavy Duty D-Rings

TIRE/WHEEL ASSEMBLIES & ACCESSORIES (CONTINUED)
Spare 15" Black Aluminum Wheel w/225/75R15 Tire
Spare 16" Silver Mod Wheel w/235/80R16 Tire
Spare 16" Aluminum Wheel w/235/80R16 Tire
Spare 16" Black Aluminum Wheel w/235/80R16 Tire
Spare 16" G-Rated Silver Mod Wheel w/235/80R16 Tire (14 Ply Rating)
Spare 17.5" Silver Mod Wheel w/215/75R17.5 Tire
Spare 17.5" Aluminum Wheel w/215/75R17.5 Tire
2024 Interior Elevated Spare Tire Mount (Universal Fitment)
Exterior Elevated Spare Tire Mount (Diamond Plate; Exterior Wall)
Spare Tire Mount (Interior; Floor Level)
Deluxe Recessed Spare Tire Well (Diamond Plate w/Hatch Cover)
Deluxe 8' Tire Rack (Foldable)
Integrated Heavy Duty Tire Rack

AXLES (CONTINUED)
Upgrade to 2-7K Torsion Braked Axles (From 3-5K Braked)
Upgrade to 3-6K Torsion Braked Axles (From 3-5K Braked; Includes 16" Tire Upgrade)
Upgrade to 3-7K Torsion Braked Axles (From 3-5K Braked; Includes 16" Tire Upgrade)
Upgrade to 3-8K Torsion Braked Axles (From 3-5K Braked; Includes 215/75R/17.5 Tire Upgrade)
Upgrade to 2-3K Hydraulic Braked Axles (From 2-3K Torsion Braked)
Spread Axle Upgrade w/Tapered Fender Skirting (8' Wide Models)
Upgrade to Surge Braking System (Not Available for Gooseneck Models)
Upgrade to Zero Degree Axle(s)
Upgrade to 22.5 Degree Down Axle(s)
Upgrade to 45 Degree Down Axle(s)
Upgrade to Galvanized Torsion Axle (Minimum 4 Week Lead Time)
Upgrade to Galvanized Torsion Axle (Minimum 4 Week Lead Time)

TIE-DOWNS (CONTINUED)
Recessed Flip-Up Motorcycle Wheel Chock
Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Surface-Mounted D-Rings
Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Heavy Duty D-Rings
Single Stainless Steel Tube Style Wheel Chock for Single Piece of Slide Track (Installed)
Stainless Steel Tube Style Wheel Chock
E-Track, Surface Mounted (Floor)
E-Track, Surface Mounted (Wall)
E-Track, HD Recessed w/Backing Plate (Floor)

ALL SPORT & GOOSENECK POPULAR OPTIONS CONTINUED

TIE-DOWNS CONTINUED

TIE-DOWNS
E-Track, HD Recessed w/Backing Plate (Walls)
Aluminum E-Track, Surface Mounted (Wall)
Aluminum E-Track, HD Recessed w/Backing Plate (Floor)
Aluminum E-Track, HD Recessed w/Backing Plate (Walls)
Aluminum Airline Track, Surface Mounted (Floor)

12V LIGHTING & ELECTRICAL

12V LIGHTING & ELECTRICAL
Add LED Backup Lights (Pair; Installed)
Additional LED Stop/Turn/Tail Lights (Pair; Installed)
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)
Upgrade to Additional LED Marker Lights Bullets
Diamond Plate Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)
Anodized Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)
(2) 12V LED Load Lights (Double Lights w/Single Switch, 950 Lumens)
12V LED Load Light (Single Light w/Switch, 950 Lumens)
Recessed LED Exterior Load Light Package For Side of Trailer: (1) Light (950 Lumens) w/Switch & Housing
12V LED Porch Light w/Wall Switch
K60 LED Exterior Scene Light Package: (1) 12V Wall Switch w/(2) K60 Scene Lights
Mid-Ship Turn Signals (For Tandem Fenders Only; Pair)
Angled Back Up Lights (Mounts on Side of Trailer)
Upgrade to 12V Electric Pedestal Jack w/Battery & Box Installed
Upgrade to 12V Electric Pedestal Jack w/o Battery
12V Power Jack (Cigarette Lighter Plug)
Upgrade to LED Economy Dome Light, 460 Lumens (From Incandescent Dome Light)
Additional 12V LED Dome Light (460 Lumens)
12 Volt Wall Switch

110V LIGHTING & ELECTRICAL

110V LIGHTING & ELECTRICAL
110V Power Package #1: (1) 15 AMP Motorbase Plug, (1) Wall Switch, (1) Receptacle, (1) 4' LED Wraparound Light (No Additions Available w/Package #1)
110V Power Package #2: (1) 30 AMP Breaker, (1) 25' Shore Line, (2) 3 -Way Wall Switches, (1) Standard Wall Receptacle, (1) GFCI Wall Receptacle, (2) 4' LED Wraparound Lights
110V Power Package #3: (1) 30 AMP Panel, (1) Wall Switch, (4) Standard Wall Receptacles, (1) GFCI Receptacle, (4) 4' LED Wraparound Lights, (1) Brace and Wire Stub for A/C Unit
110V Power Package #4: (1) 15 AMP Motorbase Plug, (2) Wall Receptacles
110V Power Package #5: (1) 60A Breaker Panel w/60A Converter and 50A Motorbase Plug, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) USB Wall Receptacle, (1) GFCI Wall Receptacle, (2) 4' LED Wraparound Lights, 12V Deep Cycle Battery & Box
15A Motorbase Plug

TIE-DOWNS (CONTINUED)
Aluminum Airline Track, Surface Mounted (Wall)
Aluminum Airline Track, Recessed in Floor (PLF)
Aluminum Airline Track, Recessed in Wall (PLF)
Recessed Slide Track (Track Only; D-Rings Sold Separately)
Recessed Slide Track (2) Rows w/(4) Sliding D-Rings
Powder Coated Slide Track Upgrade (For Existing Slide Track; PBF)

12V LIGHTING & ELECTRICAL (CONTINUED)
12 Volt Wall Switch (3-Way)
Upgrade to 12 Volt (3-Way) Wall Switch
LED Puck Light Package: 8 Recessed Lights & Wall Switch (Requires Ceiling Liner)
Additional Recessed LED Puck Light
LED Puck Light Package: (2) Round LED Flush Mount Dome Lights Under Overhead Cabinet; (1) 12V Wall Switch
18" 12V LED Light (Requires Ceiling Liner)
Upgrade Interior Dome Light to 12V 18" LED Light
Upgrade to (3) 18" 12V LED Lights (From (2) 4' LED Wraparound; Requires Ceiling)
Trickle Charger for Battery
Deep Cycle Marine Battery & Box (Wired)
12V USB-C and USB-A Dual Recessed Receptacle
LED Interior Strip Light w/Housing Package (Per Foot, Per Section)
Upgrade to Permaseal Wire Connectors
Upgrade Premium Light Package (LED Strip Lights w/Integrated Backup Lights, Marker Lights w/Clear Lenses)
Upgrade to Premium Light Package (LED Strip Lights w/No Backup Lights, Marker Lights w/Clear Lenses)
Wireless Backup Camera System w/7" LCD Screen
Add LED 6" Oval Alternating Flashing Safety Lights (Orange) w/Exterior Toggle Switch (Pair; Hardwired Into Auxiliary; 7-Way Plug Required)

110V LIGHTING & ELECTRICAL (CONTINUED)
30A Motorbase Plug (Replaces Shoreline; 110V Package Required)
30A Power Converter (110V Pkg #2)
30A Power Cord (25' Long; For Motorbase Plug)
30A Generator Line Switch
Upgrade to 50 AMP Breaker Box (Requires 110V Pkg #2)
50A Power Cord (25' Long; For Motorbase Plug)
60A Power Converter (110V Package Required)
110 Volt Wall Receptacle (Installed; Requires 110V Pkg)
110 Volt Combo USB/Wall Outlet Receptacle (Installed; Requires 110V Pkg #2)
110 Volt Wall Switch (3-Way; Requires 110V Pkg #2)

ALL SPORT & GOOSENECK POPULAR OPTIONS CONTINUED

110V LIGHTING & ELECTRICAL CONTINUED

110V LIGHTING & ELECTRICAL
Interior GFCI Wall Receptacle (Requires 30A Package)
Exterior GFCI Wall Receptacle (Requires 30A Package)
4' LED Wraparound Light (Requires 110V Pkg)
500W Swing-Mount Quartz Light

110V LIGHTING & ELECTRICAL (CONTINUED)
13,500 BTU Roof Mounted Air Conditioner (Requires 110V Pkg #2)
Heat Strip for A/C Unit
Brace & Stub Wire for Future AC Installation (12 Gauge Wire and 20A Breaker; Requires 110V Pkg #2)
Electric Heater: CADET Com-Pak Plus White Wall Fan, 1500 Watt (Requires 110V Pkg #2)

CABINETS

CABINETS
4' Straight Wall Base Cabinet, 2-Door (48"W x 24"D x 37"H)
5' Straight Wall Base Cabinet, 2-Door (60"W x 24"D x 37"H)
5' Angled Base Cabinet (Snow Trailer V-Nose)
6' Straight Wall Base Cabinet, 2-Door (72"W x 24"D x 37"H)
8' Straight Wall Base Cabinet, 2-Door (96"W x 24"D x 37"H)
8' Straight Wall Base Cabinet, 4-Door
Upgrade Base Cabinet to 28" L-Shape Extension
Overhead Cabinet w/1 Flip-Up Door (48"W x 13"D x 18"H)
Overhead Cabinet, 2-Door (48"W x 13"D x 18"H)
Overhead Premium Cabinet w/1 Flip-Up Door (48"W x 13"D x 18"H)
48" Economy Overhead Furnace Cabinet w/1 Flip-Up Door (Furnace Not Included)
Overhead Cabinet, 1-Door (62"W x 12"D x 18"H)
60" Deluxe Overhead Furnace Cabinet w/1 Flip-Up Door (Furnace Not Included)
Deluxe Overhead Cabinet, 4-Door (72"W x 13"D x 18"H)
Deluxe Overhead Cabinet, 4-Door (96"W x 13"D x 18"H)
Overhead Cabinet w/2 Flip-Up Doors (96"W x 13"D x 18"H)
Wheel Well Cabinet, 2-Door w/Shelving (72"W x 6 3/4"D x 62"H)
96" Premium Overhead Split Cabinet w/Center Shelf & 2 Flip-Up Doors (96"W x 18"D x 18"H)
Premium 50" Helmet Cabinet w/Hooks

CABINETS (CONTINUED)
24" Wardrobe Cabinet w/(1) Full-Height Door, (1) Shelf, (1) Clothing Rod (24"W x 24"D x 72"H)
36" Wardrobe Cabinet w/(1) Full-Height Door, (1) Shelf, (1) Clothing Rod (36"W x 24"D x 76"H)
44" Deluxe Wardrobe Cabinet (Ducted; Requires Furnace Package)
Premium Wall-Mounted Coat Hanger (47.5", 10 Hooks)
Premium Ceiling-Mounted Coat Hanger (38", 22 Hooks)
48" Deluxe Boot Box w/Padded Top (Ducted; Requires Furnace Package & Vertical Duct; Not Available for Gooseneck Models)
6' Horizontal Vented Duct (Angled End, 5 Vents)
8' Horizontal Vented Duct (8'x5"x5" w/5 Vents)
Vertical Corner Duct (Requires Furnace Package)
Add Heat Duct (PLF)
Clothing Rod for Overhead Cabinets (48" Cabinets Only)
4' Coat Rack Package: 47' Slide Track w/(6) Adjustable Hooks
18" Shelving w/Angled Gussets (PLF, Per Tier)
Upgrade to Formica Countertop (Base Cabinet Sold Separately)
Standard Tool Crib Package: (1) 72x24 Horizontal Access Door (Over Fender, w/Retainer Chains), (2) 38x22 Vertical Access Doors (Ahead/Behind Fender), Adjustable Shelf Brackets in Vertical Cabinets, 3/8" Water Resistant Liner (Interior & Exterior of Box Frame), 19"D x 42"H x 128"L Box Frame Inside Trailer, Hinged Lid (3 Sections)

VENTS & WINDOWS

VENTS & WINDOWS
14"x14" Manual Roof Vent
12V Power Roof Vent
110V Power Roof Vent (Requires 30A Package)
Fantastic Fan/Vent (Dometic 22-0462; Requires 30A Package)
Maxx-Air Roof Vent Cover
Directional Salem Vent Kit (Plastic; Pair)

VENTS & WINDOWS (CONTINUED)
Two-Way Directional Salem Vent Kit (Aluminum; Pair)
18"x24" Horizontal Radius Sliding Window w/Screen
18"x24" Vertical Radius Sliding Window w/Screen
24"x36" Radius Sliding Window w/Screen
24"x36" Egress Sliding Window (Tinted w/Screen)

ALL SPORT & GOOSENECK POPULAR OPTIONS CONTINUED

MISC. OPTIONS & ACCESSORIES

MISC. OPTIONS & ACCESSORIES
Fold-Down Sofa/Sleeper
Fold-Down Bunk Beds
HappiJac Bed System w/(1) Queen Size Mattress
Fold Down Bench (12"x48"; Work or Seating)
Fold-Down Padded Bench (48"L) Vertical Design
Premium 50" Fold-Up Padded Bench
Premium 36" Fold-Up Work Bench w/Integrated Tool Storage
Premium Cup Holder
Premium (2) Race Fuel Holder
Premium (3) Race Fuel Holder
Basic Stereo Package: Includes (4) Boss Speakers
Stairs to the Gooseneck Area (24"W x 32"D)
30 Gallon Fuel Transfer System: Includes 30 Gallon Tank, Fill Nozzle & Hose, Control Panel w/Gauge (Requires Marine Grade Battery)

SPECIAL PACKAGES

SPECIAL PACKAGES
Exterior Powder Coat Package (All Sport): Includes Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim
Exterior Powder Coat Package (Gooseneck): Includes Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim
Basic Heater Package (All Sport): 20# Propane Tank (Tongue Mounted), Insulated Walls & Ceiling, 40K BTU Furnace, Safety Kit, Marine Grade Battery & Box, 48" Furnace Cabinet
Deluxe Floor Drain System (Full Width Slot, Exterior Clean Out)

MISC. OPTIONS & ACCESSORIES (CONTINUED)
20# Propane Tank w/Regulator (Tongue-Mounted Holder Included)
30# Propane Tank w/Regulator (Propane Compartment Required)
Upgrade to 30# Propane Tank (From 20# Propane Tank w/Heavy Duty Mount)
Upgrade to Underslung Propane Tank (Requires Package Including Standard Propane Tank; Only Available on Deckover Models)
Drop-Down Stabilizer Jacks (Interior Rear; Installed; Pair)
Bogey/Caster Wheels (Installed; Pair)
Scissor Jacks (Camper Style; Pair)
Add Exterior Marine Grade Speakers to Stereo System (Pair)
Add 3-Bay Stainless Steel Sink (Sink Package Required)
2-Burner Propane Range (Installed in Cabinet Top; Base Cabinet and Propane Tank Required)
5.0 Cu.Ft. Refrigerator (24" x 26"; Recessed in Cabinet; 110V Pkg w/12V Battery or Propane w/Safety Kit & 12V Battery Required)
1100W Microwave (1.2 Cu.Ft.; Recessed in Cabinet)

SPECIAL PACKAGES (CONTINUED)
Boondocker Package: Includes Upgrade to Quad-Ply Flooring, Wraparound Front Ramp w/ Spring Assist (72" Opening), & 6" DP Kick Plate
Ducted Cabinet Package (Upgrade for EWP): 4' Duct, 62" Economy Cabinet
Kicker Stereo Package: (6) Speakers, AMP & Subwoofer, Clarion Face Unit w/Bluetooth Capabilities
Mid-Level Stereo Package: (4) Speakers, AMP & Subwoofer, Pioneer AM/FM/CD Player w/Bluetooth; Battery Sold Separately

RAMP CAPACITY BY MODEL

Ramp Type	Applicable Models	Capacity
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes); AR 2.0 (All Sizes); WR 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes); AR 2.0 (Optional, All Sizes); WR 2.0 (Optional, All Sizes); FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (PAIR)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Patriot Ramps (Fold-Down)	(All Sizes)	4000# (PAIR)
Patriot Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Dump Trailer Ramps (Side-Stow, Optional)	(All Sizes)	4000# (PAIR)
ATV Ramps (83" Wide, Side-Stow)	(All Sizes)	1200# (PAIR)
ATV Ramps (88" Wide, Side-Stow)	(All Sizes)	750# (PAIR)
Open Motorcycle Ramp (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	MU-SLINGSHOT	1500#
Open Car Hauler 2.0 Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler 2.0 Ramps 10K (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler Standard Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Snow Ramp (Rear-Stow)	MFS	750#
Sport Deck (Rear-Stow, Telescoping Ramps)	MSD	1000#
Enclosed Cargo Ramp (4', 5', 6' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (7' 7.5' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (8.5' Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle Ramp (7' Wide)	(All Sizes)	1500#
Enclosed Car Hauler Ramp (8.5' Wide)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Rear)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (Crossover, Rear)	(All Sizes)	1500#

TONGUE EXTENSION BY MODEL

TRAILER TYPE	ALLOWABLE EXTENSION	ADDITIONAL REQUIREMENTS	ITEM NUMBER	DESCRIPTION
Enclosed Cargo (4, 5-Wide)	N/A	FRAME UPGRADE REQUIRED, CONSULT ENGINEERING	N/A	N/A
Enclosed Cargo (6, 7, 7.5-Wide)	12"	ECONOMY MODELS REQUIRE CENTER BEAM UPGRADE	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Cargo (8.5-Wide, Premium)	12" (16" w/ UPGRADE)	MIN 6" FRAME FOR 16" TONGUE EXTENSION, UPGRADE MAY BE REQUIRED	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Motorcycle (7-Wide)	12"		TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Car Hauler (8.5-Wide, Premium)	16"		TONGUE16EXTCH	16" Extended Tongue (For 5k Tandem Axle Enclosed; Trailer Must have 2"x6" Frame or Larger) ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Car Hauler - All Sports (8.5-Wide)	N/A	EXTENDED TONGUE INCOMPATIBLE WITH FRONT RAMP	N/A	N/A
Enclosed Snowmobile (7, 7.5-Wide)	N/A	EXTENDED TONGUE INCOMPATIBLE WITH FRONT RAMP	N/A	N/A
Enclosed Snowmobile (101-Wide)	10"	REQUIRES 3x5 TONGUE UPGRADE w/ STRAIGHT-PULL COUPLER	TBD	TBD

**Please note that all 5k tandem trailers w/ extended tongues require a minimum of 6" base frame, regardless of brand/model