

ENCLOSED

CAR HAULERS



14' - 22'

STANDARD FEATURES

- > All Aluminum Construction
- > Integrated Frame
- > Flat Front w/Cast Corners
- > Dexter Torsion Ride Axles
- > 32"x72" Side Man Door w/Pull Out Step
- > 16" O/C Crossmembers
- > 3/4" Water Resistant Decking
- > 3 LED Dome Lights with a Wall Switch
- > White Luan Walls
- > 6" Extruded Aluminum Kick Plate
- > Roof Vent
- > 24" Stone Guard
- > Tapered Rear Ramp Door with Spring Assist
- > 5000# Center Jack
- > Exterior LED Lighting
- > 48" Beavertail
- > (4) Heavy-Duty Recessed D-Rings
- > Safety Chains
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	8.5X14 Car Hauler	8.5X16 Car Hauler	8.5X18 Car Hauler	8.5X20 Car Hauler	8.5X22 Car Hauler
Model Number	MCH8.5x14-IF	MCH8.5x16-IF	MCH8.5x18-IF	MCH8.5x20-IF	MCH8.5x22-IF
Box (WxLxH)	99"x14"x84"	99"x16"x84"	99"x18"x84"	99"x20"x84"	99"x22"x84"
Interior (WxLxH)	96"x13'10"x82"	96"x15'10"x82"	96"x17'10"x82"	96"x19'10"x82"	96"x21'10"x82"
Overall (WxLxH)	102"x18'x105"	102"x20'x105"	102"x22'x105"	102"x24'x105"	102"x26'x105"
Subframe Tubing	2"x6"	2"x6"	2"x6"	2"x6"	2"x6"
Deck Height	16"	16"	16"	16"	16"
Hitch Height	15"	15"	15"	15"	15"
Rear Door Opening (WxH)	89"x81"	89"x81"	89"x81"	89"x81"	89"x81"
Axle(s) - Qty/Rating	(2) 3500# Braked	(2) 3500# Braked	(2) 3500# Braked	(2) 3500# Braked	(2) 3500# Braked
Wheels	15" Aluminum	15" Aluminum	15" Aluminum	15" Aluminum	15" Aluminum
Tires	205/75R15	205/75R16	205/75R17	205/75R18	205/75R19
GVWR	7250#	7250#	7250#	7250#	7250#
Curb Weight	1950#	2015#	2285#	2590#	2710#
Payload	5300#	5235#	4965#	4660#	4540#
Coupler Rating/Ball Size	15000# / 2-5/16"	15000# / 2-5/16"	15000# / 2-5/16"	15000# / 2-5/16"	15000# / 2-5/16"
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round



ENCLOSED

CAR HAULERS CONTINUED

14' - 22' continued

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION OPTIONS
Upgrade to 48" V-Nose
Add 3" to Box Height (PBF)
Add 6" to Box Height (PBF)
Add 9" to Box Height (PBF)
Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)
FLOORING OPTIONS
Upgrade to TPO Coin Flooring (Black, PLF)
Upgrade to 3/4" Quad Ply Decking w/ 12" Quad Ply Kick Plate
ACCESSORIES
8' Flat Front 4 Door Overhead Cabinet
8' Flat Front 4 Door Base Cabinet (Black)
V-Nose Base Cabinet, 4 Door (Black, 99" Models)
V-Nose Overhead Cabinet, 2 Door (Black, 99" Models)
AXLE OPTIONS
Upgrade to 2-5K Torsion Braked Axles

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (6-Lug)
Spare 15" Aluminum Wheel w/ 225/75R15 Tire (6-Lug)
Interior Elevated Spare Tire Mount
TIE DOWN OPTIONS
5000# Recessed Heavy Duty D-Ring w/Backing Plate
6000# Recessed Swivel D-Ring w/Backing Plate (Zinc)
Upgrade to Zinc 6000# Recessed Swivel D-Rings
12V LIGHTING & ELECTRICAL OPTIONS
Upgrade to Arctic Flex 7-Way Plug
Upgrade to 12V Electric Pedestal Jack w/ Battery & Box
LED Porch Light w/12V Wall Switch
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights
Recessed LED Puck Light Package

COLOR OPTIONS

		
Windstar Silver	Flat Black	Crystal White
		
Indigo Blue	Penske Yellow	Forest Green
		
Orange	Charcoal	Pewter Metallic
		
Victory Red	Champagne	Brandywine

32' - 40'

STANDARD FEATURES

- > All Aluminum Construction
- > Integrated Frame
- > Flat Front w/ Cast Corners
- > 16" O/C Wall, Roof, and Floor Studs
- > 2"x8" Subtube Framing
- > Dexter Torsion Ride Axles
- > Side Access Door 32"x72" w/ Pull-Out Step
- > 3/4" Water Resistant Decking
- > 3 LED Dome Lights with a Wall Switch
- > White Luan Walls
- > 6" Extruded Aluminum Kick Plate
- > Roof Vent
- > 24" Stone Guard
- > Tapered Rear Ramp Door with Spring Assist
- > 5000# Center Jack
- > Exterior LED Lighting
- > 48" Beavertail
- > (4) Heavy-Duty Recessed D-Rings
- > Safety Chains
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	8.5X24 Car Hauler	8.5X26 Car Hauler	8.5X28 Car Hauler	8.5X30 Car Hauler	8.5X32 Car Hauler
Model Number	MCH8.5x24-IF	MCH8.5x26-IF	MCH8.5x28-IF	MCH8.5x30-IF	MCH8.5x32-IF
Box (WxLxH)	99"x24"x84"	99"x26"x84"	99"x28"x84"	99"x30"x84"	99"x32"x84"
Interior (WxLxH)	96"x23'10"x82"	96"x25'10"x82"	96"x27'10"x82"	96"x29'10"x82"	96"x31'10"x82"
Overall (WxLxH)	102"x28'x104.5"	102"x30' x104.5"	102"x32'x104.5"	102"x34' x104.5"	102"x36'x104.5"
Subframe Tubing	2 x6"	2"x8"	2"x8"	2"x8"	2"x8"
Deck Height	16"	21.5"	21.5"	21.5"	21.5"
Hitch Height	15"	20.5"	20.5"	20.5"	20.5"
Rear Door Opening (WxH)	89"x81"	89"x81"	89"x81"	89"x81"	89"x81"
Axle(s) - Qty/Rating	(2) 5200# Braked	(2) 5200# Braked	(2) 5200# Braked	(2) 5200# Braked	(2) 5200# Braked
Wheels	15" Aluminum	15" Aluminum	15" Aluminum	15" Aluminum	15" Aluminum
Tires	225/75R15	225/75R16	225/75R17	225/75R18	225/75R19
GVWR	9990#	9990#	9990#	9990#	9990#
Curb Weight	3400#	3490#	3950#	4250#	4505#
Payload	6500#	6410#	6040#	5740#	5485#
Coupler Rating/Ball Size	15000# / 2-5/16"	15000# / 2-5/16"	15000# / 2-5/16"	15000# / 2-5/16"	15000# / 2-5/16"
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION OPTIONS	AXLE OPTIONS
Upgrade to 48" V-Nose	Upgrade to 2-5K Torsion Braked Axles
Add 3" to Box Height (PBF)	TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Add 6" to Box Height (PBF)	Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Add 9" to Box Height (PBF)	Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)	Interior Elevated Spare Tire Mount
White Vinyl Backed Luan (Ceiling Only; PBF)	TIE DOWN OPTIONS
FLOORING OPTIONS	5000# Recessed Heavy Duty D-Ring w/Backing Plate
Upgrade to TPO Coin Flooring (Black, PLF)	6000# Recessed Swivel D-Ring w/Backing Plate (Zinc)
Upgrade to 3/4" Quad Ply Decking w/12" Quad Ply Kick Plate	Upgrade to Zinc 6000# Recessed Swivel D-Rings
ACCESSORIES	12V LIGHTING & ELECTRICAL OPTIONS
8' Flat Front 4 Door Overhead Cabinet	Upgrade to Arctic Flex 7-Way Plug
8' Flat Front 4 Door Base Cabinet (Black)	Upgrade to 12V Electric Pedestal Jack w/ Battery & Box
V-Nose Base Cabinet, 4 Door (Black, 99" Models)	LED Porch Light w/12V Wall Switch
V-Nose Overhead Cabinet, 2 Door (Black, 99" Models)	Upgrade to 12" LED Slimline Tail/Turn/Stop Lights
	Recessed LED Puck Light Package

COLOR OPTIONS





CAR HAULER & GOOSENECK POPULAR OPTIONS

CONSTRUCTION OPTIONS

CONSTRUCTION OPTIONS
Upgrade to 48" V-Nose (From Flat Front w/Cast Corners)
Add Slope in V-Nose
Cast Polished Corners for Flat Front
Upgrade to Radius Roof Construction (Up to 30"; Sloped V-Nose, Cast Corners, & Rear Canopies are Not Available with Radius Roof Option.)
2' Round Nose w/Anodized Nose Cone
3" Extra Height
6" Extra Height
9" Extra Height
12" Extra Height
15" Extra Height (Requires .080" Wall Stud Upgrade and HD Rear Ramp)
18" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080" Wall Stud Upgrade)
21" Extra Height (Requires .080" Wall Stud Upgrade and HD Rear Ramp)
24" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080" Wall Stud Upgrade)
6" Height Decrease
12" Height Decrease
Additional Length in 2' Intervals (8.5' Wide)
Upgrade Trailer Sub Frame to 2"x8" (From 2"x6"; PBF)
Reverse Beavertail Construction (7' Wide & Up)
12" Extended Tongue (For 3K Tandem Axle Enclosed with 2"x5" Frame; Includes Center Beam Upgrade)
16" Extended Tongue (For 5K Tandem Axle Enclosed; Trailer Must Have 2"x6" Frame or Larger)
Upgrade to 3" Adjustable 2-5/16" A-Frame Coupler
Upgrade to 8000# Pedestal Jack (From Wheel or Center Jack)
12" Extended Tongue (For 3K Tandem Axle Enclosed with 2"x5" Frame; Includes Center Beam Upgrade)

DOORS, RAMPS, & COMPARTMENTS

DOORS, RAMPS, & COMPARTMENTS
Upgrade to 32"x72" Radius RV Door w/Screen, Window Optional (From Standard 32"x72" Side Access Door)
Upgrade to 36" Wide Side Access Door (from 32")
Upgrade to 48" Wide Side Access Door (from 32")
48"x72" Split Side Access Door(s)
Upgrade to 48"x72" Split Side Access Doors (From 32"x72" Side Access Door)
Upgrade to 78" Tall Side Access Door (From 72" Height; Excludes Radius RV Door)
Double Barn Doors (Replaces Standard Rear Ramp; Removes Beavertail Construction if Applicable)
Barn Doors on Side of Trailer (74"W x 72"H)
Ramp Door w/Spring Assist on Side of Trailer (74"W x 72"H)
Upgrade to X-Wide 95" Rear Opening (Rear Ramp Only)
Diamond Plate Transition Flap (Ramp to Box)
Aluminum Starter Flap to Rear Ramp

CONSTRUCTION OPTIONS (CONTINUED)
Upgrade to 10,000# Pedestal Jack (From Wheel or Center Jack)
Upgrade to Electric Landing Gear (Gooseneck Models Only)
Upgrade to Big Foot Hydraulic Landing Gear (Gooseneck Models Only; Single Leg)
Upgrade to 8K Big Foot Hydraulic Jack (Bumper Pull; Flat Front Models Only)
Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)
Upgrade to Trussed Roof System (Not Compatible w/Radius)
Upgrade to .080" Wall Studs
Upgrade Wall Studs to 2"x2" (PBF)
Upgrade Ceiling Studs to 2"x2" (PBF)
Walk On Roof (Reinforced; PBF)
Heavy Duty Winch Mount (Winch Not Included)
8' Platform Roof w/Ladder & Rail Kit
14' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)
16' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)
18' Catwalk (Includes Ladder to Roof & 5 Ladder Racks)
20' Catwalk (Includes Ladder to Roof & 6 Ladder Racks)
Ladder to Roof (Outside V-Nose)
Upgrade to Roller on Rear Ladder Rack
Ladder Racks
Rear Canopy Loading Light System - 2013 Version (Not Available w/Radius Roof)
Rear Canopy Loading Light System - 2020 Version (Not Available w/Radius Roof)
32"x72" Radius RV Door w/Screen (Window Optional)
Upgrade to Dexter 32"x72" Radius Door (Trailer Must Have 32"x72" Piano Hinged Door Already)

DOORS, RAMPS, & COMPARTMENTS (CONTINUED)
32"x72" Side Access Door w/Paddle Handle and Piano Hinge
Add (2) 2x4 Wingstock Stringers to Rear Ramp (CH Grade Only; Maximum Weight Capacity - 5000#)
Generator Door (30"x30") w/Salem Vent & Paddle Handle (Lockable)
Generator Door (36"x36") w/Salem Vent & Paddle Handle (Lockable)
Generator Compartment (30"H x 30"W x 24"D; Door Optional)
Generator Compartment (36"H x 36"W x 24"D; Door Optional)
Slide Out Generator Tray
Upgrade to Insulated Generator Compartment (Requires Generator Compartment)
Under Gooseneck Generator Compartment w/Door & Vent (33"W x 20"H x 22"D)
Under Gooseneck Storage Compartment w/Flip-Up Door (60"W x 28"H x 24"D)
Propane Compartment (30"H x 30"W x 24") w/Vented Non-Locking Door
Propane Compartment (36"H x 36"W x 24") w/Vented Non-Locking Door
Fuel Door w/Paddle Handle (14"x14")

CAR HAULER & GOOSENECK POPULAR OPTIONS CONTINUED

DOORS, RAMPS, & COMPARTMENTS CONTINUED

DOORS, RAMPS, & COMPARTMENTS
Fuel Door w/Paddle Handle (24"x24")
Concession Door (4'x4')
Concession Door (4'x6')
Concession Door (4'x8')
Escape Door (4'x4'; Driver Side Over Wheel Well)
Elite Escape Door (6'W x 8'L; Fold-Up Door w/Removable Fender; Extends to 9'L When Adding Spread Axle Upgrade)
Hatch Door (30"x30")
RV-Style Pull-Out Step (Steel)
Aluminum Fold-Down Step
Powder Coated Aluminum Flip-Down Step
Upgrade to Powder Coated Aluminum Flip-Down Step (From Standard Step)
Aluminum Pull-Out Step
Aluminum Loop Step (Stationary)
Aluminum Grab Handle For Side Access Door

DOORS, RAMPS, & COMPARTMENTS (CONTINUED)
Rear Full Length Step Across Rear Barn Doors (12" Deep; Expanded Aluminum on Top)
Upgrade to L-Latches/Freezer Latches (Per Ramp, Replaces Locking Bars; Premium Models w/CH Grade Rear Ramp Only)
Keyed Locking Hasps for Rear Ramp
Upgrade to Premium Aluminum Ramp Hinges (Set; Premium CH/GN Models)
Upgrade to Full Piano Hinge For Rear Ramp
Locking Bar for Side Access Door
Keyed Locking Hasps for Side Door Locking Bar
Upgrade to Full Piano Hinge For Side Access Door
Rear Door Air Curtain
Pull-Down Screen for Rear Door Opening
Pop-Out Tent Bed (60"H x 80"L Rough Opening)
Keyless Entry System (For Side Access Door)
Upgrade to 6' Extruded Aluminum Bi-Fold Ramp Extension (Car Hauler Models)
Rear Stowable Ramp Kit (Two 26"x6' Ramps; 4 Extra Strap Hinges; Ramps Stow Inside Barn Doors)

EXTERIOR OPTIONS

EXTERIOR OPTIONS
.040" Skin Upgrade (Black, White, & Silver Only)
.050" Skin Upgrade (Black & White Only)
Anodized Aluminum Side & Rear Trim Panel (12"; PBF)
Aluminum Diamond Plate Side & Rear Trim Panel (12"; PBF)
Anodized Aluminum Side & Rear Trim Panel (24"; PBF)
Aluminum Diamond Plate Side & Rear Trim Panel (24"; PBF)
Upgrade to Larger 7" Bottom Trim (PBF)
Upgrade to 36" Stone Guard (From 24")
Upgrade to 48" Stone Guard (From 24")

EXTERIOR OPTIONS (CONTINUED)
Two-Tone Color Package w/No Anodized Divider
Two-Tone Color Package w/6" Anodized Divider
Two-Tone Color Package w/12" Anodized Divider
Two-Tone Color Package w/24" Anodized Divider
Upgrade to Anodized Nose Cone
Add Red & White DOT Tape to Trailer (PLF) (Required on Trailers Over 10,000 lbs GVWR)
Upgrade to Translucent Roofing (From Mill-Finish Aluminum; PBF)

INTERIOR OPTIONS

INTERIOR OPTIONS
White .030" Aluminum Side Walls (Bonded)
White .030" Aluminum Side Walls (Screwed)
White .030" Aluminum Ceiling (Bonded)
White .030" Aluminum Ceiling (Screwed)
White Vinyl Backed Luan (Ceiling Only; PBF)
Upgrade to 3/8" Water Resistant Walls (Cargo Trailers; From White Luan Walls; PBF)
Upgrade to 3/8" Plywood Walls (Cargo Trailers; From White Luan Walls; PBF)
Upgrade to 1/2" Plywood Walls (Cargo Trailers; PBF)
3/4" Foam Insulation (Side Walls; PBF)
3/4" Foam Insulation (Ceiling; Requires Ceiling Liner)
.030" Aluminum Cove (All Colors)

INTERIOR OPTIONS (CONTINUED)
Anodized Roof Coves
Anodized Spring Cover
Diamond Plate Spring Cover
Drive-Over Fender Kit (Heavy Duty; 3/16" Mill Finish Aluminum; Car Hauler)
Drive-Over Fender Kit (Sloped w/Ski Guides; .090" Mill Finish; Car Hauler)
2" Foam Insulation (Ceiling Only; PBF)
Upgrade to 2" Foam Insulation (Ceiling Only; PBF)
.030" Aluminum Spring Assist Cover for Rear Ramp Door
Partition Wall w/32" Access Door
Diamond Plate Kick Plate (6")
Diamond Plate Kick Plate (12")



CAR HAULER & GOOSENECK POPULAR OPTIONS CONTINUED

INTERIOR OPTIONS CONTINUED

INTERIOR OPTIONS
Water Resistant Kick Plate (12")
Extruded Aluminum Kick Plate (6")

INTERIOR OPTIONS (CONTINUED)
Carpet on Walls (Charcoal Only, 3' Up Wall, Calculate 4' for V-Nose)
Upgrade to Black TPO Coin Walls (3' Up Wall, Count 4' V-Nose; PLF)

FLOORING

FLOORING
Upgrade to 3/4" Pressure Treated Plywood (From 3/4" Water Resistant Decking)
Upgrade to 3/4" Quad Ply Decking (Non-Skid Surface, FRP Backer; PBF)
Additional Layer of 3/4" Water Resistant Decking
Upgrade to Extruded Aluminum Floor (Charge for Ramp and V-Nose; PLF)
Aluminum Diamond Plate Floor Overlay (.045"; PLF)
Upgrade to Black Marble Vinyl Flooring (PLF)
Upgrade to Checkerboard Vinyl Flooring (Black & White; PLF)

FLOORING (CONTINUED)
Painted Epoxy Floor Covering (PBF)
Upgrade to Rubber Coin Flooring (Black; PLF)
Upgrade to TPO Coin Flooring (Black)
Upgrade to Extruded Aluminum Floor (From Rubber TPO Floor; Charge for Ramp and V-Nose; PLF)
Upgrade to Charcoal Carpet Flooring (PLF)
Upgrade to 3/4" Foam Insulated Floor
Aluminum Diamond Plate Runner (12" Single or Double Row; .056" ; PLF)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" 225 Black Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" 225 Flat Black Mod (Radial; From 15" 225 Silver Mod Radial Wheels) **SPECIAL ORDER**
Upgrade to 16" Silver Mod Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum)
Upgrade to 16" Black Aluminum Wheels (Radial; From 15" 225 Aluminum)
Upgrade to 16" G-Rated Silver Mod Wheels (Radial; From 16" Silver Mod Radial)
Upgrade to 16" Aluminum Wheels (Radial; From 16" Silver Mod Wheels)
Upgrade to 16" Black Aluminum Wheels (Radial; From 16" Silver Mod Wheels)
Upgrade to 17.5" Aluminum Wheels (Radial; From 16" Aluminum Rims)
Upgrade to 17.5" Aluminum Wheels (Radial; From 16" Silver Mods)
Upgrade to 17.5" Aluminum Wheels (Radial; From 17.5" Silver Mod Wheels)
Upgrade to Black Aluminum Rims from Aluminum (Same Size)
Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (6-Lug)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES (CONTINUED)
Spare 16" Black Aluminum Wheel w/ 235/80R16 Tire
Spare 16" G-Rated Silver Mod Wheel w/ 235/80R16 Tire (14 Ply Rating)
Spare 17.5" Silver Mod Wheel w/ 215/75R17.5 Tire
Spare 17.5" Aluminum Wheel w/ 215/75R17.5 Tire
Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall)
Spare 15" Aluminum Wheel w/ 225/75R15 Tire (6-Lug)
Spare 15" Black Aluminum Wheel w/ 225/75R15 Tire
Spare 16" Silver Mod Wheel w/ 235/80R16 Tire
Spare 16" Aluminum Wheel w/ 235/80R16 Tire
Exterior Elevated Spare Tire Mount (Diamond Plate; Exterior Wall)
Spare Tire Mount (Interior; Floor Level)
Deluxe Recessed Spare Tire Well (Diamond Plate w/ Hatch Cover)
Deluxe 8' Tire Rack (Foldable)
Integrated Heavy Duty Tire Rack

AXLES

AXLES
Upgrade to 3-3K Torsion Braked Axles (From 2-3K Braked)
Upgrade to 2-5K Torsion Braked Axles & Subframe (From 2-3K Torsion Braked Axles) **Includes Axle Carrier Upgrade From 2"x5" to 2"x6"**)
Upgrade to 2-6K Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 2-7K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 2-8k Torsion Braked Axles (From 2-5K Braked; Includes 215/75R/17.5 Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 3-3K Torsion Braked Axles (From 2-5K Torsion Axles)

AXLES (CONTINUED)
Upgrade to 3-5K Torsion Braked Axles (From 2-5K Braked; 2x8 Frame Upgrade Required)
Upgrade to 2-7K Torsion Braked Axles (From 2-6K Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 2-8k Torsion Braked Axles (From 2-7K Braked; Includes 215/75R/17.5 Tire Upgrade)
Upgrade to 3-7K Torsion Braked Axles (From 2-7K Braked)
Upgrade to 2-7K Torsion Braked Axles (From 3-5K Braked)
Upgrade to 3-6K Torsion Braked Axles (From 3-5K Braked; Includes 16" Tire Upgrade)
Upgrade to 3-7K Torsion Braked Axles (From 3-5K Braked; Includes 16" Tire Upgrade)

CAR HAULER & GOOSENECK POPULAR OPTIONS CONTINUED

AXLES CONTINUED

AXLES
Upgrade to 3-8k Torsion Braked Axles (From 3-5K Braked; Includes 215/75R/17.5 Tire Upgrade)
Upgrade to 2-3K Hydraulic Braked Axles (From 2-3K Torsion Braked)
Spread Axle Upgrade w/Tapered Fender Skirting (8' Wide Models)
Upgrade to Surge Braking System (Not Available for Gooseneck Models)

TIE-DOWNS

TIE-DOWNS
Light Duty Surface-Mounted D-Ring (Installed)
Light Duty Sliding D-Ring (For Recessed Slide Track; Installed)
Upgrade to Powder Coated Sliding D-Ring (From Existing Sliding D-Ring)
Heavy-Duty Recessed 5000# D-Rings w/ Backing Plate
Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Zinc)
Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Stainless Steel)
Upgrade to Stainless Steel 6000# Recessed Swivel D-Rings (From 5000# Recessed Heavy Duty D-Ring w/Backing Plate; Installed)
Single Stainless Steel Tube Style Wheel Chock for Single Piece of Slide Track (Installed)
Stainless Steel Tube Style Wheel Chock
E-Track, Surface Mounted (Floor)
E-Track, Surface Mounted (Wall)
E-Track, HD Recessed w/ Backing Plate (Floor)
Recessed Flip-Up Motorcycle Wheel Chock w/(4) Surface-Mounted D-Rings
Recessed Flip-Up Motorcycle Wheel Chock w/(4) Recessed Heavy Duty D-Rings

12V LIGHTING & ELECTRICAL

12V LIGHTING & ELECTRICAL
Add LED Backup Lights (Pair; Installed)
Additional LED Stop/Turn/Tail Lights (Pair; Installed)
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)
Upgrade to Additional LED Marker Lights Bullets
Diamond Plate Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)
Anodized Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)
(2) 12V LED Load Lights (Double Lights w/Single Switch, 950 Lumens)
12V LED Load Light (Single Light w/Switch, 950 Lumens)
Recessed LED Exterior Load Light Package For Side of Trailer: 1 Light w/Switch & Housing (950 Lumens)
12V LED Porch Light w/Wall Switch
K60 LED Exterior Scene Light Package: One 12V Wall Switch w/(2) K60 Scene Lights
Mid-Ship Turn Signals (For Tandem Fenders Only; Pair)
Angled Back Up Lights (Mounts on Side of Trailer)
Upgrade to 12V Electric Pedestal Jack w/Battery & Box Installed
12V Power Jack (Cigarette Lighter Plug)

AXLES (CONTINUED)
Upgrade to Zero Degree Axle(s)
Upgrade to 22.5 Degree Down Axle(s)
Upgrade to 45 Degree Down Axle(s)
Upgrade to Galvanized Torsion Axle (Minimum 4 Week Lead Time)

TIE-DOWNS (CONTINUED)
Recessed Flip-Up Motorcycle Wheel Chock
Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Surface-Mounted D-Rings
Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Heavy Duty D-Rings
E-Track, HD Recessed w/Backing Plate (Wall)
E-Track, Aluminum, Surface Mounted (Wall)
E-Track, Aluminum, HD Recessed w/Backing Plate (Floor)
E-Track, Aluminum, HD Recessed w/Backing Plate (Wall)
Airline Track, Aluminum, Surface Mounted (Floor)
Airline Track, Aluminum, Surface Mounted (Wall)
Airline Track, Aluminum, Recessed (Floor; PLF)
Airline Track, Aluminum, Recessed (Wall; PLF)
Recessed Slide Track (Track Only; D-Rings Sold Separately)
Recessed Slide Track, (2) Rows w/(4) Sliding D-Rings
Powder Coated Slide Track Upgrade (To Existing Slide Track; PBF)

12V LIGHTING & ELECTRICAL (CONTINUED)
Upgrade to LED Economy Dome Light, 460 Lumens (From Incandescent Dome Light)
Additional 12V LED Dome Light (460 Lumens)
12 Volt Wall Switch
12 Volt Wall Switch (3-Way)
Upgrade to 12 Volt (3-Way) Wall Switch
LED Puck Light Package (8 Recessed Lights & Wall Switch; Requires Ceiling Liner)
Additional Recessed LED Puck Light
LED Puck Light Package Under Overhead Cabinet: (2) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch
18" 12V LED Light (Requires Ceiling Liner)
Upgrade to Permaseal Wire Connectors
Upgrade Premium Light Package (LED Strip Lights w/Integrated Backup Lights, Marker Lights w/Clear Lens)
Upgrade to Premium Light Package (LED Strip Lights w/No Backup Lights, Marker Lights w/Clear Lenses)
Upgrade Interior Dome Light to 12V 18" LED Light

CAR HAULER & GOOSENECK

POPULAR OPTIONS CONTINUED

12V LIGHTING & ELECTRICAL CONTINUED

12V LIGHTING & ELECTRICAL
Upgrade to (3) 18" 12V LED Light (From (2) 4' LED Wraparound; Requires Ceiling)
Trickle Charger for Battery
Deep Cycle Marine Battery & Box (Wired)
LED Interior Strip Light w/Housing Package (Per Foot, Per Section)

110V LIGHTING & ELECTRICAL

110V LIGHTING & ELECTRICAL
110V Package #1: (1) 15 AMP Motor Base Plug; (1) Wall Switch; (1) Receptacle; (1) 4' LED Wraparound Light. Note: No additions available w/this package.
110V Package #2: (1) 30 AMP Breaker; (1) 25' Shore Line; (2) 3 -Way Wall Switches; (1) Standard Wall Receptacle; (1) GFI Wall Receptacle; (2) 4' LED Wraparound Lights
110V Package #3: (1) 30 AMP Panel; (1) Wall Switch; (4) Standard Wall Receptacles; (1) GFCI Receptacle; (4) 4' LED Wraparound Lights; (1) Brace and Wire Stub for A/C Unit
110V Package #4: (1) 15 AMP Motor Base Plug; (2) Wall Receptacles
110V Package #5: (1) 60A Breaker Panel w/60A Converter & 50A Motor Base Plug; (2) 3-Way Wall Switches; (1) Standard Wall Receptacle; (1) USB Wall Receptacle; (1) GFI Wall Receptacle; (2) 4' LED Wraparound Lights; 12V Deep Cycle Battery & Box
15A Motor Base Plug
30A Motor Base Plug (Replaces Shoreline; 110V Package Required)
30A Power Converter (110V Pkg #2)
30A Power Cord 25' Long (For Motor Base Plug)
30A Generator Line Switch
Upgrade to 50 AMP Breaker Box (Requires 110V Pkg #2)
50A Power Cord 25' Long (For Motor Base Plug)

CABINETS

CABINETS
V-Nose Base Cabinet, 2 Door (99" Wide Models) (83"W x 30"D x 37"H)
V-Nose Base Cabinet, 4 Door (99" Wide Models) (83"W x 30"D x 37"H)
Upgrade V-Nose Base Cabinet to Full Width/Depth of V-Nose (72", 80", & 84" Wide Models)
Upgrade V-Nose Base Cabinet to Full Width/Depth of V-Nose (90", & 99" Wide Models)
Upgrade V-Nose Overhead Cabinet to Full Width/Depth of V-Nose (72", 80" & 84" Wide)
Upgrade V-Nose Overhead Cabinet to Full Width/Depth of V-Nose (90" & 99" Wide)
V-Nose Overhead Cabinet, 2 Door (99" Wide Models) (56"W x 19"D x 19"H)
V-Nose Overhead Cabinet, 2 Door (99" Wide) (72"W x 19"D x 19"H) **Special Option**
4' Straight Wall Base Cabinet, 2 Door (48"W x 24"D x 37"H)
5' Straight Wall Base Cabinet, 2 Door
6' Straight Wall Base Cabinet, 2 Door (72"W x 24"D x 37"H)
8' Straight Wall Base Cabinet, 2 Door (96"W x 24"D x 37"H)
8' Straight Wall Base Cabinet, 4 Door
8' Flat Front 4 Door Base Cabinet

12V LIGHTING & ELECTRICAL (CONTINUED)
Cold Weather HD Arctic Flex 7-Way Wire Harness
Wireless Backup Camera System w/ 7" LCD Screen
Add LED 6" Oval Alternating Flashing Safety Lights (Orange) w/ Exterior Toggle Switch (Pair) (Hard Wired Into Auxiliary; 7-Way Plug Required)

110V LIGHTING & ELECTRICAL (CONTINUED)
60A Power Converter (110 Package Required)
110 Volt Wall Receptacle (Installed; Requires 110V Pkg)
110 Volt Combo USB/Wall Outlet Receptacle (Installed; Requires 110V Pkg #2)
110 Volt Wall Switch (3-Way; Requires 110V Pkg #2)
GFI Wall Receptacle (Interior; Requires 30A Package)
GFI Wall Receptacle (Exterior; Requires 30A Package)
4' LED Wraparound Light (Requires 110V Pkg)
500W Swing-Mount Quartz Light
13,500 BTU Roof Mounted Air Conditioner (Requires 110V Pkg #2)
Heat Strip for A/C Unit
Brace and Stub Wire for Future AC Installation (12 Gauge Wire and 20A Breaker; Requires 110V Pkg #2)
Heater; Electric; CADET Com-Pak Plus White Wall Fan, 1500 Watt (Requires 110V Pkg #2)
Powder Coated Slide Track Upgrade (Upgrade to Existing Slide Track; PBF)
Recessed Slide Track, (2) Rows w/(4) Sliding D-Rings

CABINETS (CONTINUED)
Add 4" Depth to 8' Flat Front 4 Door Base Cabinet (24" Deep)
Overhead Cabinet: 2 Door or 1 Flip-Up Door (48"W x 13"D x 18"H; Premium Available)
Overhead Cabinet 1 Door (62"W x 12"D x 18"H)
48" Economy Overhead Furnace Cabinet (1 Flip-Up Door; 48"L; Furnace Not Included)
60" Deluxe Overhead Furnace Cabinet (1 Flip-Up Door; 60"L; Furnace Not Included)
Deluxe Overhead Cabinet, 4 Door (72"W x 13"D x 18"H)
Deluxe Overhead Cabinet, 4 Door (96"W x 13"D x 18"H)
Overhead Cabinet, 2 Flip-Up Doors (96"W x 13"D x 18"H)
8' Flat Front 4 Door Overhead Cabinet
Add 8" Depth to 8' Flat Front 4 Door Overhead Cabinet (24" Deep)
Wheel Well Cabinet, 2 Door w/Shelving (72"W x 6 3/4"D x 62"H)
96" Premium Overhead Split Cabinet w/Center Shelf, 2 Flip-Up Doors (96"W x 18"D x 18"H)
Premium 50" Helmet Cabinet w/Hooks

CAR HAULER & GOOSENECK POPULAR OPTIONS CONTINUED

CABINETS CONTINUED

CABINETS
24" Wardrobe Cabinet (Full-Height Door; 1 Shelf; 1 Clothing Rod; 24"W x 24"D x 72"H)
36" Wardrobe Cabinet (Full-Height Door; 1 Shelf; 1 Clothing Rod; 36"W x 24"D x 76"H)
Premium Wall-Mounted Coat Hanger (47.5", 10 Hooks)
Premium Ceiling-Mounted Coat Hanger (38", 22 Hooks)
48" Deluxe Boot Box (Padded Top; Ducted; Requires Furnace Package & Vertical Duct; Not Available on Gooseneck Models)
6' Horizontal Vented Duct (Angled End, 5 Vents)
8' Horizontal Vented Duct (8'L x 5" x 5" w/5 Vents)

AWNINGS

AWNINGS
12' CareFree Fiesta Acrylic Fabric and Alumaguard Awning (Requires Door Roller Option if Installed Over Side Access Door)
16' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)
16' CareFree Fiesta Acrylic Fabric and Alumaguard Awning (Requires Door Roller Option if Installed Over Side Access Door)
18' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)

VENTS & WINDOWS

VENTS & WINDOWS
14"x14" Manual Roof Vent
12V Power Roof Vent
110V Power Roof Vent (Requires 30A Package)
Fantastic Fan/Vent (Dometic 22-0462; Requires 30A Package; Maxx-Air Roof Vent Cover)
Directional Salem Vent Kit (Plastic; Pair)

MISC. OPTIONS & ACCESSORIES

MISC. OPTIONS & ACCESSORIES
Fold-Down Sofa/Sleeper
Fold-Down Bunk Beds
HappiJac Bed System w/(1) Queen Size Mattress
Fold-Down Dinette/Sleeper
Fold Down Bench (12"x48"; Type: Work or Sitting)
Fold-Down Padded Bench (48"L) Vertical Design
Premium 50" Fold-Up Padded Bench
Premium 36" Fold-Up Work Bench w/Integrated Tool Storage
Premium Cup Holder
Premium (2) or (3) Race Fuel Holder
Basic Stereo Package - Includes (4) Boss Speakers
Stairs to Gooseneck Attic Area (24"W x 32"D)

CABINETS (CONTINUED)
Vertical Corner Duct (Requires Furnace Package)
Add Heat Duct (PLF)
Clothing Rod for Overhead Cabinets (48" Cabinets Only)
18" Shelving w/Angled Gussets (PLF, Per Tier)
Upgrade to Formica Countertop (Base Cabinet Sold Separately)
4' Coat Rack Package (47' Slide Track w/(6) Adjustable Hooks)
Standard Tool Crib Package: (1) 72x24 Horizontal Access Door (Over Fender, w/Retainer Chains); (2) 38x22 Vertical Access Doors (Ahead/Behind Fender); Adjustable Shelf Brackets in Vertical Cabinets; 3/8" Water Resistant Liner (Interior & Exterior of Box Frame); 19"D x 42"H x 128"L Box Frame Inside Trailer; Hinged Lid (3 Sections)

AWNINGS (CONTINUED)
20' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)
21' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)
21' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)
Door Roller for Awning

VENTS & WINDOWS (CONTINUED)
Two-Way Directional Salem Vent Kit (Aluminum; Pair)
18"x24" Horizontal Radius Sliding Window w/Screen
18"x24" Vertical Radius Sliding Window w/Screen
24"x36" Radius Sliding Window w/Screen
24"x36" Egress Sliding Window (Tinted w/Screen)

MISC. OPTIONS & ACCESSORIES (CONTINUED)
30 Gallon Fuel Transfer System: Includes 30 Gallon Tank, Fill Nozzle & Hose, Control Panel w/Gauge (Requires Marine Grade Battery)
20# Propane Tank w/Regulator (Tongue-Mounted Holder Included)
Tandem 20# Propane Tanks w/Holder & LP Regulator
Upgrade to Tandem 20# Propane Tanks w/Holder & LP Regulator (From 1-20lb)
30# Propane Tank w/Regulator (Propane Compartment Required)
Upgrade to 30# Propane Tank from 20# Propane Tank w/Heavy Duty Mount
Upgrade to (2) 30# Propane Tanks from (1) 20# Propane Tank w/Heavy Duty Mount (Car Haulers Only)
Upgrade to Underslung Propane Tank (Requires Package Including Standard Propane Tank)
Stabilizer Jacks (Interior Rear; Drop Down; Pair; Installed)
Bogey/Caster Wheels (Installed; Pair)

CAR HAULER & GOOSENECK POPULAR OPTIONS CONTINUED

MISC. OPTIONS & ACCESSORIES CONTINUED

MISC. OPTIONS & ACCESSORIES
Stabilizer Jacks
Scissor Jacks (Camper Style; Pair)
Add Exterior Marine Grade Speakers to Stereo System (Pair)
Add 3-Bay Stainless Steel Sink (Sink Package Required)

SPECIAL PACKAGES

SPECIAL PACKAGES
Midnight Package: 15" Black Aluminum Rims, Anodized Nose Cone, Anodized Top 12" & Bottom Trim 24"
Exterior Powder Coat Package (Cargo/Car Haulers): Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim
Exterior Powder Coat Package (Goosenecks): Includes Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim
Basic Heater Package (Car Haulers) : 20# Propane Tank (Tongue Mounted), White Luan Ceiling, Insulated Walls & Ceiling, 40K BTU Furnace, Safety Kit, Marine Grade Battery & Box, 48" Furnace Cabinet
Basic Heater Package (Goosenecks): (2) 30# Propane Tank w/Compartment (Under Gooseneck), White Luan Ceiling, Insulated Walls & Ceiling, 40K BTU Furnace, Safety Kit, Marine Grade Battery & Box, 96" Furnace Cabinet w/Integrated Boot Box

MISC. OPTIONS & ACCESSORIES (CONTINUED)
2-Burner Propane Range (Installed In Cabinet Top; Base Cabinet and Propane Tank Required)
5.0 Cu.Ft. Refrigerator (Recessed in Cabinet; 110V Package w/12V Battery or Propane w/Safety Kit and 12V Battery Required; 24" W X 26" L)
1100W Microwave (1.2 Cu.Ft.; Recessed in Cabinet)

SPECIAL PACKAGES (CONTINUED)
Basic Sink Package: Stainless Steel Sink, 6 Gallon Water Heater, 20 Gallon Fresh Water Tank, 20 Gallon Grey Water Tank (Does NOT Include Cabinet; Propane or 110V Power Package Required)
Custom Sink Package: Stainless Steel Sink, 6 Gallon Water Heater, 38 Gallon Fresh Water Tank, (2) 23 Gallon Grey Water Tanks (Does NOT Include Cabinet; Propane or 110V Power Package Required)
Kicker Stereo Package: (6) Speakers, AMP & Subwoofer, Clarion Face Unit w/ Bluetooth
Mid-Level Stereo Package: (4) Speakers, AMP & Subwoofer, Pioneer AM/FM/CD Player w/Bluetooth, Battery Sold Separately

RAMP CAPACITY BY MODEL

Ramp Type	Applicable Models	Capacity
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes); AR 2.0 (All Sizes); WR 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes); AR 2.0 (Optional, All Sizes); WR 2.0 (Optional, All Sizes); FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (PAIR)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Patriot Ramps (Fold-Down)	(All Sizes)	4000# (PAIR)
Patriot Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Dump Trailer Ramps (Side-Stow, Optional)	(All Sizes)	4000# (PAIR)
ATV Ramps (83" Wide, Side-Stow)	(All Sizes)	1200# (PAIR)
ATV Ramps (88" Wide, Side-Stow)	(All Sizes)	750# (PAIR)
Open Motorcycle Ramp (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	MU-SLINGSHOT	1500#
Open Car Hauler 2.0 Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler 2.0 Ramps 10K (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler Standard Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Snow Ramp (Rear-Stow)	MFS	750#
Sport Deck (Rear-Stow, Telescoping Ramps)	MSD	1000#
Enclosed Cargo Ramp (4', 5', 6' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (7' 7.5' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (8.5' Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle Ramp (7' Wide)	(All Sizes)	1500#
Enclosed Car Hauler Ramp (8.5' Wide)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Rear)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (Crossover, Rear)	(All Sizes)	1500#



TONGUE EXTENSION BY MODEL

Trailer Type	Allowable Extension	Additional Requirements	Item Numbe	Description
Enclosed Cargo (4' & 5' Wide)	N/A	Frame Upgrade Required; Consult Engineering	N/A	N/A
Enclosed Cargo (6', 7', 7.5' Wide)	12"	N/A	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame); Includes Center Beam Upgrade; Not Available With All Sport or Snow Trailers.
Enclosed Cargo (8.5' Wide, Premium)	12" (16" w/ Upgrade)	Min. 6" Frame for 16" Tongue Extension; Upgrade May Be Required	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame); Includes Center Beam Upgrade; Not Available With All Sport or Snow Trailers.
Enclosed Motorcycle (7' Wide)	12"	N/A	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame); Includes Center Beam Upgrade; Not Available With All Sport or Snow Trailers.
Enclosed Car Hauler (8.5' Wide, Premium)	16"	N/A	TONGUE16EXTCH	16" Extended Tongue (For 5k Tandem Axle Enclosed w/2"x6" Frame or Larger); Not Available With All Sport or Snow Trailers.
Enclosed Car Hauler - All Sport (8.5' Wide)	N/A	Extended Tongue Incompatible With Front Ramp	N/A	N/A
Enclosed Snowmobile (7' & 7.5' Wide)	N/A	Extended Tongue Incompatible With Front Ramp	N/A	N/A
Enclosed Snowmobile (101" Wide)	10"	Requires 3"x5" Tongue Upgrade w/Straight-Pull Coupler	TBD	TBD