

# ENCLOSED CARGO

4x6 – 8.5x20



4x6 – 5x10

## STANDARD FEATURES

- > All Aluminum Construction
- > 16" O/C Wall & Roof Studs
- > 24" O/C Floor Crossmembers
- > 2"x3" Subframe Tubing
- > V-Nose Construction
- > Dexter Torsion Ride Axles
- > Exterior LED Lighting
- > Smooth .030 Bonded Side Panels
- > One-Piece Aluminum Roof
- > Roof Vent
- > Interior LED Lighting
- > 3/8" Water Resistant Walls
- > 5/8" Water Resistant Decking (4' & 5' Wide)
- > Single Barn Door (4' Wide)
- > Double Barn Doors (5' Wide)
- > 24" Stone Guard
- > 2000# Center Jack
- > Safety Chains
- > 2" Coupler
- > Limited Lifetime Warranty

## STANDARD SPECIFICATIONS

| TRAILER MODEL            | Cargo 4x6      | Cargo 5x8      | Cargo 5x10     |
|--------------------------|----------------|----------------|----------------|
| Model Number             | MEC4x6-IF      | MEC5x8-IF      | MEC5x10-IF     |
| Box (WxLxH)              | 50"x6'x60"     | 60"x8'x66"     | 60"x10'x66"    |
| Interior (WxLxH)         | 47"x5'10"x58"  | 57"x7'10"x64"  | 57"x9'10"x64"  |
| Overall (WxLxH)          | 72"x10'x72"    | 82"x12'8"x78"  | 82"x14'8"x78"  |
| Deck Height              | 12"            | 13"            | 13"            |
| Hitch Height             | 11"            | 12"            | 12"            |
| Rear Door Opening (WxH)  | 42"x54"        | 52"x60"        | 52"x60"        |
| Axle(s) - Qty/Rating     | 1-2200# Idler  | 1-3500# Idler  | 1-3500# Idler  |
| Wheels                   | 13" Silver Mod | 15" Silver Mod | 15" Silver Mod |
| Tires                    | 175/80R13      | 205/75R15      | 205/75R15      |
| GVWR                     | 2200#          | 2990#          | 2990#          |
| Curb Weight              | 650#           | 875#           | 950#           |
| Payload                  | 1550#          | 2115#          | 2040#          |
| V-Nose                   | 24"            | 28"            | 28"            |
| Coupler Rating/Ball Size | 3500# / 2"     | 3500# / 2"     | 3500# / 2"     |
| Power Connection         | 4-Way Flat     | 4-Way Flat     | 4-Way Flat     |

## OPTIONS & ACCESSORIES

| CONSTRUCTION   |
|--|
| Add 3" to Box Height   |
| Add 6" to Box Height   |
| Add 9" to Box Height   |
| Upgrade to 16" O/C Floor Studs (From 24" O/C; PBF)   |
| EXTERIOR   |
| Two Tone Color Package w/6" Anodized Divider   |
| Upgrade to 36" Stone Guard (From 24"; V-Nose)  |
| RAMP OPTIONS   |
| Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap (From Barn Door)                              |
| DOORS/WINDOWS/VENTS  |
| 32"x58" Side Access Door w/Paddle Handle and Piano Hinge   |
| 12V LIGHTING & ELECTRICAL OPTIONS  |
| Recessed LED Puck Light Package (Interior): (8) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch |

| TIRE/WHEEL ASSEMBLIES & ACCESSORIES   |
|---|
| Upgrade to 15" Silver Mod (Radial; From 13" Silver Mod Wheels; Includes Fender Upgrade) |
| Upgrade to 13" Aluminum (Radial; From 13" Silver Mod Wheels)                            |
| Upgrade to 15" Aluminum Wheels (Radial; From 15" 205 Silver Mod Radial)                 |
| Spare 15" Silver Mod Wheel w/205/75R15 Tire   |
| Spare 15" Aluminum Wheel w/205/75R15 Tire   |
| Spare 13" Silver Mod Wheel w/175/80R13 Tire   |
| Spare 13" Aluminum Wheel w/175/80R13 Tire   |
| Bolt-On Spare Tire Carrier (Tongue-Mounted)   |
| TIE DOWN OPTIONS  |
| 5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)                            |
| Zinc 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)                           |

## COLOR OPTIONS



### 6x10 – 6x12 TA

#### STANDARD FEATURES

- > All Aluminum Construction
- > 16" O/C Wall & Roof Studs
- > 24" O/C Floor Crossmembers
- > 2"x3" Subframe Tubing
- > 24" Stone Guard
- > Dexter Torsion Ride Axles
- > Exterior LED Lighting
- > Smooth .030 Bonded Side Panels
- > One-Piece Aluminum Roof
- > Roof Vent
- > Interior LED Lighting
- > 3/8" Water Resistant Walls
- > 3/4" Water Resistant Decking
- > Double Barn Doors
- > 2000# Center Jack
- > Safety Chains
- > 32"x66" Side Door
- > Limited Lifetime Warranty

#### STANDARD SPECIFICATIONS

| TRAILER MODEL            | Cargo 6x10     | Cargo 6X12 SA  | Cargo 6X12 TA  |
|--------------------------|----------------|----------------|----------------|
| Model Number             | MEC6x10-IF     | MEC6x12SA-IF   | MEC6x12TA-IF   |
| Box (WxLxH)              | 72"x10'x78"    | 72"x12'x78"    | 72"x12'x78"    |
| Interior (WxLxH)         | 69"x9'10"x76"  | 69"x11'10"x76" | 69"x11'10"x76" |
| Overall (WxLxH)          | 94"x15'7"x90"  | 94"x17'7"x90"  | 94"x19'7"x90"  |
| Deck Height              | 13"            | 13"            | 13"            |
| Hitch Height             | 12"            | 12"            | 12"            |
| Rear Door Opening (WxH)  | 64"x72"        | 64"x72"        | 64"x72"        |
| Axle(s) - Qty/Rating     | 1-3500# Idler  | 1-3500# Idler  | 2-3500# Braked |
| Wheels                   | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod |
| Tires                    | 205/75R15      | 205/75R15      | 205/75R15      |
| GVWR                     | 2990#          | 2990#          | 7000#          |
| Curb Weight              | 1120#          | 1300#          | 1450#          |
| Payload                  | 1870#          | 1690#          | 5550#          |
| V-Nose                   | 38-1/2"        | 38-1/2"        | 38-1/2"        |
| Coupler Rating/Ball Size | 8000# / 2"     | 8000# / 2"     | 8000# / 2"     |
| Power Connection         | 4-Way Flat     | 4-Way Flat     | 7-Way Round    |

#### OPTIONS & ACCESSORIES

| CONSTRUCTION  |
|---|
| Add 3" to Box Height  |
| Add 6" to Box Height  |
| Add 9" to Box Height  |
| Upgrade to 16" O/C Floor Studs (From 24" O/C; PBF)                        |
| EXTERIOR  |
| Two Tone Color Package w/6" Anodized Divider                              |
| Upgrade to 36" Stone Guard (From 24"; V-Nose)                             |
| INTERIOR  |
| Upgrade to White Vinyl Backed Luan Walls w/Divider (From 3/8" WR)         |
| White Vinyl Backed Luan Ceiling   |
| AXLE OPTIONS  |
| Upgrade to 1-3K Torsion Braked Axle (From 1-3K Torsion Idler)             |
| RAMP OPTIONS  |
| Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap (From Barn Door) |

| DOORS/WINDOWS/VENTS  |
|--|
| Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door (From 66")                             |
| TIRE/WHEEL ASSEMBLIES & ACCESSORIES  |
| Upgrade to 15" Aluminum Wheels (Radial; From 15" 205 Silver Mod Radial)                                |
| Spare 15" Silver Mod Wheel w/205/75R15 Tire  |
| Spare 15" Aluminum Wheel w/205/75R15 Tire  |
| 2024 Interior Elevated Spare Tire Mount (Universal Fitment)  |
| TIE DOWN OPTIONS   |
| 5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)   |
| Stainless Steel 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)                               |
| 12V LIGHTING & ELECTRICAL OPTIONS  |
| LED Scare Light (Porch Light) w/12V Wall Switch  |
| Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)   |
| Recessed LED Puck Light Package (Interior): (8) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch |

#### COLOR OPTIONS

|   |   |   |
|---|---|---|
|  |  |  |
| Windstar Silver   | Flat Black  | Crystal White   |
|  |  |  |
| Indigo Blue   | Penske Yellow   | Forest Green  |
|  |  |  |
| Orange  | Charcoal  | Pewter Metallic   |
|  |  |  |
| Victory Red   | Champagne   | Brandywine  |

### 7x12 TA – 7x20

## STANDARD FEATURES

- > All Aluminum Construction
- > 16" O.C Wall & Roof Studs
- > 24" O/C Floor Crossmembers
- > 2"x5" Subframe Tubing
- > 24" Stone Guard
- > Dexter Torsion Ride Axles
- > Exterior LED Lighting
- > Smooth .030 Bonded Side Panels
- > One-Piece Aluminum Roof
- > Roof Vent
- > Interior LED Lighting
- > 3/8" Water Resistant Walls
- > 3/4" Water Resistant Decking
- > Double Barn Doors
- > 2000# Center Jack
- > Safety Chains
- > A-Frame Coupler
- > 32"x66" Side Door
- > Limited Lifetime Warranty

## STANDARD SPECIFICATIONS

| TRAILER MODEL            | Cargo 7x12 TA    | Cargo 7x14       | Cargo 7x16       | Cargo 7x18       | Cargo 7x20       |
|--------------------------|------------------|------------------|------------------|------------------|------------------|
| Model Number             | MEC7X12TA-IF     | MEC7X14-IF       | MEC7X16-IF       | MEC7X18-IF       | MEC7X20-IF       |
| Box (WxLxH)              | 84"x12"x78"      | 84"x14"x78"      | 84"x16"x78"      | 84"x18"x78"      | 84"x20"x78"      |
| Interior (WxLxH)         | 81"x11'10"x76"   | 81"x13'10"x76"   | 81"x15'10"x76"   | 81"x17'10"x76"   | 81"x19'10"x76"   |
| Overall (WxLxH)          | 102"x17'10"x90"  | 102"x19'10"x90"  | 102"x21'10"x90"  | 102"x23'10"x90"  | 102"x23'10"x90"  |
| Deck Height              | 13"              | 13"              | 13"              | 13"              | 13"              |
| Hitch Height             | 12"              | 12"              | 12"              | 12"              | 12"              |
| Rear Door Opening (WxH)  | 76"x72"          | 76"x72"          | 76"x72"          | 76"x72"          | 76"x72"          |
| Axle(s) - Qty/Rating     | 2-3500# Braked   | 2-3500# Braked   | 2-3500# Braked   | 2-3500# Braked   | 2-3500# Braked   |
| Wheels                   | 15" Silver Mod   | 15" Silver Mod   | 15" Silver Mod   | 15" Silver Mod   | 15" Silver Mod   |
| Tires                    | 205/75R15        | 205/75R15        | 205/75R15        | 205/75R15        | 205/75R15        |
| GVWR                     | 7000#            | 7000#            | 7000#            | 7000#            | 7000#            |
| Curb Weight              | 1450#            | 1750#            | 1900#            | 2075#            | 2275#            |
| Payload                  | 5550#            | 5250#            | 5100#            | 4925#            | 4725#            |
| V-Nose                   | 60"              | 60"              | 60"              | 60"              | 60"              |
| Coupler Rating/Ball Size | 14000# / 2-5/16" | 14000# / 2-5/16" | 14000# / 2-5/16" | 14000# / 2-5/16" | 14000# / 2-5/16" |
| Power Connection         | 7-Way Round      | 7-Way Round      | 7-Way Round      | 7-Way Round      | 7-Way Round      |

## OPTIONS & ACCESSORIES

| CONSTRUCTION  |
|---|
| Add 3" to Box Height  |
| Add 6" to Box Height  |
| Add 9" to Box Height  |
| Upgrade to 16" O/C Floor Studs (From 24" O/C; PBF)  |
| EXTERIOR  |
| Two Tone Color Package w/6" Anodized Divider  |
| Upgrade to 36" Stone Guard (From 24"; V-Nose)   |
| INTERIOR  |
| Upgrade to White Vinyl Backed Luan Walls w/Divider (From 3/8" WR)   |
| White Vinyl Backed Luan Ceiling   |
| AXLE OPTIONS  |
| Upgrade to 2-5K Torsion Braked Axles & Frame (From 2-3K Braked; Includes Axle Carrier Upgrade, 16" O/C Floor Stud Upgrade, & Upgrade to 15" 225 6-Lug Tires)  |
| RAMP OPTIONS  |
| Rear Stowable Ramp Kit w/(2) 26"x6' Ramps (Extrusion to Hook Ramps to; Ramps Stow Inside Barn Door; Add 2 Extra Strap Hinges to Each Barn Door; Ramp Lock Extrusion Full Width of Each Ramp on Both Ends) |
| Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap (From Barn Door)   |

| TIRE/WHEEL ASSEMBLIES & ACCESSORIES  |
|--|
| Upgrade to 15" Aluminum Wheels (Radial; From 15" 205 Silver Mod Radial)                                |
| Spare 15" Silver Mod Wheel w/205/75R15 Tire  |
| Spare 15" Aluminum Wheel w/205/75R15 Tire  |
| 2024 Interior Elevated Spare Tire Mount (Universal Fitment)  |
| TIE DOWN OPTIONS   |
| 5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)   |
| Zinc 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)  |
| 12V LIGHTING & ELECTRICAL OPTIONS  |
| LED Scare Light (Porch Light) w/12V Wall Switch  |
| Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)   |
| Recessed LED Puck Light Package (Interior): (8) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch |
| DOORS/WINDOWS/VENTS  |
| Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door (From 66")                             |

## COLOR OPTIONS

|   |   |   |
|---|---|---|
|  |  |  |
| Windstar Silver   | Flat Black  | Crystal White   |
|  |  |  |
| Indigo Blue   | Penske Yellow   | Forest Green  |
|  |  |  |
| Orange  | Charcoal  | Pewter Metallic   |
|  |  |  |
| Victory Red   | Champagne   | Brandywine  |

### 7.5x12 – 7.5x20

#### STANDARD FEATURES

- > All Aluminum Construction
- > 16" O/C Wall & Roof Studs
- > 24" O/C Floor Crossmembers
- > 2"x5" Subframe Tubing
- > 32"x66" Side Door
- > Dexter Torsion Ride Axles
- > Exterior LED Lighting
- > Smooth .030 Bonded Side Panels
- > One-Piece Aluminum Roof
- > Roof Vent
- > Interior LED Lighting
- > 3/8" Water Resistant Walls
- > 3/4" Water Resistant Decking
- > Double Barn Doors
- > 24" Stone Guard
- > 2000# Center Jack
- > Safety Chains
- > A-Frame Coupler
- > Limited Lifetime Warranty

#### STANDARD SPECIFICATIONS

| TRAILER MODEL            | Cargo 7.5x12 TA  | Cargo 7.5x14     | Cargo 7.5x16     | Cargo 7.5x18     | Cargo 7.5x20     |
|--------------------------|------------------|------------------|------------------|------------------|------------------|
| Model Number             | MEC7.5X12-IF     | MEC7.5x14-IF     | MEC7.5x16-IF     | MEC7.5x18-IF     | MEC7.5x20-IF     |
| Box (WxLxH)              | 90"x12"x78"      | 90"x14"x78"      | 90"x16"x78"      | 90"x18"x78"      | 90"x20"x78"      |
| Interior (WxLxH)         | 87"x 1'10"x76"   | 87"x13'10"x76"   | 87"x15'10"x76"   | 87"x17'10"x76"   | 87"x19'10"x76"   |
| Overall (WxLxH)          | 102"x17'10"x90"  | 102"x19'10"x90"  | 102"x21'10"x90"  | 102"x23'10"x90"  | 102"x23'10"x90"  |
| Deck Height              | 13"              | 13"              | 13"              | 13"              | 13"              |
| Hitch Height             | 12"              | 12"              | 12"              | 12"              | 12"              |
| Rear Door Opening (WxH)  | 80"x72"          | 80"x72"          | 80"x72"          | 80"x72"          | 80"x72"          |
| Axle(s) - Qty/Rating     | 2-3500# Braked   | 2-3500# Braked   | 2-3500# Braked   | 2-3500# Braked   | 2-3500# Braked   |
| Wheels                   | 15" Silver Mod   | 15" Silver Mod   | 15" Silver Mod   | 15" Silver Mod   | 15" Silver Mod   |
| Tires                    | 205/75R15        | 205/75R15        | 205/75R15        | 205/75R15        | 205/75R15        |
| GVWR                     | 7000#            | 7000#            | 7000#            | 7000#            | 7000#            |
| Curb Weight              | 1450#            | 1750#            | 1900#            | 2075#            | 2275#            |
| Payload                  | 5550#            | 5250#            | 5100#            | 4925#            | 4725#            |
| V-Nose                   | 60"              | 60"              | 60"              | 60"              | 60"              |
| Coupler Rating/Ball Size | 14000# / 2-5/16" | 14000# / 2-5/16" | 14000# / 2-5/16" | 14000# / 2-5/16" | 14000# / 2-5/16" |
| Power Connection         | 7-Way Round      | 7-Way Round      | 7-Way Round      | 7-Way Round      | 7-Way Round      |

#### OPTIONS & ACCESSORIES

| CONSTRUCTION   |
|--|
| Add 3" to Box Height   |
| Add 6" to Box Height   |
| Add 9" to Box Height   |
| Upgrade to 16" O/C Floor Studs (From 24" O/C; PBF)   |
| EXTERIOR   |
| Two Tone Color Package w/6" Anodized Divider   |
| Upgrade to 36" Stone Guard (From 24"; V-Nose)  |
| INTERIOR   |
| Upgrade to White Vinyl Backed Luan Walls w/Divider (From 3/8" WR)  |
| White Vinyl Backed Luan Ceiling  |
| AXLE OPTIONS   |
| Upgrade to 2-5K Torsion Braked Axles & Frame (From 2-3K Braked; Includes Axle Carrier Upgrade, 16" O/C Floor Stud Upgrade, & Upgrade to 15" 225 6-Lug Tires) |
| RAMP OPTIONS   |
| Hook Ramps to; Ramps Stow Inside Barn Door; Add 2 Extra Strap Hinges to Each Barn Door; Ramp Lock Extrusion Full Width of Each Ramp on Both Ends)            |
| Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap (From Barn Door)  |

| TIRE/WHEEL ASSEMBLIES & ACCESSORIES  |
|--|
| Upgrade to 15" Aluminum Wheels (Radial; From 15" 205 Silver Mod Radial)                                |
| Spare 15" Silver Mod Wheel w/205/75R15 Tire  |
| Spare 15" Aluminum Wheel w/205/75R15 Tire  |
| 2024 Interior Elevated Spare Tire Mount (Universal Fitment)  |
| TIE DOWN OPTIONS   |
| 5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)   |
| Zinc 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)  |
| 12V LIGHTING & ELECTRICAL OPTIONS  |
| LED Scare Light (Porch Light) w/12V Wall Switch  |
| Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)   |
| Recessed LED Puck Light Package (Interior): (8) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch |
| DOORS/WINDOWS/VENTS  |
| Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door (From 66")                             |

#### COLOR OPTIONS

|   |   |   |
|---|---|---|
|  |  |  |
| Windstar Silver   | Flat Black  | Crystal White   |
|  |  |  |
| Indigo Blue   | Penske Yellow   | Forest Green  |
|  |  |  |
| Orange  | Charcoal  | Pewter Metallic   |
|  |  |  |
| Victory Red   | Champagne   | Brandywine  |

### 8.5x12 – 8.5x20

#### STANDARD FEATURES

- All Aluminum Construction
- 16" O/C Wall & Roof Studs
- 24" O/C Floor Crossmembers
- 2"x5" Subframe Tubing
- A-Frame Tongue
- Dexter Torsion Ride Axles
- 2000# Center Jack
- Safety Chains
- 3/8" Water Resistant Walls
- Double Barn Doors
- One-Piece Aluminum Roof
- Smooth .030 Bonded Side Panels
- Polished Aluminum Fenders
- 32"x66" Side Door
- Roof Vent
- 24" Stone Guard
- Exterior LED Lighting
- 3/4" Water Resistant Decking
- (3) Interior LED Dome Lights w/Switch
- Limited Lifetime Warranty

#### STANDARD SPECIFICATIONS

| TRAILER MODEL            | Cargo 8.5x12     | Cargo 8.5x14     | Cargo 8.5x16     | Cargo 8.5x18     | Cargo 8.5x20     |
|--------------------------|------------------|------------------|------------------|------------------|------------------|
| Model Number             | MEC8.5X12-IF     | MEC8.5X14-IF     | MEC8.5X16-IF     | MEC8.5X18-IF     | MEC8.5X20-IF     |
| Box (WxLxH)              | 99"x12"x78"      | 99"x14"x78"      | 99"x16"x78"      | 99"x18"x78"      | 99"x20"x78"      |
| Interior (WxLxH)         | 96"x11'10"x76"   | 96"x13'10"x76"   | 96"x15'10"x76"   | 96"x17'10"x76"   | 96"x19'10"x76"   |
| Overall (WxLxH)          | 102"x18'8"x92"   | 102"x20'8"x92"   | 102"x22'8"x92"   | 102"x24'8"x92"   | 102"x26'8"x92"   |
| Deck Height              | 15"              | 15"              | 15"              | 15"              | 15"              |
| Hitch Height             | 14"              | 14"              | 14"              | 14"              | 14"              |
| Rear Door Opening (WxH)  | 89"x72"          | 89"x72"          | 89"x72"          | 89"x72"          | 89"x72"          |
| Axle(s) - Qty/Rating     | 2-3500# Braked   | 2-3500# Braked   | 2-3500# Braked   | 2-3500# Braked   | 2-3500# Braked   |
| Wheels                   | 15" Silver Mods  | 15" Silver Mods  | 15" Silver Mods  | 15" Silver Mods  | 15" Silver Mods  |
| Tires                    | 205/75R15        | 205/75R15        | 205/75R15        | 205/75R15        | 205/75R15        |
| GVWR                     | 7000#            | 7000#            | 7000#            | 7000#            | 7000#            |
| Curb Weight              | 1850#            | 1950#            | 2050#            | 2275#            | 2475#            |
| Payload                  | 5150#            | 5050#            | 4950#            | 4725#            | 4525#            |
| V-Nose                   | 53"              | 53"              | 53"              | 53"              | 53"              |
| Coupler Rating/Ball Size | 15000# / 2-5/16" | 15000# / 2-5/16" | 15000# / 2-5/16" | 15000# / 2-5/16" | 15000# / 2-5/16" |
| Power Connection         | 7-Way Round      | 7-Way Round      | 7-Way Round      | 7-Way Round      | 7-Way Round      |

#### OPTIONS & ACCESSORIES

| CONSTRUCTION   |
|--|
| Add 3" to Box Height   |
| Add 6" to Box Height   |
| Add 9" to Box Height   |
| Upgrade to 16" O/C Floor Studs (From 24" O/C; PBF)   |
| EXTERIOR   |
| Two Tone Color Package w/6" Anodized Divider   |
| Upgrade to 36" Stone Guard (From 24"; V-Nose)  |
| INTERIOR   |
| Upgrade to White Vinyl Backed Luan Walls w/Divider (From 3/8" WR)  |
| White Vinyl Backed Luan Ceiling  |
| AXLE OPTIONS   |
| Upgrade to 2-5K Torsion Braked Axles & Frame (From 2-3K Braked; Includes Axle Carrier Upgrade, 16" O/C Floor Stud Upgrade, & Upgrade to 15" 225 6-Lug Tires) |
| RAMP OPTIONS   |
| Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap (From Barn Door)  |

| TIRE/WHEEL ASSEMBLIES & ACCESSORIES  |
|--|
| Upgrade to 15" Aluminum Wheels (Radial; From 15" 205 Silver Mod Radial)                                |
| Spare 15" Silver Mod Wheel w/205/75R15 Tire  |
| Spare 15" Aluminum Wheel w/205/75R15 Tire  |
| 2024 Interior Elevated Spare Tire Mount (Universal Fitment)  |
| TIE DOWN OPTIONS   |
| 5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)   |
| Zinc 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)  |
| 12V LIGHTING & ELECTRICAL OPTIONS  |
| LED Scare Light (Porch Light) w/12V Wall Switch  |
| Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)   |
| Recessed LED Puck Light Package (Interior): (8) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch |
| DOORS/WINDOWS/VENTS  |
| Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door (From 66")                             |

#### COLOR OPTIONS

|   |   |   |
|---|---|---|
|  |  |  |
| Windstar Silver   | Flat Black  | Crystal White   |
|  |  |  |
| Indigo Blue   | Penske Yellow   | Forest Green  |
|  |  |  |
| Orange  | Charcoal  | Pewter Metallic   |
|  |  |  |
| Victory Red   | Champagne   | Brandywine  |



# ENCLOSED CARGO POPULAR OPTIONS

## CONSTRUCTION OPTIONS

| CONSTRUCTION OPTIONS   |
|--|
| Flat Front Construction  |
| Cast Polished Corners for Flat Front   |
| Upgrade to Radius Roof Construction (Up to 30' Trailer Length; Sloped V-Nose, Cast Corners, & Rear Canopies Not Available w/This Option) |
| 2' Round Nose w/Anodized Nose Cone   |
| Add Slope in V-Nose  |
| 3" Extra Height  |
| 6" Extra Height  |
| 9" Extra Height  |
| 12" Extra Height   |
| 15" Extra Height (Requires .080 Wall Stud Upgrade and HD Rear Ramp)  |
| 18" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080 Wall Stud Upgrade)  |
| 21" Extra Height (Requires .080 Wall Stud Upgrade and HD Rear Ramp)  |
| 24" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080 Wall Stud Upgrade)  |
| Height Decrease 6"   |
| Height Decrease 12"  |
| Additional Length in 2' Intervals (6' Wide)  |
| Additional Length in 2' Intervals (7' Wide)  |
| Additional Length in 2' Intervals (7.5' Wide)  |
| Additional Length in 2' Intervals (8.5' Wide)  |
| Upgrade Trailer Sub Frame to 2"x8" (From 2"x6"; PBF; for Cargo Models Going to 12K GVWR Axles)   |
| Add Beavertail w/Extra High Door (Trailers 6' & Wider; 16' & Longer)   |
| Reverse Beavertail Construction (Trailers 6' & Wider)  |
| 12" Extended Tongue (For 3K Tandem Axle Enclosed with 2"x5" Frame; Includes Center Beam Upgrade)   |
| 16" Extended Tongue (For 5K Tandem Axle Enclosed; Trailer Must Have 2"x6" Frame or Larger)   |

## DOORS, RAMPS, & COMPARTMENTS

| DOORS, RAMPS, & COMPARTMENTS   |
|--|
| 26"x58" Side Access Door w/Paddle Handle and Piano Hinge                                     |
| 32"x58" Side Access Door w/Paddle Handle and Piano Hinge                                     |
| 32"x66" Side Access Door w/Paddle Handle and Piano Hinge                                     |
| 32"x72" Side Access Door w/Paddle Handle and Piano Hinge                                     |
| 32"x72" Radius RV Door w/Screen (Window Optional)  |
| Upgrade to 32"x72" Side Access Door w/Paddle Handle and Piano Hinge (From 66")               |
| Upgrade to Dexter 32"x72" Radius Door (From 32"x72" Piano Hinge Door)                        |
| Upgrade to 32"x72" Radius RV Door w/Screen (Window Optional; From Standard Side Access Door) |
| Upgrade to 36" Wide Side Access Door (From 32")  |
| Upgrade to 48" Wide Side Access Door (From 32")  |

## CONSTRUCTION OPTIONS (CONTINUED)

|   |
|---|
| Upgrade to Triple Tube Tongue   |
| Upgrade to 2-5/16" A-Frame Coupler (From 2" A-Frame Coupler)                          |
| Upgrade to 3" Adjustable 2-5/16" A-Frame Coupler                                      |
| Upgrade to 8000# Pedestal Jack (From Wheel or Center Jack)                            |
| Upgrade to 10000# Pedestal Jack (From Wheel or Center Jack)                           |
| Upgrade to 5000# Center-Mount Wheel Jack (From 1500# Wheel Jack or 2000# Center Jack) |
| Upgrade to 16" O/C Floor Crossmembers   |
| Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)                                    |
| Upgrade Wall Studs to 2"x2" (PBF)   |
| Upgrade to .080 Wall Studs  |
| Upgrade Ceiling Studs to 2"x2" (PBF)  |
| Walk-On Roof (Reinforced; PBF)  |
| Heavy-Duty Winch Mount (Winch Not Included)   |
| 8' Platform Roof w/Ladder & Rail Kit  |
| 10' Catwalk (Includes Ladder to Roof & 3 Ladder Racks)                                |
| 12' Catwalk (Includes Ladder to Roof & 3 Ladder Racks)                                |
| 14' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)                                |
| 16' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)                                |
| 18' Catwalk (Includes Ladder to Roof & 5 Ladder Racks)                                |
| 20' Catwalk (Includes Ladder to Roof & 6 Ladder Racks)                                |
| Ladder to Roof (Outside V-Nose)   |
| Upgrade to Roller on Rear Ladder Rack   |
| Ladder Racks  |
| Rear Canopy Loading Light System (2013 Version; Not Available w/Radius Roof)          |
| Rear Canopy Loading Light System (2020 Version; Not Available w/Radius Roof)          |
| Rear Canopy Loading Light System - 2013 Version (Not available w/ Radius Roof)        |

## DOORS, RAMPS, & COMPARTMENTS (CONTINUED)

|  |
|--|
| 48"x72" Split Side Access Door(s)  |
| Upgrade to 48"x72" Split Side Access Door (From 32"x72" Side Access Door)  |
| Upgrade to 78" Height Side Access Door (From 72"; Excludes Radius RV Door) |
| Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap (From Barn Door)  |
| Upgrade to Car-Hauler Grade Rear Ramp (From Standard Ramp)                 |
| Diamond Plate Transition Flap (Ramp to Box)                                |
| Aluminum Starter Flap to Rear Ramp   |
| Barn Doors on Side of Trailer (74"W x 72"H)                                |
| Ramp Door w/Spring Assist on Side of Trailer (74"W x 72"H)                 |
| 30"x30" Generator Door w/Salem Vent & Paddle Handle (Lockable)             |
| 36"x36" Generator Door w/Salem Vent & Paddle Handle (Lockable)             |

# ENCLOSED CARGO POPULAR OPTIONS CONTINUED

## DOORS, RAMPS, & COMPARTMENTS CONTINUED

| DOORS, RAMPS, & COMPARTMENTS  |
|---|
| Generator Compartment (30"Hx30"Wx24"D; Door Optional)                       |
| Generator Compartment (36"Hx36"Wx24"D; Door Optional)                       |
| Slide-Out Generator Tray  |
| Upgrade to Insulated Generator Compartment (Requires Generator Compartment) |
| Propane Compartment (30"H x 30"W x 24") w/Vented Non-Locking Door           |
| Propane Compartment (36"H x 36"W x 24") w/Vented Non-Locking Door           |
| 14"x14" Fuel Door w/Paddle Handle   |
| 24"x24" Fuel Door w/Paddle Handle   |
| 4'x4' Concession Door   |
| 4'x6' Concession Door   |
| 4'x8' Concession Door   |
| 4'x4' Escape Door (Driver Side Over Wheel Well)                             |
| 30"x30" Hatch Door  |
| RV-Style Pull-Out Step (Steel)  |
| Aluminum Fold-Down Step   |
| Powder Coated Aluminum Flip-Down Step                                       |

## EXTERIOR OPTIONS

| EXTERIOR OPTIONS   |
|--|
| .040 Skin Upgrade (Black, White, & Silver Only)                                      |
| .050 Skin Upgrade (Black & White Only)   |
| Upgrade to .078 PolyCOR Exterior Skin (Available in Black, White, Charcoal & Silver) |
| Anodized Aluminum Side & Rear Trim Panel (12"; PBF)                                  |
| Aluminum Diamond Plate Side & Rear Trim Panel (12"; PBF)                             |
| Anodized Aluminum Side & Rear Trim Panel (24"; PBF)                                  |
| Aluminum Diamond Plate Side & Rear Trim Panel (24"; PBF)                             |
| Upgrade to Larger 7" Bottom Trim (PBF)   |
| Upgrade to 36" Stone Guard (From 24")  |

## INTERIOR OPTIONS

| INTERIOR OPTIONS   |
|--|
| White .030 Aluminum Side Walls (Bonded)  |
| White .030 Aluminum Side Walls (Screwed)   |
| White .030 Aluminum Ceiling (Bonded)   |
| White .030 Aluminum Ceiling (Screwed)  |
| White Vinyl Backed Luan (Ceiling Only; PBF)  |
| Upgrade to 3/8" Plywood Walls (From 3/8" Water Resistant; May Extend Lead Time)    |
| Upgrade to White Vinyl Faced Luan Walls (From 3/8" Water Resistant)                |
| Upgrade to White Vinyl Backed 3/8" Plywood (From 3/8" Water Resistant; PBF)        |
| Upgrade to 3/8" Water Resistant Walls (Cargo Trailers; From White Luan Walls; PBF) |
| Upgrade to 3/8" Plywood Walls (Cargo Trailers; From White Luan Walls; PBF)         |
| Upgrade to 1/2" Plywood Walls (Cargo Trailers; PBF)                                |

| DOORS, RAMPS, & COMPARTMENTS (CONTINUED)  |
|---|
| Aluminum Pull-Out Step  |
| Aluminum Loop Step (Stationary)   |
| Rear Full Length Step Across Rear of Trailer (12" Deep w/Expanded Aluminum on Top; Barn Doors Only)                             |
| Aluminum Grab Handle For Side Access Door   |
| Keyed Locking Hasps for Rear Ramp   |
| Upgrade to L-Latches/Freezer Latches (Per Ramp; Replaces Locking Bars; Premium Models w/CH Grade Rear Ramp Only)                |
| Locking Bar for Side Access Door  |
| Keyed Locking Hasps for Side Door Locking Bar   |
| Upgrade to Full Piano Hinge For Rear Ramp   |
| Upgrade to Full Piano Hinge For Side Access Door  |
| Rear Door Air Curtain   |
| Pull-Down Screen for Rear Door Opening  |
| Pop-Out Tent Bed (60"H x 80"L Rough Opening)  |
| Keyless Entry System (For Side Access Door)   |
| Rear Stowable Ramp Kit w/(2) 26"x6' Ramps (Extrusion to Hook Ramps, Ramps to Stow Interior of Barn Doors, 4 Extra Strap Hinges) |

| EXTERIOR OPTIONS (CONTINUED)  |
|---|
| Upgrade to 48" Stone Guard (From 24")   |
| Two-Tone Color Package w/No Anodized Divider  |
| Two-Tone Color Package w/6" Anodized Divider  |
| Two-Tone Color Package w/12" Anodized Divider   |
| Two-Tone Color Package w/24" Anodized Divider   |
| Upgrade to Anodized Nose Cone   |
| Add Red & White DOT Tape to Trailer (PLF; Required on Any Trailer Over 10,000lb GVWR) |
| Upgrade to Translucent Roofing (From Mill-Finish Aluminum; PBF)                       |

| INTERIOR OPTIONS (CONTINUED)                                   |
|--|
| 3/4" Foam Insulation (Side Walls; PBF)                         |
| 3/4" Foam Insulation (Ceiling; Requires Ceiling Liner)         |
| 2" Foam Insulation (Ceiling Only; PBF)                         |
| .030 Aluminum Cove (All Colors)                                |
| Anodized Roof Covs   |
| Anodized Spring Cover  |
| Diamond Plate Spring Cover                                     |
| .030" Aluminum Spring Assist Cover for 4/5-Wide Rear Ramp Door |
| .030" Aluminum Spring Assist Cover for Rear Ramp Door          |
| Partition Wall w/32" Access Door                               |
| 6" Diamond Plate Kick Plate                                    |

# ENCLOSED CARGO POPULAR OPTIONS CONTINUED

## INTERIOR OPTIONS CONTINUED

| INTERIOR OPTIONS                 |
|----------------------------------|
| 12" Diamond Plate Kick Plate     |
| 21" Diamond Plate Kick Plate     |
| Water Resistant Kick Plate (12") |

| INTERIOR OPTIONS (CONTINUED)                                     |
|--|
| Extruded Aluminum Kick Plate (6")                                |
| Carpet on Walls (Charcoal; 3' Up Wall; 4' For V-Nose)            |
| Upgrade to Black TPO Coin Walls (3' Up Wall; 4' For V-Nose; PLF) |

## FLOORING

| FLOORING   |
|--|
| Upgrade to 3/4" Water Resistant Decking (From 5/8" Water Resistant Decking; PBF) |
| Upgrade to 3/4" Pressure Treated Plywood (From 3/4" Water Resistant Decking)     |
| Upgrade to 3/4" Quad Ply Decking (Non-Skid Surface, FRP Backer; PBF)             |
| Additional Layer of 3/4" Water Resistant Decking                                 |
| Upgrade to Extruded Aluminum Floor (Charge for Ramp & V-Nose; PLF)               |
| Aluminum Diamond Plate Floor Overlay (.045"; PLF)                                |
| Upgrade to Black Marble Vinyl Flooring (PLF)                                     |
| Upgrade to Checkerboard Vinyl Flooring (Black & White; PLF)                      |

| FLOORING (CONTINUED)   |
|--|
| Painted Epoxy Floor Covering (PBF)   |
| Upgrade to Rubber Coin Flooring (Black; PLF)   |
| Upgrade to TPO Coin Flooring (Black)   |
| Upgrade to Extruded Aluminum Floor from Rubber TPO Floor (Charge For Ramp & V-Nose; Include Starter Flap if Added to Order; PLF) |
| Upgrade to Charcoal Carpet Flooring (PLF)  |
| Upgrade to 3/4" Foam Insulated Floor   |
| Aluminum Diamond Plate Runner (12" Single Row; .056"; PLF)   |
| Aluminum Diamond Plate Runner (12" Double Rows; .056"; PLF)  |

## TIRE/WHEEL ASSEMBLIES & ACCESSORIES

| TIRE/WHEEL ASSEMBLIES & ACCESSORIES  |
|--|
| Upgrade to 13" Aluminum (Radial; From 13" Silver Mod Wheels)                                     |
| Upgrade to 15" Silver Mod (Radial; From 13" Silver Mod Wheels; Includes Fender Upgrade)          |
| Upgrade to 15" 225 Silver Mod Wheels (Radial; From 15" 205 Silver Mod Radial)                    |
| Upgrade to 15" Aluminum (Radial; From 15" Silver Mod Radial Wheels)                              |
| Upgrade to 15" Black Aluminum (Radial; From 15" Silver Mod Radial Wheels)                        |
| Upgrade to 15" Flat Black Mod (Radial; From 15" Silver Mod Radial Wheels; SPECIAL ORDER)         |
| Upgrade to 15" Galvanized (Radial; From 15" Silver Mod Radial Wheels)                            |
| Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)                      |
| Upgrade to 15" 225 Black Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)                |
| Upgrade to 15" 225 Flat Black Mod (Radial; From 15" 225 Silver Mod Radial Wheels; SPECIAL ORDER) |
| Upgrade to 16" Silver Mod Wheels (Radial; From 15" 225 Silver Mod Radial)                        |
| Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum)                                   |
| Upgrade to 16" Black Aluminum Wheels (Radial; From 15" 225 Aluminum)                             |
| Upgrade to 16" G-Rated Silver Mod Wheels (Radial; From 16" Silver Mod Radial)                    |
| Upgrade to 16" Aluminum Wheels (Radial; From 16" Silver Mod Wheels)                              |
| Upgrade to 16" Black Aluminum Wheels (Radial; From 16" Silver Mod Wheels)                        |
| Upgrade to Black Aluminum Rims from Aluminum (Same Size)   |
| Spare 13" Silver Mod Wheel w/175/80R13 Tire  |

| TIRE/WHEEL ASSEMBLIES & ACCESSORIES (CONTINUED)                     |
|---|
| Spare 13" Aluminum Wheel w/175/80R13 Tire                           |
| Spare 13" Galvanized Wheel w/175/80R13 Tire                         |
| Spare 15" Silver Mod Wheel w/205/75R15 Tire                         |
| Spare 15" Aluminum Wheel w/205/75R15 Tire                           |
| Spare 15" Black Aluminum Wheel w/205/75R15 Tire                     |
| Spare 15" Galvanized Wheel w/205/75R15 Tire                         |
| Spare 15" Silver Mod Wheel w/225/75R15 Tire (5-Lug)                 |
| Spare 15" Silver Mod Wheel w/225/75R15 Tire (6-Lug)                 |
| Spare 15" Aluminum Wheel w/225/75R15 Tire (5-Lug)                   |
| Spare 15" Aluminum Wheel w/225/75R15 Tire (6-Lug)                   |
| Spare 15" Black Aluminum Wheel w/225/75R15 Tire                     |
| Spare 16" Silver Mod Wheel w/235/80R16 Tire                         |
| Spare 16" Aluminum Wheel w/235/80R16 Tire                           |
| Spare 16" Black Aluminum Wheel w/235/80R16 Tire                     |
| Spare 16" G-Rated Silver Mod Wheel w/235/80R16 Tire (14 Ply Rating) |
| 2024 Interior Elevated Spare Tire Mount (Universal Fitment)         |
| Exterior Elevated Spare Tire Mount (Diamond Plate; Exterior Wall)   |
| Spare Tire Mount (Interior; Floor Level)                            |
| Deluxe Recessed Spare Tire Well (Diamond Plate w/Hatch Cover)       |



# ENCLOSED CARGO

## POPULAR OPTIONS CONTINUED

### AXLES

| AXLES   |
|---|
| Upgrade to 1-3K Torsion Braked Axle (From 1-3K Torsion Idler; Trailer Must Have at Least 12" E-Rated Tires)   |
| Upgrade to 2-3K Torsion Braked Axles (From 1-3K Torsion Idler)  |
| Upgrade to 2-5K Torsion Braked Axles & Frame (From 2-3K Braked; Includes Axle Carrier Upgrade & 16" O/C Floor Stud Upgrade, & Upgrade to 15" 225 6-Lug Tires) |
| Upgrade to 2-6K Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)  |
| Upgrade to 2-7K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade; x8 Frame Upgrade Required)   |
| Upgrade to 2-3K Hydraulic Braked Axles (From 2-3K Torsion Braked)   |

### TIE-DOWNS

| TIE-DOWNS   |
|---|
| Light Duty Surface-Mounted D-Ring (Installed)   |
| Light Duty Sliding D-Ring (For Recessed Slide Track; Installed)                           |
| Upgrade to Powder Coated Sliding D-Ring (From Existing Sliding D-Ring)                    |
| Heavy-Duty Recessed 5000# D-Rings w/Backing Plate   |
| Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Zinc)                           |
| Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Stainless Steel)                |
| Recessed Flip-Up Motorcycle Wheel Chock w/(4) Surface-Mounted D-Rings                     |
| Recessed Flip-Up Motorcycle Wheel Chock w/(4) Recessed Heavy Duty D-Rings                 |
| Recessed Flip-Up Motorcycle Wheel Chock   |
| Surface-Mounted Wheel Chock (Aluminum, w/Mounting Hardware)                               |
| Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Surface-Mounted D-Rings                      |
| Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Heavy Duty D-Rings                           |
| Single Stainless Steel Tube Style Wheel Chock for Single Piece of Slide Track (Installed) |
| Stainless Steel Tube Style Wheel Chock  |

### 12V LIGHTING & ELECTRICAL

| 12V LIGHTING & ELECTRICAL   |
|---|
| Add LED Backup Lights (Pair; Installed)   |
| Additional LED Stop/Turn/Tail Lights (Pair; Installed)  |
| Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)  |
| Upgrade to Additional LED Marker Lights Bullets   |
| Diamond Plate Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)                          |
| Anodized Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)                               |
| (2) 12V LED Load Lights (Double Lights w/Single Switch, 950 Lumens)                                   |
| 12V LED Load Light (Single Light w/Switch, 950 Lumens)  |
| Recessed LED Exterior Load Light Package For Side of Trailer: 1 Light w/Switch & Housing (950 Lumens) |
| 12V LED Porch Light w/Wall Switch   |
| K60 LED Exterior Scene Light Package: (1) 12V Wall Switch w/(2) K60 Scene Lights                      |
| Mid-Ship Turn Signals (For Tandem Fenders Only; Pair)   |
| Angled Back Up Lights (Mounts on Side of Trailer)   |

| AXLES (CONTINUED)  |
|--|
| Spread Axle Upgrade w/Individual Fenders for Torsion Axles (7' & 7.5' Wide Models)     |
| Spread Axle Upgrade w/Individual Fenders for Leaf Spring Axles (7' & 7.5' Wide Models) |
| Spread Axle Upgrade w/Tapered Fender Skirting for Torsion Axles (8' Wide Models)       |
| Spread Axle Upgrade w/Tapered Fender Skirting for Leaf Spring Axles (8' Wide Models)   |
| Upgrade to Surge Brakes (From Compatible Brake Size)                                   |
| Upgrade to Zero Degree Axle(s)   |
| Upgrade to 22.5 Degree Down Axle(s)  |
| Upgrade to 45 Degree Down Axle(s)  |
| Upgrade to Galvanized Torsion Axle (Minimum 4-Week Lead Time)                          |

| TIE-DOWNS (CONTINUED)  |
|--|
| E-Track Surface Mounted (Floor)                                    |
| E-Track Surface Mounted (Wall)                                     |
| E-Track HD Recessed w/Backing Plate (Floor)                        |
| E-Track HD Recessed w/Backing Plate (Walls)                        |
| E-Track (Aluminum) Surface Mounted (Wall)                          |
| E-Track (Aluminum) HD Recessed w/Backing Plate (Floor)             |
| E-Track (Aluminum) HD Recessed w/Backing Plate (Walls)             |
| Airline Track (Aluminum) Surface Mounted (Floor)                   |
| Airline Track (Aluminum) Surface Mounted (Wall)                    |
| Airline Track (Recessed in Floor; Aluminum, PLF)                   |
| Airline Track (Recessed in Wall; Aluminum, PLF)                    |
| Recessed Slide Track (Track Only; D-Rings Sold Separately)         |
| Recessed Slide Track (2) Rows w/(4) Sliding D-Rings                |
| Powder Coated Slide Track Upgrade (From Existing Slide Track; PBF) |

| 12V LIGHTING & ELECTRICAL (CONTINUED)   |
|---|
| Upgrade to 12V Electric Pedestal Jack w/Battery & Box installed   |
| Upgrade to 12V Electric Pedestal Jack w/o Battery   |
| 12V Power Jack (Cigarette Lighter Plug)   |
| Upgrade to LED Economy Dome Light (460 Lumens; From Incandescent Dome Light)                                      |
| Additional 12V LED Dome Light (460 Lumens)  |
| 12 Volt Wall Switch   |
| 12 Volt Wall Switch (3-Way)   |
| Upgrade to 12 Volt (3-Way) Wall Switch  |
| LED Puck Light Package: 8 Recessed Lights & Wall Switch (Requires Ceiling Liner)                                  |
| Additional Recessed LED Puck Light  |
| LED Puck Light Cabinet Package Under Overhead Cabinet: (2) Round LED Flush Mount Dome Lights; (1) 12V Wall Switch |
| 18" 12V LED Light (Requires Ceiling Liner)  |
| Upgrade Interior Dome Light to 12V 18" LED Light  |

# ENCLOSED CARGO POPULAR OPTIONS CONTINUED

## 12V LIGHTING & ELECTRICAL CONTINUED

| 12V LIGHTING & ELECTRICAL  |
|--|
| Upgrade to (3) 18" 12V LED Light From (2) 4' LED Wraparound (Requires Ceiling) |
| Trickle Charger for Battery  |
| Deep Cycle Marine Battery & Box (Wired)  |
| 12V USB-C and USB-A Dual Recessed Receptacle                                   |
| LED Interior Strip Light w/Housing Package (Per Foot, Per Section)             |
| Upgrade to 7-Way Plug w/Junction Box (From 4-Way Plug)                         |

## 110V LIGHTING & ELECTRICAL

| 110V LIGHTING & ELECTRICAL  |
|---|
| 110V Package #1: (1) 15 AMP Motorbase Plug, (1) Wall Switch, (1) Receptacle, (1) 4' LED Wraparound Light (No Additions Available w/Package #1)  |
| 110V Package #2: (1) 30 AMP Breaker, (1) 25' Shore Line, (2) 3 -Way Wall switches, (1) Standard Wall Receptacle, (1) GFCI Wall Receptacle, (2) 4' LED Wraparound Lights   |
| 110V Package #3: (1) 30 AMP Panel, (1) Wall Switch, (4) Standard Wall Receptacles, (1) GFCI Receptacle, (4) 4' LED Wraparound Lights, (1) Brace & Wire Stub for A/C Unit  |
| 110V Package #4: (1) 15 AMP Motorbase Plug, (2) Wall Receptacles  |
| 110V Package #5: (1) 60A Breaker Panel w/60A Converter & 50A Motorbase Plug, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) USB Wall Receptacle, (1) GFCI Wall Receptacle, (2) 4' LED Wraparound Lights, 12V Deep Cycle Battery & Box |
| 15A Motorbase Plug  |
| 30A Motorbase Plug (Replaces Shoreline; 110V Package Required)  |
| 30A Power Converter (110V Pkg #2)   |
| 30A Power Cord 25' Long (For Motorbase Plug)  |
| 30A Generator Line Switch   |
| Upgrade to 50 Amp Breaker Box (Requires 110V Pkg #2)  |

## CABINETS

| CABINETS  |
|---|
| V-Nose Base Cabinet, 2 Door (50" & 60" Wide Models)                                     |
| V-Nose Base Cabinet, 2 Door (80" Wide Models)   |
| V-Nose Base Cabinet, 4 Door (80" Wide Models)   |
| V-Nose Base Cabinet, 2 Door (84" Wide Models; 78"W x 22"D x 37"H)                       |
| V-Nose Base Cabinet, 4 Door (84" Wide Models; 74"W x 31"D x 37"H)                       |
| V-Nose Base Cabinet, 2 Door (90" Wide Models)   |
| V-Nose Base Cabinet, 2 Door (99" Wide Models; 83"W x 30"D x 37"H)                       |
| V-Nose Base Cabinet, 4 Door (99" Wide Models; 83"W x 30"D x 37"H)                       |
| Upgrade V-Nose Base Cabinet to Full Width/Depth of V-Nose (72", 80", & 84" Wide Models) |
| Upgrade V-Nose Base Cabinet to Full Width/Depth of V-Nose (90", & 99" Wide Models)      |
| V-Nose Overhead Cabinet, 2 Door (50" & 60" Wide Models)                                 |
| V-Nose Overhead Cabinet, 2 Door (80" Wide Models)                                       |
| V-Nose Overhead Cabinet, 2 Door (84" Wide Models)                                       |
| V-Nose Overhead Cabinet, 2 Door (90" Wide Models)                                       |
| V-Nose Overhead Cabinet, 2 Door (99" Wide Models; 56"W x 19"D x 19"H)                   |

| 12V LIGHTING & ELECTRICAL (CONTINUED)  |
|--|
| Upgrade to Permaseal Wire Connectors   |
| Upgrade Premium Light Package (LED Strip Lights w/Integrated Backup Lights, Marker Lights w/Clear Lenses)                                  |
| Upgrade to Premium Light Package (LED Strip Lights w/No Backup Lights, Marker Lights w/Clear Lenses)                                       |
| Wireless Backup Camera System w/7" LCD Screen  |
| Add LED 6" Oval Alternating Flashing Safety Lights (Orange; Pair) w/Exterior Toggle Switch (Hardwired Into Auxiliary; 7-Way Plug Required) |

| 110V LIGHTING & ELECTRICAL (CONTINUED)   |
|--|
| 50A Power Cord 25' Long (For Motorbase Plug)   |
| 60A Power Converter (110 Package Required)   |
| 110 Volt Wall Receptacle (Installed; Requires 110V Pkg)  |
| 110 Volt Combo USB/Wall Outlet Receptacle (Installed; Requires 110V Pkg #2)                        |
| 110 Volt Wall Switch (3-Way; Requires 110V Pkg #2)   |
| GFCI Wall Receptacle (Exterior; Requires 30A Package)  |
| 4' LED Wraparound Light (Requires 110V Pkg)  |
| GFCI Wall Receptacle (Interior) (Requires 30A Package)   |
| 500W Swing-Mount Quartz Light  |
| 13,500 BTU Roof Mounted Air Conditioner (Requires 110V Pkg #2)                                     |
| Heat Strip for A/C Unit  |
| Brace & Stub Wire for Future AC Installation (Requires 110V Pkg #2; 12 Gauge Wire and 20A Breaker) |
| Electric Heater: CADET Com-Pak Plus White Wall Fan, 1500 Watt (Requires 110V Pkg #2)               |
| Heater; Electric; CADET Com-Pak Plus White Wall Fan, 1500 Watt (Requires 110V Pkg #2)              |

| CABINETS (CONTINUED)  |
|---|
| V-Nose Overhead Cabinet, 2 Door (99" Wide Models; 72"W x 19"D x 19"H; Special Option Cabinet) |
| 4' Straight Wall Base Cabinet, 2 Door (48"W x 24"D x 37"H)                                    |
| 5' Straight Wall Base Cabinet, 2 Door (60"W x 24"D x 37"H)                                    |
| 6' Straight Wall Base Cabinet, 2 Door (72"W x 24"D x 37"H)                                    |
| 8' Straight Wall Base Cabinet, 2 Door (96"W x 24"D x 37"H)                                    |
| 8' Straight Wall Base Cabinet, 4 Door   |
| Upgrade Base Cabinet to 28" L-Shape Extension   |
| 8' Flat Front 4 Door Base Cabinet   |
| Add 4" Depth to 8' Flat Front 4 Door Base Cabinet (24" Deep)                                  |
| Overhead Cabinet, 1 Flip-Up Door (48"W x 13"D x 18"H)   |
| Overhead Cabinet, 2 Door (48"W x 13"D x 18"H)   |
| Premium Overhead Cabinet, 1 Flip-Up Door (48"W x 13"D x 18"H)                                 |
| Overhead Cabinet, 1 Door (62"W x 12"D x 18"H)   |
| Deluxe Overhead Cabinet, 4 Door (72"W x 13"D x 18"H)  |
| Deluxe Overhead Cabinet, 4 Door (96"W x 13"D x 18"H)  |

# ENCLOSED CARGO POPULAR OPTIONS CONTINUED

## CABINETS CONTINUED

| CABINETS  |
|---|
| Overhead Cabinet w/2 Flip-Up Doors (96"W x 13"D x 18"H)   |
| 8' Flat Front 4 Door Overhead Cabinet   |
| Add 8" Depth to 8' Flat Front 4 Door Overhead Cabinet (24" Deep)                                  |
| Upgrade V-Nose Overhead Cabinet to Full Width/Depth of V-Nose (72", 80", & 84" Wide Models)       |
| Wheel Well Cabinet, 2 Door w/Shelving (72"W x 6 3/4"D x 62"H)                                     |
| Premium 50" Helmet Cabinet w/Hooks  |
| 24" Wardrobe Cabinet w/Single, Full-Height Door, (1) Shelf, (1) Clothing Rod (24"W x 24"D x 72"H) |
| Premium 96" Overhead Split Cabinet w/Center Shelf & 2 Flip-Up Doors (96"W x 18"D x 18"H)          |
| Premium 50" Helmet Cabinet w/Hooks  |

| CABINETS (CONTINUED)   |
|--|
| 36" Wardrobe Cabinet w/Single, Full-Height Door, (1) Shelf, (1) Clothing Rod (36"W x 24"D x 76"H)  |
| Premium Wall-Mounted Coat Hanger (47.5", 10 Hooks)   |
| Premium Ceiling-Mounted Coat Hanger (38", 22 Hooks)  |
| Clothes Rod for Overhead Cabinets (48" Cabinets Only)  |
| 4' Coat Rack Package (47' Slide Track w/6 Adjustable Hooks)  |
| 18" Shelving w/Angled Gussets (PLF, Per Tier)  |
| Upgrade to Formica Countertop (Base Cabinet Sold Separately)   |
| Standard Tool Crib Package: (1) 72x24 Horizontal Access Door (Over Fender, w/Retainer Chains), (2) 38x22 Vertical Access Doors (Ahead/Behind Fender), Adjustable Shelf Brackets in Vertical Cabinets, 3/8" Water Resistant Liner (Interior & Exterior of Box Frame), 19"D x 42"H x 128"L Box Frame Inside Trailer, Hinged Lid (3 Sections) |

## VENTS & WINDOWS

| VENTS & WINDOWS  |
|--|
| 14"x14" Manual Roof Vent                                   |
| 12V Power Roof Vent  |
| 110V Power Roof Vent (Requires 30A Package)                |
| Fantastic Fan/Vent (Dometic 22-0462; Requires 30A Package) |
| Maxx-Air Roof Vent Cover                                   |
| Directional Salem Vent Kit (Plastic; Pair)                 |

| VENTS & WINDOWS (CONTINUED)                         |
|---|
| Two-Way Directional Salem Vent Kit (Aluminum; Pair) |
| 18"x24" Horizontal Radius Sliding Window w/Screen   |
| 18"x24" Vertical Radius Sliding Window w/Screen     |
| 24"x36" Radius Sliding Window w/Screen              |
| 24"x36" Egress Sliding Window (Tinted w/Screen)     |

## MISC. OPTIONS & ACCESSORIES

| MISC. OPTIONS & ACCESSORIES                              |
|--|
| Fold-Down Sofa/Sleeper                                   |
| Fold-Down Bunk Beds                                      |
| HappiJac Bed System w/(1) Queen Size Mattress            |
| Fold Down Bench (12"x48"; Work or Sitting)               |
| Fold-Down Padded Bench (48"L; Vertical Design)           |
| Premium 50" Fold-Up Padded Bench                         |
| Premium 36" Fold-Up Work Bench w/Integrated Tool Storage |
| Premium Cup Holder                                       |

| MISC. OPTIONS & ACCESSORIES (CONTINUED)           |
|---|
| Premium (2) Race Fuel Holder                      |
| Premium (3) Race Fuel Holder                      |
| Basic Stereo Package - Includes (4) Boss Speakers |
| Stabilizer Jacks                                  |
| Bogey/Caster Wheels (Installed; Pair)             |
| HD Drag Wheels (AH Version)                       |
| Scissor Jacks (Camper Style; Pair)                |
| Upgrade to Wheel on 2000# Center Jack             |

## POWDER COATING OPTIONS

| POWDER COATING OPTIONS  |
|---|
| Exterior Powder Coat Package (Cargo/Car Haulers): Includes Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim |

# RAMP CAPACITY BY MODEL

| Ramp Type   | Applicable Models   | Capacity     |
|---|---|--------------|
| Utility Trailer Rear Ramp (Fold-Down)                 | SSR (All Sizes); AR 2.0 (All Sizes); WR 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes)   | 750#         |
| Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)        | SSR (Optional, All Sizes); AR 2.0 (Optional, All Sizes); WR 2.0 (Optional, All Sizes); FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes) | 750#         |
| Deckover Equipment Trailer Ramps (Stow)               | (All Sizes)   | 4000# (PAIR) |
| Deckover Equipment Trailer Ramps 14K (Fold-Down)      | (All Sizes)   | 5000# (PAIR) |
| Patriot Ramps (Fold-Down)                             | (All Sizes)   | 4000# (PAIR) |
| Patriot Ramps 14K (Fold-Down)                         | (All Sizes)   | 5000# (PAIR) |
| Dump Trailer Ramps (Side-Stow, Optional)              | (All Sizes)   | 4000# (PAIR) |
| ATV Ramps (83" Wide, Side-Stow)                       | (All Sizes)   | 1200# (PAIR) |
| ATV Ramps (88" Wide, Side-Stow)                       | (All Sizes)   | 750# (PAIR)  |
| Open Motorcycle Ramp (Rear-Stow)                      | (All Sizes)   | 1200#        |
| Slingshot Rear Ramp (Fold-Down, Bi-Fold)              | MU-SLINGSHOT  | 1500#        |
| Open Car Hauler 2.0 Ramps (Stow)                      | (All Sizes)   | 4000# (PAIR) |
| Open Car Hauler 2.0 Ramps 10K (Stow)                  | (All Sizes)   | 4000# (PAIR) |
| Open Car Hauler Standard Ramps (Stow)                 | (All Sizes)   | 4000# (PAIR) |
| Open Snow Ramp (Rear-Stow)                            | MFS   | 750#         |
| Sport Deck (Rear-Stow, Telescoping Ramps)             | MSD   | 1000#        |
| Enclosed Cargo Ramp (4', 5', 6' Wide)                 | (All Sizes)   | 1500#        |
| Enclosed Cargo Ramp (7' 7.5' Wide)                    | (All Sizes)   | 1500#        |
| Enclosed Cargo Ramp (8.5' Wide, Premium)              | (All Sizes)   | 1500#        |
| Enclosed Motorcycle Ramp (7' Wide)                    | (All Sizes)   | 1500#        |
| Enclosed Car Hauler Ramp (8.5' Wide)                  | (All Sizes)   | 4000#        |
| Enclosed Gooseneck Ramp (8.5' Wide, Rear)             | (All Sizes)   | 4000#        |
| Enclosed Gooseneck Ramp (8.5' Wide, Side, Optional)   | (All Sizes)   | 1200#        |
| Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Rear)  | (All Sizes)   | 1500#        |
| Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Front) | (All Sizes)   | 1200#        |
| Enclosed Snowmobile Ramp (Crossover, Rear)            | (All Sizes)   | 1500#        |

# TONGUE EXTENSION BY MODEL

| TRAILER TYPE                                | ALLOWABLE EXTENSION  | ADDITIONAL REQUIREMENTS  | ITEM NUMBER   | DESCRIPTION  |
|---|----------------------|--|---------------|--|
| Enclosed Cargo (4, 5-Wide)                  | N/A                  | FRAME UPGRADE REQUIRED, CONSULT ENGINEERING                    | N/A           | N/A  |
| Enclosed Cargo (6, 7, 7.5-Wide)             | 12"                  | ECONOMY MODELS REQUIRE CENTER BEAM UPGRADE                     | TONGUE12EXT   | 12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS ** |
| Enclosed Cargo (8.5-Wide, Premium)          | 12" (16" w/ UPGRADE) | MIN 6" FRAME FOR 16" TONGUE EXTENSION, UPGRADE MAY BE REQUIRED | TONGUE12EXT   | 12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS ** |
| Enclosed Motorcycle (7-Wide)                | 12"                  |  | TONGUE12EXT   | 12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS ** |
| Enclosed Car Hauler (8.5-Wide, Premium)     | 16"                  |  | TONGUE16EXTCH | 16" Extended Tongue (For 5k Tandem Axle Enclosed; Trailer Must have 2"x6" Frame or Larger) ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **      |
| Enclosed Car Hauler - All Sports (8.5-Wide) | N/A                  | EXTENDED TONGUE INCOMPATIBLE WITH FRONT RAMP                   | N/A           | N/A  |
| Enclosed Snowmobile (7, 7.5-Wide)           | N/A                  | EXTENDED TONGUE INCOMPATIBLE WITH FRONT RAMP                   | N/A           | N/A  |
| Enclosed Snowmobile (101-Wide)              | 10"                  | REQUIRES 3x5 TONGUE UPGRADE w/ STRAIGHT-PULL COUPLER           | TBD           | TBD  |

\*\*Please note that all 5k tandem trailers w/ extended tongues require a minimum of 6" base frame, regardless of brand/model