

# OPEN DECKOVER UTILITY

18' - 22' & 18' 14K - 24' 14K



**18' - 22'**

## STANDARD FEATURES

- > All Aluminum Construction
- > 24" O/C Floor Crossmembers
- > 2"x5" Subframe Tubing
- > 3" Pintle Hitch
- > (2) 15000# Safety Chains
- > Dexter Torsion Ride Axles
- > 5000# Pedestal Jack
- > Extruded Aluminum Decking
- > (4) Recessed HD D-Rings
- > HD Stake Pockets (Full Perimeter)
- > Fixed 2"x2" Front Bumper Rail
- > 6' Stowaway 4000# Rated Ramps
- > Beavertail Construction
- > Recessed LED Marker Lights
- > Limited 4-Year Warranty

## STANDARD SPECIFICATIONS

TRAILER MODEL	DECKOVER 101X18	DECKOVER 101X20	DECKOVER 101X22
Model Number	MD0101x18A	MD0101x20A	MD0101x22A
Deck (WxL)	101"x18'	101"x20'	101"x22'
Overall (WxL)	102"x22'	102"x24'	102"x26'
Deck Height	29"	29"	29"
Hitch Height	20" - 28" Adjustable	20" - 28" Adjustable	20" - 28" Adjustable
Axle(s) - Qty/Rating	2 - 3500# Braked	2 - 3500# Braked	2 - 3500# Braked
Wheels	15" Aluminum	15" Aluminum	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15
GVWR	7000#	7000#	7000#
Curb Weight	1750#	1810#	1985#
Payload	5250#	5190#	5015#
Power Connection	7-Way Round	7-Way Round	7-Way Round

## OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

RAMP OPTIONS
Upgrade to HD Flip-Up Ramps (From Pull-Out Ramps)
CONSTRUCTION OPTIONS
Adjustable 2-5/16" Ball-Style Coupler (Replaces Pintle Hitch)
TIE DOWN OPTIONS
Zinc 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Spare 15" Silver Mod Wheel w/205/75R15 Tire
Spare 15" Aluminum Wheel w/205/75R15 Tire
Bolt-On Spare Tire Carrier (Tongue-Mounted)
ACCESSORIES
Tongue-Mounted Diamond Plate Toolbox (Lockable; Large; Requires Wishbone Tongue)
Stabilizer Jacks (Installed; Pair)



# OPEN DECKOVER UTILITY

18' - 22' & 18' 14K - 24' 14K CONTINUED

## 18' 14K - 24' 14K

### STANDARD FEATURES

- > All Aluminum Construction
- > 16" O/C Floor Crossmembers
- > 2"x8" Subframe Tubing
- > 15000# 2-5/16" Adjustable Coupler
- > (2) 15000# Safety Chains
- > Dexter Torsion Ride Axles
- > 8K Drop Jack
- > Extruded Aluminum Decking
- > (4) 6000# Recessed Swivel D-Rings
- > HD Stake Pockets (Full Perimeter)
- > Fixed 2"x2" Front Bumper Rail
- > Adjustable HD Flip-Up Ramps (16"x5')
- > Beavertail Construction
- > Recessed LED Marker Lights
- > Limited Lifetime Warranty

### STANDARD SPECIFICATIONS

TRAILER MODEL	DECKOVER 101X18 14K	DECKOVER 101X20 14K	DECKOVER 101X22 14K	DECKOVER 101X24 14K
Model Number	MD0101x18-14K	MD0101x20-14K	MD0101x22-14K	MD0101x24-14K
Deck (WxL)	101"x18'	101"x20'	101"x22'	101"x24'
Overall (WxL)	102"x22'	102"x24'	102"x26'	102"x28'
Deck Height	36"	36"	36"	36"
Hitch Height	24" - 32" Adjustable	24" - 32" Adjustable	24" - 32" Adjustable	24" - 32" Adjustable
Axle(s) - Qty/Rating	2 - 7000# Braked	2 - 7000# Braked	2 - 7000# Braked	2 - 7000# Braked
Wheels	16" Aluminum	16" Aluminum	16" Aluminum	16" Aluminum
Tires	235/80R16	235/80R16	235/80R16	235/80R16
GVWR	14000#	14000#	14000#	14000#
Curb Weight	TBD	TBD	2940#	TBD
Payload	TBD	TBD	11060#	TBD
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round

### OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

RAMP OPTIONS	TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to HD Flip-Up Ramps (From Pull-Out Ramps)	Spare 16" Silver Mod Wheel w/235/80R16 Tire
Upgrade to 6' Car Hauler Grade Stowaway Ramps (Replaces HD Flip-Up Ramps)	Spare 16" Aluminum Wheel w/235/80R16 Tire
CONSTRUCTION OPTIONS	Bolt-On Spare Tire Carrier (Tongue-Mounted)
Gooseneck Upgrade for Open Trailers	TIE DOWN OPTIONS
Upgrade to 3" Adjustable Pintle Hitch (From 2-5/16" Coupler)	5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)
FLOORING OPTIONS	Zinc 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)
Upgrade to 5/4" Pressure Treated Decking Boards (From Extruded Aluminum; PBF)	ACCESSORIES
	Tongue-Mounted Diamond Plate Toolbox (Lockable; Large; Requires Wishbone Tongue)
	Stabilizer Jacks (Installed; Pair)

# RAMP CAPACITY BY MODEL

Ramp Type	Applicable Models	Capacity
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes); AR 2.0 (All Sizes); WR 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes); AR 2.0 (Optional, All Sizes); WR 2.0 (Optional, All Sizes); FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (PAIR)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Patriot Ramps (Fold-Down)	(All Sizes)	4000# (PAIR)
Patriot Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Dump Trailer Ramps (Side-Stow, Optional)	(All Sizes)	4000# (PAIR)
ATV Ramps (83" Wide, Side-Stow)	(All Sizes)	1200# (PAIR)
ATV Ramps (88" Wide, Side-Stow)	(All Sizes)	750# (PAIR)
Open Motorcycle Ramp (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	MU-SLINGSHOT	1500#
Open Car Hauler 2.0 Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler 2.0 Ramps 10K (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler Standard Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Snow Ramp (Rear-Stow)	MFS	750#
Sport Deck (Rear-Stow, Telescoping Ramps)	MSD	1000#
Enclosed Cargo Ramp (4', 5', 6' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (7' 7.5' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (8.5' Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle Ramp (7' Wide)	(All Sizes)	1500#
Enclosed Car Hauler Ramp (8.5' Wide)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Rear)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (Crossover, Rear)	(All Sizes)	1500#