# DECKOVER ELEVATION

16' & 22'



#### **STANDARD FEATURES**

- > All-Aluminum Construction
- > One Piece Aluminum Roof
- > Visible Beavertail Construction
- > V-Nose Construction w/12" Radius
- > 24" Stone Guard
- > Dexter Torsion Ride Axles (45 Degree Down)
- > Spread Axle Design w/Tapered Skirting
  > (2) Rows of Recessed Slide Track w/(2) Rows Sliding D-Ring Per Machine
- Tapered Rear Ramp w/Spring Assist
- (2) 32" x 72" Side Access Door w/Flip-Down Aluminum Step
- > (1) 14"x14" Fuel Door
- > Roof Vent
- > (3) LED Dome Lights w/Switch
- > (5) LED Porch Lights: (2) Over Rear Ramp,

(1) Over Each SAD & (1) Front Ramp

- > 110V Package EWP: (1) 60A Breaker
  Panel w/Converter & Motorbase Plug, (2)
  3-Way Wall Switches, (1) GFCI Wall Receptacle, (1) Standard Wall Receptacle,
  (1) USB Receptacle, (12) Puck Lights
- > Premium Exterior Light Package
- (Integrated Slim Brake & Backup Lights & Clear Lens Marker Lights)
- > Basic Heater Package: 40# Propane Tank w/HD Tongue-Mount, White Ceiling, Insulated Walls & Ceiling, 40K BTU Furnace, Safety Kit, Marine Grade Battery & Box, 48" Furnace Cabinet
- > (1) 40# Propane Tank w/HD Mount Upgrade
- > 3/4" Quad Ply Decking

- 16' & 22'
- > White Luan Walls
- > Boondocker Package: Upgrade to Quad-Ply Flooring, Wraparound Front Ramp w/ Spring Assist (72" Wide Opening) & 6" Extruded Aluminum Kick Plate
- > (2) Fold-Down Padded Benches (48"L)
- > 48" Deluxe Boot Box w/Padded Top (Ducted; Requires Furnace Package)
- > Vertical Corner Duct (Requires Furnace Package)
- (2) 48" Overhead Premium Cabinets w/
  (1) Flip-Up Door (48"Wx13"Dx18"H)
- > (2) Premium Ceiling-Mounted Coat Hanger (38", 22 Hooks)
- > Adjustable Wall Hooks For Combo Wall (2-18', 4-22'+ BP, 4-GN)

- Combo Wall (3 Rows in Box, 2 Rows in V-Nose)
- Angled Brackets (Convert Cabinets to Combo Wall)
- > Deluxe Floor Drain System (Full Width Slot, Exterior Clean Out)
- Rear Door Canopy (2020 Version w/4 Puck Lights)
- > Screwless .030 Bonded Sides
- > Powdercoat Exterior Package
- > 4" Trim (Top/Rear)
- > 7" Trim (Bottom)
- > Limited Lifetime Warranty

#### **STANDARD SPECIFICATIONS**

| Trailer Model            | 101x16 (6.5) DO Elevation | 101x22 (6.5) D0 Elevation | 101x24 (6.5) DO Elevation |
|--------------------------|---------------------------|---------------------------|---------------------------|
| Model Number             | PES101X16(6.5)-EWP        | PES101X22(6.5)-EWP        | PES101X24(6.5)-EWP        |
| Subframe                 | 2"x5"                     | 2"x5"                     | 2"x5"                     |
| Floor Studs              | 24" 0/C                   | 24" 0/C                   | 24" 0/C                   |
| Wall & Roof Studs        | 16" 0/C                   | 16" 0/C                   | 16" 0/C                   |
| Box (WxLxH)              | 101"x16'x90"              | 101"x22'x90"              | 101"x24'x90"              |
| Interior (WxLxH)         | 98"x15'10"x88"            | 98"x21'10"x88"            | 98"x23'10"x88"            |
| Overall (WxLxH)          | 101"x25'5"x110"           | 101"x30'7"x110"           | 101"x32'7"x110"           |
| Deck Height              | 27"                       | 27"                       | 27"                       |
| Hitch Height             | 24-3/8"                   | 24-3/8"                   | 24-3/8"                   |
| Rear Door Opening (WxH)  | 91"x85"                   | 91"x85"                   | 91"x85"                   |
| Front Door Opening (WxH) | 65"x83"                   | 65"x83"                   | 65"x83"                   |
| V-Nose w/ 6" Radius      | 72"                       | 72"                       | 72"                       |
| Axle(s) - Qty/Rating     | 2-3500# Braked            | 2-3500# Braked            | 2-3500# Braked            |
| GVWR                     | 6000#                     | 6000#                     | 6000#                     |
| Wheels                   | 15" Aluminum              | 15" Aluminum              | 15" Aluminum              |
| Tires                    | 205/75R15                 | 205/75R15                 | 205/75R15                 |
| Side Door                | 32"x72"                   | 32"x72"                   | 32"x72"                   |
| Power Connection         | Arctic Flex 7-Way Round   | Arctic Flex 7-Way Round   | Arctic Flex 7-Way Round   |
| Coupler Rating/Ball Size | 8000# / 2"                | 8000# / 2"                | 8000# / 2"                |
| Jack                     | 1500# Wheel Jack          | 1500# Wheel Jack          | 1500# Wheel Jack          |
| Safety Chains            | 7800#                     | 7800#                     | 7800#                     |
| Curb Weight              | 1800#                     | 2240#                     | 2445#                     |
| Payload                  | 4200#                     | 3760#                     | 3555#                     |



**CONSTRUCTION OPTIONS** Add 3" to Box Height (PBF)

Add 6" to Box Height (PBF) Add 9" to Box Height (PBF)

# **DECKOVER ELEVATION**

16' & 22' CONTINUED

### 16' & 22'

#### **OPTIONS & ACCESSORIES**

Upgrade to 16" O/C Floor Studs (From 24" O/C; PBF) **TIRE/WHEEL ASSEMBLIES & ACCESSORIES** 

2024 Interior Elevated Spare Tire Mount (Universal Fitment)

Spare 15" Silver Mod Wheel w/ 205/75R15 Tire Spare 15" Aluminum Wheel w/ 205/75R15 Tire

| FLOORI   | IG OPTIONS  |
|--|---|
| Airline Track (Recessed in Floor; Aluminum, PLF) |   |
| EXTERIO  | DR OPTIONS  |
| Two-Ton  | e Color Package w/6" Anodized Divider   |
| Two-Ton  | e Color Package w/No Anodized Divider   |
| 10   | to .040" Exterior Skin (Black, White, or Silver Only;<br>d Lead Times May Apply; PBF) |

#### **COLOR OPTIONS**



Champagne

Victory Red







### **POPULAR ENCLOSED SNOW OPTIONS**

#### **CONSTRUCTION OPTIONS**

| CONSTRUCTION OPTIONS  | CONSTRUCTION OPTIONS (CONTINUED)  |  |
|---|---|--|
| Upgrade to Radius Roof Construction (Up to 30'; Not Available w/Sloped V-Nose, Cast   | Upgrade to 2 5/16" A-Frame Coupler (From 2" A-Frame Coupler)                                    |  |
| Corners, & Rear Canopies)   | Upgrade to 2-5/16" Straight Pull Coupler (From 2" Straight Pull Coupler; 7000# GVWR Max Rating) |  |
| Add Slope in V-Nose   |   |  |
| Upgrade to Non-Integrated Trailer Frame (PBF; Inline & Enclosed Deckover Models Only) | Add Showing Beavertail (Deckover Models)  |  |
| 3" Extra Height   | Reverse Beavertail Construction (7' & Wider)  |  |
| 6" Extra Height   | Upgrade to 8000# Pedestal Jack (From Wheel or Center Jack)                                      |  |
| 9" Extra Height   | Upgrade to 10000# Pedestal Jack (From Wheel or Center Jack)                                     |  |
| 12" Extra Height  | Upgrade to 16" O/C Floor Crossmembers   |  |
| 15" Extra Height (Requires .080 Wall Stud Upgrade & HD Rear Ramp)                     | Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)  |  |
| 18" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080 Wall Stud Upgrade)     | Upgrade to Trussed Roof System (Not Compatible w/Radius)  |  |
| 21" Extra Height (Requires .080 Wall Stud Upgrade & HD Rear Ramp)                     | Upgrade to .080 Wall Studs  |  |
| 24" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080 Wall Stud Upgrade)     | Upgrade Wall Studs to 2"x2" (PBF)   |  |
| 6" Height Decrease  | Upgrade Ceiling Studs to 2"x2" (PBF)  |  |
| 12" Height Decrease   | Walk-On Roof (Reinforced; PBF)  |  |
| Additional Length in 2' Intervals (7' Wide)   | Heavy Duty Winch Mount (Winch Not Included)   |  |
| Additional Length in 2' Intervals (7.5' Wide)   | Rear Canopy Loading Light System (2020 Version; Not Available w/Radius Roof)                    |  |
| Additional Length in 2' Intervals (8.5' Wide)   |   |  |

#### **DOORS, RAMPS & COMPARTMENTS**

| DOORS, RAMPS & COMPARTMENTS  | DOORS, RAMPS & COMPARTMENTS (CONTINUED)                               |
|--|---|
| 26"x58" Side Access Door   | 24"x24" Fuel Door w/Paddle Handle                                     |
| 32"x58" Side Access Door w/Paddle Handle                                     | 30"x30" Hatch Door  |
| 32"x66" Side Access Door w/Paddle Handle                                     | RV-Style Pull-Out Step (Steel)  |
| 32"x72" Side Access Door w/Paddle Handle                                     | Aluminum Fold-Down Step   |
| 32"x72" Radius RV Door w/Screen (Window Optional)                            | Powder Coated Aluminum Flip-Down Step                                 |
| Upgrade to Dexter 32"x72" Radius Door (From 32"x72" Piano Hinged Door)       | Upgrade to Powder Coated Aluminum Flip-Down Step (From Standard Step) |
| Upgrade to 32"x72" Radius RV Door w/Screen (Window Optional; From Standard   | Aluminum Pull-Out Step  |
| 32"x72" Side Access Door)  | Aluminum Loop Step Stationary   |
| Upgrade to 36" Wide Side Access Door (From 32")                              | Aluminum Grab Handle For Side Access Door                             |
| Upgrade to 48" Wide Side Access Door (From 32")                              | Keyed Locking Hasps for Rear Ramp                                     |
| 48"x72" Split Side Access Door(s)  | Locking Bar for Side Access Door                                      |
| Upgrade to 48"x72" Split Side Access Door(s) (From 32"x72" Side Access Door) | Keyed Locking Hasps for Side Door Locking Bar                         |
| Upgrade to 78"-Tall Side Access Door (From 72"; Excludes Radius RV Door)     | Upgrade to Full Piano Hinge For Rear Ramp                             |
| Upgrade to Car-Hauler Grade Rear Ramp (From Standard Ramp)                   | Upgrade to Full Piano Hinge For Side Access Door                      |
| Diamond Plate Transition Flap (Ramp to Box)                                  | Rear Door Air Curtain   |
| Aluminum Starter Flap to Rear Ramp   | Pull-Down Screen for Rear Door Opening                                |
| 14"x14" Fuel Door w/Paddle Handle  | Keyless Entry System (For Side Access Door)                           |



#### **EXTERIOR OPTIONS**

| EXTERIOR OPTIONS  | EXTERIOR OPTIONS (CONTINUED)                 |
|---|--|
| .040 Skin Upgrade (Black, White, & Silver Only)                       | Upgrade to Larger 7" Bottom Trim (PBF)       |
| .050 Skin Upgrade (Black & White Only)                                | Upgrade to 36" Stone Guard (From 24")        |
| NEW .078 PolyCOR Exterior Skin (Available in Black, White & Charcoal) | Upgrade to 48" Stone Guard (From 24")        |
| Anodized Aluminum Side & Rear Trim Panel (12"; PBF)                   | Two-Tone Color Package w/No Anodized Divider |
| Aluminum Diamond Plate Side & Rear Trim Panel (12"; PBF)              | Two-Tone Color w/6" Anodized Divider         |
| Anodized Aluminum Side & Rear Trim Panel (24"; PBF)                   | Two-Tone Color w/12" Anodized Divider        |
| Aluminum Diamond Plate Side & Rear Trim Panel (24"; PBF)              | Two-Tone Color w/24" Anodized Divider        |
|   | Upgrade to Anodized Nose Cone                |
| INTERIOR OPTIONS  |  |

#### **INTERIOR OPTIONS INTERIOR OPTIONS (CONTINUED)** .030 Aluminum Cove (All Colors) White .030 Aluminum Side Walls (Bonded) White .030 Aluminum Side Walls (Screwed) Anodized Roof Coves White .030 Aluminum Ceiling (Bonded) Anodized Spring Cover White .030 Aluminum Ceiling (Screwed) **Diamond Plate Spring Cover** White Vinyl Backed Luan (Ceiling Only; PBF) .030" Aluminum Spring Assist Cover for Front Ramp Door White Vinyl Faced Luan Walls .030" Aluminum Spring Assist Cover for Rear Ramp Door Partition Wall w/32" Access Door Upgrade to 1/2" Plywood Walls (PBF) Upgrade to 3/8" Plywood Walls (PBF; May Extend Lead Time) Diamond Plate Kick Plate (6") Upgrade to 3/8" Water Resistant Walls (From White Luan Walls; PBF) Diamond Plate Kick Plate (12") Upgrade to 3/8" Plywood Walls (From White Luan Walls; PBF) Diamond Plate Kick Plate (24") 3/4" Foam Insulation (Side Walls; PBF) Water Resistant Kick Plate (12") 3/4" Foam Insulation (Ceiling; Liner Required) Extruded Aluminum Kick Plate (6") 2" Foam Insulation (Ceiling Only; PBF) Carpet on Walls (Charcoal; 3' Up Walls; 4' For V-Nose) Upgrade to 2" Foam Insulation (Ceiling Only; PBF) Upgrade to Black TPO Coin Walls (3' Up Walls; 4' For V-Nose; PLF)

#### **FLOORING OPTIONS**

| FLOORING OPTIONS   |
|--|
| Upgrade to 3/4" Pressure Treated Plywood (From 3/4" Water Resistant Decking)                   |
| Upgrade to 3/4" Quad Ply Decking w/12" Quad Ply Kick Plate (Non-Skid Surface, FRP Backer; PBF) |

| FLOORING OPTIONS (CONTINUED)                     |
|--|
| Additional Layer of 3/4" Water Resistant Decking |
| Upgrade to 3/4" Foam Insulated Floor             |

### **TRACK MATS & SKI GUIDES**

| TRACK MATS & SKI GUIDES                       | TRACK MATS & SKI GUIDES (CONTINUED) |
|---|-------------------------------------|
| LowPro Grip Glides – 12' Box                  | LowPro Grip Glides – Front Ramp     |
| LowPro Grip Glides – 14' Box                  | LowPro Grip Glides – Rear Ramp      |
| LowPro Grip Glides – 16' Box                  | LowPro Glides – 12' Box             |
| LowPro Grip Glides – 18' Box                  | LowPro Glides – 14' Box             |
| LowPro Grip Glides – 20' Box                  | LowProGlides – 16' Box              |
| LowPro Grip Glides – 22' Box                  | LowPro Glides – 18' Box             |
| LowPro Grip Glides – 24' Box                  | LowPro Glides – 20' Box             |
| LowPro Grip Glides – 60"x12' Crossover/Hybrid | LowPro Glides – 22' Box             |
| LowPro Grip Glides – 12' Crossover/Hybrid     | LowPro Glides – 24' Box             |
| LowPro Grip Glides – 14'/16' Crossover/Hybrid | LowPro Glides – Front Ramp          |
| LowPro Grip Glides – 22' Crossover/Hybrid     | LowPro Glides – Rear Ramp           |



### TRACK MATS & SKI GUIDES CONTINUED

| TRACK MATS & SKI GUIDES                  |  |
|--|--|
| LowPro Glides – 60"x12' Crossover/Hybrid |  |
| LowPro Glides – 12' Crossover/Hybrid     |  |
| LowPro Glides – 14'/16' Crossover/Hybrid |  |
| LowPro Glides – 22' Crossover/Hybrid     |  |
| Paddle Grabbers – Front Ramp             |  |
| Paddle Grabbers – Rear Ramp              |  |
| Ski Deflector – Rear Ramp                |  |
| Ski Deflector – Front Ramp               |  |
| TraxMat – 12' Box                        |  |
| TraxMat – 14' Box                        |  |
| TraxMat – 16' Box                        |  |

| TRACK MATS & SKI GUIDES (CONTINUED) |
|-------------------------------------|
| TraxMat – 18' Box                   |
| TraxMat – 20' Box                   |
| TraxMat – 22' Box                   |
| TraxMat – 24' Box                   |
| TraxMat – Front Ramp                |
| TraxMat – Rear Ramp                 |
| TraxMat – 60"x12' Crossover/Hybrid  |
| TraxMat – 12' Crossover/Hybrid      |
| TraxMat – 14/16' Crossover/Hybrid   |
| TraxMat – 20' Crossover/Hybrid      |
| TraxMat – 22' Crossover/Hybrid      |

#### **TIRE/WHEEL ASSEMBLIES & ACCESSORIES**

| TIRE/WHEEL ASSEMBLIES & ACCESSORIES   |  |
|---|--|
| Upgrade to 12" Aluminum Wheels (145/R12 Tire; From 12" Silver Mod)                                  |  |
| Upgrade to 13" Silver Mod Wheels (From 12" E-Rated Silver Mod)                                      |  |
| Upgrade to 13" Aluminum (Radial; From 13" Silver Mod Wheels)  |  |
| Upgrade to 15" Silver Mod (From 12" E-Rated Wheels, Includes Drop Tongue)                           |  |
| Upgrade to 15" Silver Mod From 13" Silver Mod   |  |
| Upgrade to 15" Aluminum Rims From 15" Silver Mod  |  |
| Upgrade to 15" Black Aluminum (Radial; From 15" Silver Mod Radial Wheels)                           |  |
| Upgrade to 15" Flat Black Mod (Radial; From 15" Silver Mod Radial Wheels)                           |  |
| Upgrade to 15" Galvanized (Radial; From 15" Silver Mod Radial Wheels)                               |  |
| Upgrade to 15" 225 Silver Mod From 15" 205 Silver Mod   |  |
| Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)                         |  |
| Upgrade to 15" 225 Black Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)                   |  |
| Upgrade to 15" 225 Flat Black Mod (Radial; From 15" 225 Silver Mod Radial Wheels;<br>Special Order) |  |
| Upgrade to Black Aluminum Rims from Aluminum (Same Size)  |  |

| TIRE/WHEEL ASSEMBLIES & ACCESSORIES (CONTINUED)                   |
|---|
| Spare 12" E-Rated Silver Mod Wheel w/ 145/R12 Tire                |
| Spare 12" Aluminum Wheel w/ 145R12 Tire                           |
| Spare 13" Silver Mod Wheel w/ 175/80R13 Tire                      |
| Spare 13" Aluminum Wheel w/ 175/80R13 Tire                        |
| Spare 13" Galvanized Wheel w/ 175/80R13 Tire                      |
| Spare 15" Silver Mod Wheel w/ 205/75R15 Tire                      |
| Spare 15" Aluminum Wheel w/ 205/75R15 Tire                        |
| Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (6-Lug)              |
| Spare 15" Aluminum Wheel w/ 225/75R15 Tire (6-Lug)                |
| Spare 15" Black Aluminum Wheel w/ 225/75R15 Tire                  |
| 2024 Interior Elevated Spare Tire Mount (Universal Fitment)       |
| Exterior Elevated Spare Tire Mount (Diamond Plate; Exterior Wall) |
| Spare Tire Mount (Interior; Floor Level)                          |
| Deluxe Recessed Spare Tire Well (Diamond Plate w/Hatch Cover)     |

### AXLES

| AXLES  | AXELS (CONTINUED)  |
|--|--|
| Upgrade to 2-2K Torsion Braked Axles (From 1-3K Torsion Idler)                 | Upgrade to 2-3K Hydraulic Braked Axles (From 2-3K Torsion Braked)    |
| Upgrade to 1-3K Torsion Braked Axle (From 1-3K Torsion Idler)                  | Spread Axle Upgrade w/Individual Fenders (7' & 7.5' Wide)            |
| Upgrade to 2-3K Torsion Braked Axles (From 1-3K Torsion Idler)                 | Upgrade to Surge Braking System (Not Available For Gooseneck Models) |
| Upgrade to 2-3K Torsion Braked Axles (From 2-2K Torsion Braked)                | Upgrade to Zero Degree Axle(s)                                       |
| Upgrade to 3-3K Torsion Braked Axles (From 2-3K Braked)                        | Upgrade to 22.5 Degree Down Axle(s)                                  |
| Upgrade to 2-5K Torsion Braked Axles & Frame (From 2-3K Braked; Includes Axle  | Upgrade to 45 Degree Down Axle(s)                                    |
| Carrier Upgrade, 16" O/C Floor Stud Upgrade, & Upgrade to 15" 225 6-Lug Tires) | Upgrade to Galvanized Axle (Torsion; Minimum 4 Week Lead Time)       |



#### **TIE-DOWNS**

| TIE-DOWNS   | TIE-DOWNS (CONTINUED)   |
|---|---|
| Light Duty Surface-Mounted D-Ring (Installed)   | E-Track, Surface Mounted (Floor)                                  |
| Light Duty Sliding D-Ring (For Recessed Slide Track; Installed)                           | E-Track, Surface Mounted (Wall)                                   |
| Upgrade to Powder Coated Sliding D-Ring (From Existing Sliding D-Ring)                    | E-Track, HD Recessed w/Backing Plate (Floor)                      |
| Heavy-Duty Recessed 5000# D-Rings w/Backing Plate   | E-Track, HD Recessed w/Backing Plate (Walls)                      |
| Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Zinc)                           | E-Track (Aluminum), Surface Mounted (Wall)                        |
| Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Stainless Steel)                | E-Track (Aluminum), HD Recessed w/Backing Plate (Floor)           |
| Recessed Flip-Up Motorcycle Wheel Chock w/(4) Surface-Mounted D-Rings                     | E-Track (Aluminum), HD Recessed w/Backing Plate (Walls)           |
| Recessed Flip-Up Motorcycle Wheel Chock   | Airline Track (Aluminum), Surface Mounted (Floor)                 |
| Recessed Flip-Up Motorcycle Wheel Chock w/(4) Recessed Heavy Duty D-Rings                 | Airline Track (Aluminum), Surface Mounted (Wall)                  |
| Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Surface-Mounted D-Rings                      | Airline Track (Recessed in Floor; Aluminum; PLF)                  |
| Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Heavy Duty D-Rings                           | Airline Track (Recessed in Wall; Aluminum; PLF)                   |
| Single Stainless Steel Tube Style Wheel Chock for Single Piece of Slide Track (Installed) | Recessed Slide Track (Track Only; D-Rings Sold Separately)        |
| Stainless Steel Tube Style Wheel Chock  | Powder Coated Slide Track Upgrade (For Existing Slide Track; PBF) |

### **12V LIGHTING & ELECTRICAL**

| 12V LIGHTING & ELECTRICAL  | 12V LIG  |
|--|----------|
| Add LED Backup Lights (Pair; Installed)  | Upgrad   |
| Additional LED Stop/Turn/Tail Lights (Pair; Installed)                             | LED Put  |
| Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)                           | Addition |
| Upgrade to Additional LED Marker Lights Bullets                                    | LED Pu   |
| Diamond Plate Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)       | Lights,  |
| Anodized Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)            | 18" 12   |
| (2) 12V LED Load Lights (Double Lights w/Single Switch; 950 Lumens)                | Upgrad   |
| 12V LED Load Light (Single Light w/Switch; 950 Lumens)                             | Upgrad   |
| Recessed LED Exterior Load Light Package For Side of Trailer: (1) Light w/Switch & | Trickle  |
| Housing (950 Lumens)   | Deep C   |
| 12V LED Porch Light w/Wall Switch  | 12V US   |
| K60 LED Exterior Scene Light Package: (1) 12V Wall Switch w/(2) K60 Scene Lights   | LED Inte |
| Mid-Ship Turn Signals (For Tandem Fenders Only; Pair)                              | Upgrad   |
| Angled Back Up Lights (Mounts on Side of Trailer)                                  | Upgrade  |
| Upgrade to 12V Electric Pedestal Jack w/Battery & Box (Installed)                  | Upgrade  |
| 12V Power Jack (Cigarette Lighter Plug)  | Lights v |
| Upgrade to LED Economy Dome Light (460 Lumens; From Incandescent Dome Light)       | Upgrad   |
| Additional 12V LED Dome Light (460 Lumens)   | Wireles  |
| 12 Volt Wall Switch  | Add LEI  |
| 12 Volt Wall Switch (3-Way)  | Switch   |
|  |          |

| 12V LIGHTING & ELECTRICAL (CONTINUED)   |
|---|
| Upgrade to 12 Volt (3-Way) Wall Switch  |
| LED Puck Light Package: (8) Recessed Lights & Wall Switch (Requires Ceiling Liner)  |
| Additional Recessed LED Puck Light  |
| LED Puck Light Package Under Overhead Cabinet: (2) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch                                     |
| 18" 12V LED Light (Requires Ceiling Liner)  |
| Upgrade Interior Dome Light to 12V 18" LED Light  |
| Upgrade to (3) 18" 12V LED Lights From (2) 4' LED Wraparound (Requires Ceiling)   |
| Trickle Charger for Battery   |
| Deep Cycle Marine Battery & Box (Wired)   |
| 12V USB-C & USB-A Dual Recessed Receptacle  |
| LED Interior Strip Light w/Housing Package (Per Foot, Per Section)  |
| Upgrade to 7-Way Plug w/Junction Box (From 4-Way Plug)  |
| Upgrade to Permaseal Wire Connectors  |
| Upgrade Premium Light Package (LED Strip Lights w/Integrated Backup Lights, Marker Lights w/Clear Lenses)                                     |
| Upgrade to Premium Light Package (LED Strip Lights w/No Backup Lights, Marker Lights w/Clear Lenses)  |
| Wireless Backup Camera System w/7" LCD Screen   |
| Add LED 6" Oval Alternating Flashing Safety Lights (Pair; Orange) w/Exterior Toggle<br>Switch (Hardwired Into Auxiliary; 7-Way Plug Required) |



#### **110V LIGHTING & ELECTRICAL**

#### **110V LIGHTING & ELECTRICAL**

110V Power Package #1: (1) 15 AMP Motorbase Plug, (1) Wall Switch, (1) Receptacle, (1) 4' LED Wraparound Light (No Additions Available)

110V Power Package #2: (1) 30 AMP Breaker, (1) 25' Shore Line, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) GFCI Wall Receptacle, (2) 4' LED Wraparound Lights

110V Power Package #3: (1) 30 AMP Panel, (1) Wall Switch, (4) Standard Wall Receptacles, (1) GFCI Receptacle, (4) 4' LED Wraparound Lights, (1) Brace & Wire Stub For A/C Unit

110V Power Package #4: (1) 15 AMP Motorbase Plug, (2) Wall Receptacles

110V Power Package #5: (1) 60A Breaker Panel w/60A Converter & 50A Motorbase Plug, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) USB Wall Receptacle, (1) GFCI Wall Receptacle, (2) 4' LED Wraparound Lights, 12V Deep Cycle Battery & Box

15A Motorbase Plug

30A Motorbase Plug (Replaces Shoreline; 110V Pkg Required)

30A Power Converter (110V Pkg #2 Required)

30A Power Cord 25' Long (For Motorbase Plug)

30A Generator Line Switch

| CABI      | NETS  |
|-----------|---|
| CABINET   | \$  |
| 5' Angled | Base Cabinet (Snow Trailer V-Nose)                                  |
| Overhead  | Cabinet, 1 Flip-Up Door (48"W x13"D x 18"H)                         |
| Overhead  | Cabinet, 2-Door (48"W x13"D x 18"H)                                 |
| Premium   | Overhead Cabinet, 1 Flip-Up Door (48"W x 13"D x 18"H)               |
| 48" Econo | omy Overhead Furnace Cabinet, 1 Flip-Up Door (Furnace Not Included) |
| Overhead  | Cabinet, 1 Door (62"W x 12"D x 18"H)                                |
| 60" Delux | e Overhead Furnace Cabinet, 1 Flip-Up Door (Furnace Not Included)   |
| Deluxe Ov | verhead Cabinet, 4-Door (72"W x 13"D x 18"H)                        |
| Deluxe Ov | erhead Cabinet, 4-Door (96"W x 13"D x 18"H)                         |
| Overhead  | Cabinet, 2 Flip-Up Doors (96"W x 13"D x 18"H)                       |
|           |   |

96" Overhead Premium Split Cabinet w/Center Shelf, 2 Flip-Up Doors (96"W x 18"D x 18"H)

Premium 50" Helmet Cabinet w/Hooks

#### **110V LIGHTING & ELECTRICAL (CONTINUED)** Upgrade to 50 AMP Breaker Box (110V Pkg #2 Required) 50A Power Cord 25' Long (For Motorbase Plug) 60A Power Converter (110V Pkg Required) 110 Volt Wall Receptacle (Installed; 110V Pkg Required) 110 Volt Combo USB/Wall Outlet Receptacle (Installed; 110V Pkg #2 Required) 110 Volt Wall Switch (3-Way; 110V Pkg #2 Required) Interior GFCI Wall Receptacle (Requires 30A Package) Exterior GFCI Wall Receptacle (Requires 30A Package) 4' LED Wraparound Light (110V Pkg Required) 500W Swing-Mount Quartz Light 13,500 BTU Roof Mounted Air Conditioner (110V Pkg #2 Required)

Heat Strip for A/C Unit

Brace & Stub Wire For Future AC Installation (110V Pkg #2 Required; 12 Gauge Wire & 20A Breaker)

Heater; Electric: CADET Com-Pak Plus White Wall Fan; 1500 Watt (110V Pkg #2 Required)

| CABINETS (CONTINUED)   |
|--|
| Premium Wall-Mounted Coat Hanger (47.5", 10 Hooks)   |
| Premium Ceiling-Mounted Coat Hanger (38", 22 Hooks)  |
| 48" Deluxe Boot Box w/Padded Top (Ducted; Requires Furnace Package & Vertical Duct; Not Available in Gooseneck Models) |
| 6' Horizontal Vented Duct (Angled End, 5 Vents)  |
| 8' Horizontal Vented Duct (8'Lx5"x5" w/5 Vents)  |
| Vertical Corner Duct (Requires Furnace Package)  |
| Add Heat Duct (PLF)  |
| Clothes Rod for Overhead Cabinets (48" Cabinets Only)  |

4' Coat Rack Package: 47' Slide Track w/(6) Adjustable Hooks

18" Shelving w/Angled Gussets (PLF, Per Tier)

Upgrade to Formica Countertop (Base Cabinet Sold Separately)

#### **VENTS & WINDOWS**

| VENTS & WINDOWS  | VENTS & WINDOWS (CONTINUED)                         |
|--|---|
| 14"x14" Manual Roof Vent                                   | Two-Way Directional Salem Vent Kit (Aluminum; Pair) |
| 12V Power Roof Vent  | 18"x24" Horizontal Radius Sliding Window w/Screen   |
| 110V Power Roof Vent (Requires 30A Package)                | 18"x24" Vertical Radius Sliding Window w/Screen     |
| Fantastic Fan/Vent (Dometic 22-0462; Requires 30A Package) | 24"x36" Radius Sliding Window w/Screen              |
| Maxx-Air Roof Vent Cover                                   | 24"x36" Egress Sliding Window (Tinted w/Screen)     |
| Directional Salem Vent Kit (Plastic; Pair)                 |   |



#### **MISC OPTIONS, ACCESSORIES**

| MISC OPTIONS, ACCESSORIES                                | MISC OPTIONS, ACCESSORIES (CONTINUED)   |
|--|---|
| Fold Down Bench (12"x48"; Work or Seating)               | 20# Propane Tank w/Regulator (Tongue-Mounted Holder Included)                   |
| Fold-Down Padded Bench (48"L) Vertical Design            | Upgrade to 30# Propane Tank From 20# Propane Tank w/Heavy Duty Mount            |
| Premium 50" Fold-Up Padded Bench                         | Upgrade to Underslung Propane Tank (Requires Package Including Standard Propane |
| Premium 36" Fold-Up Work Bench w/Integrated Tool Storage | Tank; Only Available on Deckover Models)  |
| Premium Cup Holder                                       | Stabilizer Jacks  |
| Premium (2) Race Fuel Holder                             | Stabilizer Jacks (Interior Rear; Drop-Down Pair; Installed)                     |
| Premium (3) Race Fuel Holder                             | Bogey/Caster Wheels (Installed; Pair)   |
| Basic Stereo Package: Includes (4) Boss Speakers         | Scissor Jacks (Camper Style; Pair)  |
|  | Add Exterior Marine Grade Speakers to Stereo System (Pair)                      |
| SPECIAL PACKAGES   |   |

#### SPECIAL PACKAGES

#### SPECIAL PACKAGES

Boondocker Package: Upgrade to Quad-Ply Flooring; Wraparound Front Ramp w/Spring Assist (72" Opening); 6" DP Kick Plate

Basic Heater Package (PES Deckover Boondocker): 20# Propane Tank (V-Nose); White Ceiling; Insulated Walls & Ceiling; 40K BTU Furnace; Safety Kit; Marine Grade Battery & Box; 48" Furnace Cabinet; 110V Package #6 w/(1) 15A Exterior Motorbase Plug, (1) Duplex Wall Receptacle; (2) Premium 48" Overhead Cabinets w/1 Flip-Up Door (48"Wx-13"Dx18"H) Adjustable in Versatile Wall; (4) Sets of Wall Coat Hangers (Adjustable in Versatile Wall; (3) Rows of Versatile Wall Track

Basic Heater Package (PES Deckover/DL): 20# Propane Tank (V-Nose); White Ceiling; Insulated Walls & Ceiling; 40K BTU Furnace; Safety Kit; Marine Grade Battery & Box; 48" Furnace Cabinet; 110V Package #6 w/(1) 15A Exterior Motorbase Plug, (1) Duplex Wall Receptacle; (2) Premium 48" Overhead Cabinets w/1 Flip-Up Door (48"Wx13"Dx-18"H) Adjustable in Versatile Wall; (4) Sets of Wall Coat Hangers (Adjustable in Versatile Wall); (3) Rows of Versatile Wall Track

Basic Heater Package (PCH AS Boondocker): 20# Propane Tank (V-Nose); White Ceiling; Insulated Walls & Ceiling; 40K BTU Furnace; Safety Kit; Marine Grade Battery & Box; 48" Furnace Cabinet; 110V Package #6 w/(1) 15A Exterior Motorbase Plug, (1) Duplex Wall Receptacle; (2) Premium 48" Overhead Cabinets w/1 Flip-Up Door (48"Wx13"Dx-18"H) Adjustable in Versatile Wall; (4) Sets of Wall Coat Hangers (Adjustable in Versatile Wall); (3) Rows of Versatile Wall Track

Basic Heater Package (PCH AS Peak Value): 20# Propane Tank (V-Nose); White Ceiling; Insulated Walls & Ceiling; 40K BTU Furnace; Safety Kit; Marine Grade Battery & Box; 48" Furnace Cabinet; 110V Package #6 w/(1) 15A Exterior Motorbase Plug, (1) Duplex Wall Receptacle; (2) Premium 48" Overhead Cabinets w/1 Flip-Up Door (48"Wx13"Dx-18"H) Adjustable in Versatile Wall

#### SPECIAL PACKAGES (CONTINUED)

Basic Heater Package (Inline Snow): 20# Propane Tank (V-Nose); White Ceiling; Insulated Walls & Ceiling; 40K BTU Furnace; Safety Kit; Marine Grade Battery & Box; 48" Furnace Cabinet; 110V Package #6 w/(1) 15A Exterior Motorbase Plug, (1) Duplex Wall Receptacle; (2) Premium 48" Overhead Cabinets w/1 Flip-Up Door (48"Wx13"Dx18"H) Adjustable in Versatile Wall; (4) Sets of Wall Coat Hangers (Adjustable in Versatile Wall); (3) Rows of Versatile Wall Track

Basic Heater Package (Gooseneck): (2) 30# Propane Tanks w/Compartment (Under Gooseneck); White Ceiling; Insulated Walls & Ceiling; 40K BTU Furnace; Safety Kit; Marine Grade Battery & Box; 96" Furnace Cabinet w/Integrated Boot Box; 110V Package #6 w/(1) 15A Exterior Motorbase Plug, (1) Duplex Wall Receptacle; (2) 48" Premium Overhead Cabinets w/(1) Flip-Up Door (48"Wx13"Dx18"H) Adjustable in Versatile Wall]; (4) Sets of Wall Coat Hangers (Adjustable in Versatile Wall); (3) Rows of Versatile Wall Track, & Angled 72" Side Ramp w/Spring Assist

NEW Polaris Versatile Wall Track System (Cost PLF, Per Row)

Kicker Stereo Package: (6) Speakers, AMP & Subwoofer, Clarion Face Unit w/Bluetooth

Exterior Powder Coat Package (Deckover): Includes Inner & Exterior Door Trims, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim

Exterior Powder Coat Package (Inline): Includes Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim





# RAMP CAPACITY BY MODEL

| RAMP TYPE  | APPLICABLE MODELS  | CAPACITY     |
|--|--|--------------|
| Utility Trailer Rear Ramp (Fold-Down)            | SSR (All Sizes); AR 2.0 (All Sizes); WR 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes)  | 750#         |
| Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)   | SSR (Optional, All Sizes); AR 2.0 (Optional, All Sizes); WR 2.0 (Optional, All Sizes);<br>FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes) | 750#         |
| Deckover Equipment Trailer Ramps (Stow)          | (All Sizes)  | 4000# (Pair) |
| Deckover Equipment Trailer Ramps 14K (Fold-Down) | (All Sizes)  | 5000# (Pair) |
| Patriot Ramps (Fold-Down)                        | (All Sizes)  | 4000# (Pair) |
| Patriot Ramps 14K (Fold-Down)                    | (All Sizes)  | 5000# (Pair) |
| Dump Trailers (Side-Stow, Optional)              | (All Sizes)  | 4000# (Pair) |
| ATV (83-Wide, Side-Stow)                         | (All Sizes)  | 1200# (Pair) |
| ATV (88-Wide, Side-Stow)                         | (All Sizes)  | 750# (Pair)  |
| Open Motorcycle (Rear-Stow)                      | (All Sizes)  | 1200#        |
| Slingshot Rear Ramp (Fold-Down, Bi-Fold)         | PU-SLINGSHOT   | 1500#        |
| Open Car Hauler 2.0 (Stow)                       | (All Sizes)  | 4000# (Pair) |
| Open Car Hauler 2.0-10K (Stow)                   | (All Sizes)  | 4000# (Pair) |
| Open Car Hauler Standard (Stow)                  | (All Sizes)  | 4000# (Pair) |
| Open Snow (Rear-Stow)                            | PFS  | 750#         |
| Sport Deck (Rear-Stow, Telescoping)              | PSD  | 1000#        |
| Enclosed Cargo (4, 5, 6-Wide)                    | (All Sizes)  | 1500#        |
| Enclosed Cargo (7, 7.5-Wide)                     | (All Sizes)  | 1500#        |
| Enclosed Cargo (8.5-Wide, Premium)               | (All Sizes)  | 1500#        |
| Enclosed Motorcycle (7-Wide)                     | (All Sizes)  | 1500#        |
| Enclosed Car Hauler (8.5-Wide)                   | (All Sizes)  | 4000#        |
| Enclosed Gooseneck (8.5-Wide, Rear)              | (All Sizes)  | 4000#        |
| Enclosed Gooseneck (8.5-Wide, Side, Optional)    | (All Sizes)  | 1200#        |
| Enclosed Snowmobile (7, 7.5, 101-Wide, Rear)     | (All Sizes)  | 1500#        |
| Enclosed Snowmobile (7, 7.5, 101-Wide, Front)    | (All Sizes)  | 1200#        |
| Enclosed Snowmobile (Crossover, Rear)            | (All Sizes)  | 1500#        |

