

#### STANDARD FEATURES

- > All-Aluminum Construction
- > 24" 0/C Floor Crossmembers
- > 2"x3" Subframe Tubing
- > Triple Tube Box Tube Tongue
- > 6000# Coupler w/2" Ball
- > Dexter Torsion Idler Axle
- > EASY Removable Aluminum Fenders
- > Extruded Aluminum Decking
- Adjustable Track for Perimeter Easy Install Ontions
- > Integrated Rear Ramp with Beveled Edge
- > Exterior LED Lighting
- Adjustable Interior Track for Easy Install Tie Downs
- > 4-Way Flat Power Connection
- > 5-Year Limited Warranty

# STANDARD SPECIFICATIONS

Trailer Model	54x8 2.0 AR	54x10 2.0 AR	60x8 2.0 AR	60x10 2.0 AR	66x10 2.0 AR
Model Number	PU54x8AR-2.0	PU54x10AR-2.0	PU60x8AR-2.0	PU60x10AR-2.0	PU66x10AR-2.0
Deck (WxL)	50"x96"	50"x119"	56"x96"	56"x119"	62"x119"
Overall (WxL)	76"x150"	76"x173"	82"x150"	82"x173"	88"x173"
Deck Height	16"	16"	16"	16"	16"
Hitch Height	13"	13"	13"	13"	13"
Axle(s) - Qty/Rating	1-2200#	1-2200#	1-2200#	1-2200#	1-2200#
Wheels	13" Aluminum	13" Aluminum	13" Aluminum	13" Aluminum	13" Aluminum
Tires	175/80R13	175/80R13	175/80R13	175/80R13	175/80R13
GVWR	2200#	2200#	2200#	2200#	2200#
Curb Weight	408#	458#	498#	542#	582#
Payload	1792#	1742#	1702#	1658#	1618#

# **OPTIONS & ACCESSORIES**

# **RAMP OPTIONS**

Bi-Fold Ramp Upgrade

# **JACKS & JACK ACCESSORIES**

1200# Wheel Jack

1500# Wheel Jack

#### **FLOORING OPTIONS**

Downgrade to 5/4" Pressure Treated Decking Boards (From Extruded Aluminum; PBF)

#### **TIRE/WHEEL ASSEMBLIES & ACCESSORIES**

Spare 13" Silver Mod Wheel w/175/80R13 Tire

Spare 15" Silver Mod Wheel w/205/75R15 Tire

Spare 13" Aluminum Wheel w/175/80R13 Tire

Spare 14" Aluminum Wheel w/205/75R14 Tire

Spare 15" Aluminum Wheel w/205/75R15 Tire

Downgrade to Silver Mods From Aluminum Rims

Upgrade to 14" Aluminum (Radial Ply; From 13" Aluminum)

Upgrade to 15" Aluminum (Radial Ply; From 13" Aluminum)

#### **RAIL KIT OPTIONS (2.0) MODELS**

Easy Install 10" Solid Rail Kit for 54"x8'

Easy Install 10" Solid Rail Kit for 54"x10'

Easy Install 10" Solid Rail Kit for 60"x8'

Easy Install 10" Solid Rail Kit for 60"x10'
Easy Install 10" Solid Rail Kit for 66"x10'

Easy Install 14" Slatted Rail Kit for 54"x8'

Easy Install 14" Slatted Rail Kit for 54"x10"

Easy Install 14" Slatted Rail Kit for 60"x8'

Easy Install 14" Slatted Rail Kit for 60"x10"

Easy Install 14" Slatted Rail Kit for 66"x10"

#### **EASY INSTALL/ADJUST OPTIONS**

Easy Install/Adjust Spare Tire Mount

Easy Install/Adjust Stake Pocket Kit: (4) Stake Pockets w/Hardware

Easy Install/Adjust D-Ring Kit: (4) 2,000lb D-Rings and Hardware

Easy Install/Adjust D-Ring(s)

Easy Install/Adjust Drop-Down Stabilizer Jacks (Pair)



# **OPEN AR 2.0 UTILITY TRAILERS**

54"x8' - 80"x14' CONTINUED

# 72"x10' - 80"x14'

#### STANDARD FEATURES

- > All-Aluminum Construction
- > 24" O/C Floor Crossmembers
- > 2"x3" Subframe Tubing
- > Triple Tube Box Tube Tongue
- > 6000# Coupler w/2" Ball
- > Dexter Torsion Idler Axle
- > EASY Removable Aluminum Fenders
- > Extruded Aluminum Decking
- > Integrated Rear Ramp With Beveled Edge
- > Exterior LED Lighting
- > 4-Way Flat Power Connection
- > Adjustable Track for Easy Install Tie Downs
- Adjustable Track for Perimeter Easy Install Options
- > 5-Year Limited Warranty

# STANDARD SPECIFICATIONS

Trailer Model	72x10 2.0 AR	72x12 2.0 AR	80x12 2.0 AR	80x14 2.0 AR
Model Number	PU72x10AR-2.0	PU72x12AR-2.0	PU80x12AR-2.0	PU80x14AR-2.0
Deck (WxL)	68"x119"	68"x146"	76"x146"	76"x169"
Overall (WxL)	94"x173"	94"x200"	102"x200"	102"x223"
Deck Height	17"	17"	17"	17"
Hitch Height	14"	14"	14"	14"
Axle(s) - Qty/Rating	1-3500#	1-3500#	1-3500#	1-3500#
Wheels	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum
Tires	205/75R14	205/75R14	205/75R14	205/75R14
GVWR	2990#	2990#	2990#	2990#
Curb Weight	667#	697#	730#	862#
Payload	2323#	2293#	2260#	2128#

### **OPTIONS & ACCESSORIES**

RAI	ИD	ODT	rιn	МC
DAI	VIP	UFI	w	IV P

Bi-Fold Ramp Upgrade

#### **JACKS & JACK ACCESSORIES**

1200# Wheel Jack

1500# Wheel Jack

# **FLOORING OPTIONS**

Downgrade to 5/4" Pressure Treated Decking Boards (From Extruded Aluminum; PBF)

#### **TIRE/WHEEL ASSEMBLIES & ACCESSORIES**

Spare 14" Aluminum Wheel w/205/75R14 Tire

Spare 15" Aluminum Wheel w/205/75R15 Tire

Downgrade to Silver Mods From Aluminum Rims

Upgrade to 15" Aluminum (Radial Ply; From 14" Aluminum Wheels)

# **RAIL KIT OPTIONS (2.0) MODELS**

Easy Install 10" Solid Rail Kit for 72"x10"

Easy Install 10" Solid Rail Kit for 72"x12'

Easy Install 10" Solid Rail Kit for 80"x12'

Easy Install 10" Solid Rail Kit for 80"x14'

Easy Install 14" Slatted Rail Kit for 72"x10'

Easy Install 14" Slatted Rail Kit for 72"x12'

Easy Install 14" Slatted Rail Kit for 80"x12"

Easy Install 14" Slatted Rail Kit for 80"x14'

Easy Install Side Stow ATV Ramps w/10" Solid Side Rail Kit (12')

Easy Install Side Stow ATV Ramps w/10" Solid Side Rail Kit (14')

#### **EASY INSTALL/ADJUST OPTIONS**

Easy Install/Adjust Spare Tire Mount

Easy Install/Adjust Stake Pocket Kit: (4) Stake Pockets w/Hardware

Easy Install/Adjust D-Ring Kit: (4) 2,000lb D-Rings and Hardware

Easy Install/Adjust D-Ring

Easy Install/Adjust Drop-Down Stabilizer Jacks (Pair)







# RAMP CAPACITY BY MODEL

RAMP TYPE	APPLICABLE MODELS	CAPACITY
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes); AR 2.0 (All Sizes); WR 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes); AR 2.0 (Optional, All Sizes); WR 2.0 (Optional, All Sizes); FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (Pair)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (Pair)
Patriot Ramps (Fold-Down)	(All Sizes)	4000# (Pair)
Patriot Ramps 14K (Fold-Down)	(All Sizes)	5000# (Pair)
Dump Trailers (Side-Stow, Optional)	(All Sizes)	4000# (Pair)
ATV (83-Wide, Side-Stow)	(All Sizes)	1200# (Pair)
ATV (88-Wide, Side-Stow)	(All Sizes)	750# (Pair)
Open Motorcycle (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	PU-SLINGSH0T	1500#
Open Car Hauler 2.0 (Stow)	(All Sizes)	4000# (Pair)
Open Car Hauler 2.0-10K (Stow)	(All Sizes)	4000# (Pair)
Open Car Hauler Standard (Stow)	(All Sizes)	4000# (Pair)
Open Snow (Rear-Stow)	PFS	750#
Sport Deck (Rear-Stow, Telescoping)	PSD	1000#
Enclosed Cargo (4, 5, 6-Wide)	(All Sizes)	1500#
Enclosed Cargo (7, 7.5-Wide)	(All Sizes)	1500#
Enclosed Cargo (8.5-Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle (7-Wide)	(All Sizes)	1500#
Enclosed Car Hauler (8.5-Wide)	(All Sizes)	4000#
Enclosed Gooseneck (8.5-Wide, Rear)	(All Sizes)	4000#
Enclosed Gooseneck (8.5-Wide, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile (7, 7.5, 101-Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile (7, 7.5, 101-Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile (Crossover, Rear)	(All Sizes)	1500#



