

# ENCLOSED CARGO VAULT SERIES

**TRITON**  
TRAILERS



## VC-610R, VC-610S, VC-612R, VC-612S

### STANDARD FEATURES

- > .030" Aluminum Panels
- > A-Frame Tongue Design
- > 16" Wall Studs w/Ceiling and Floor Cross Members
- > Sealed LED Bullet Marker Lights and Stop, Turn, Tail Light Bars
- > ¾" Treated Marine Grade Plywood Floor
- > 3/8" Plywood Walls
- > Double Seal Door
- > Side Access Door
- > Dual Side Vents
- > Four Flush Mount D-Rings (6' and 7' Wide)
- > Six Flush Mount D-Rings (8' Wide)
- > 1200 lbs. Tongue Jack w/Swivel Wheel
- > 24" Diamond Plate
- > Tongue Design for Truck Bed Clearance
- > Spring Assist Ramp Door w/Angled Approach
- > Interior LED Dome Light (6' and 7' Wide)
- > Two Interior LED Dome Light (8' Wide)
- > Single or Tandem Torsion Axle (6' & 7' Wide)
- > Tandem Torsion Axles (8' Wide)
- > 10', 12', 14', 16' Deck Length (6' and 7' Wide - not including 22" or 26" V-Nose)
- > 16', 18', 20' Deck Length (8' Wide - not including 31" V-Nose)
- > Available Box Heights 6', 6'6", 7'
- > Spacious 73" Clearance Between 13.5" High Wheel Wells (8' Wide)

### STANDARD SPECIFICATIONS

TRAILER MODEL	VC-610R	VC-610S	VC-612R	VC-612S
No. of Axles	1	1	1	1
Available Interior Height	72", 78", 84"	72", 78", 84"	72", 78", 84"	72", 78", 84"
Rear Door Opening (WxH)	6' - 63 1/2x66", 6'6" - 63 1/2x72", 7' - 63 1/2x78"	6' - 63 1/2x66", 6'6" - 63 1/2x72", 7' - 63 1/2x78"	6' - 63 1/2x66", 6'6" - 63 1/2x72", 7' - 63 1/2x78"	6' - 63 1/2x66", 6'6" - 63 1/2x72", 7' - 63 1/2x78"
Trailer Weight	1310 lb	1310 lb	1410 lb	1410 lb
GVWR Without Brakes	2995 lb	2995 lb	2995 lb	2995 lb
Carrying Capacity w/Out Brakes	1685 lb	1685 lb	1585 lb	1585 lb
GVWR With Brakes	3500 lb	3500 lb	3500 lb	3500 lb
Carrying Capacity w/Brakes	2190 lb	2190 lb	2090 lb	2090 lb
Bed (WxL)	69x120" (Plus 22" V-Nose)	69x120" (Plus 22" V-Nose)	69x144" (Plus 22" V-Nose)	69x144" (Plus 22" V-Nose)
Overall Width	90"	90"	90"	90"
Overall Length	166"	166"	190"	190"
Hitch Height	14"	14"	14"	14"
Coupler Size	2"	2"	2"	2"
Standard Tires	ST205/75 D14C	ST205/75 D14C	ST205/75 D14C	ST205/75 D14C
Optional Tires	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS
Rear Door Style	Ramp	Swing	Ramp	Swing

### VC-612-2R, VC-612-2S, VC-614R, VC-614S

#### STANDARD SPECIFICATIONS

TRAILER MODEL	VC-612-2R	VC-612-2S	VC-614R	VC-614S
<b>No. of Axles</b>	2	2	2	2
<b>Available Interior Height</b>	72", 78", 84"	72", 78", 84"	72", 78", 84"	72", 78", 84"
<b>Rear Door Opening (WxH)</b>	6' - 63 1/2x66", 6'6" - 63 1/2x72", 7' - 63 1/2x78"	6' - 63 1/2x66", 6'6" - 63 1/2x72", 7' - 63 1/2x78"	6' - 63 1/2x66", 6'6" - 63 1/2x72", 7' - 63 1/2x78"	6' - 63 1/2x66", 6'6" - 63 1/2x72", 7' - 63 1/2x78"
<b>Trailer Weight</b>	1670 lb	1670 lb	1795 lb	1795 lb
<b>GVWR Without Brakes</b>	2995 lb	2995 lb	N/A	N/A
<b>Carrying Capacity w/Out Brakes</b>	1325 lb	1325 lb	N/A	N/A
<b>GVWR With Brakes</b>	7000 lb	7000 lb	7000 lb	7000 lb
<b>Carrying Capacity w/Brakes</b>	5330 lb	5330 lb	5205 lb	5205 lb
<b>Bed (WxL)</b>	69x144" (Plus 22" V-Nose)	69x144" (Plus 22" V-Nose)	69x168" (Plus 22" V-Nose)	69x168" (Plus 22" V-Nose)
<b>Overall Width</b>	90"	90"	90"	90"
<b>Overall Length</b>	190"	190"	214"	214"
<b>Hitch Height</b>	14"	14"	14"	14"
<b>Coupler Size</b>	2 5/16"	2 5/16"	2 5/16"	2 5/16"
<b>Standard Tires</b>	ST205/75 D14C	ST205/75 D14C	ST205/75 D14C	ST205/75 D14C
<b>Optional Tires</b>	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS
<b>Rear Door Style</b>	Ramp	Swing	Ramp	Swing

### VC-712R, VC-712S, VC-712R-2R, VC-712-2S

#### STANDARD SPECIFICATIONS

TRAILER MODEL	VC-712R	VC-712S	VC-712R-2R	VC-712-2S
<b>No. of Axles</b>	1	1	2	2
<b>Available Interior Height</b>	72", 78", 84"	72", 78", 84"	72", 78", 84"	72", 78", 84"
<b>Rear Door Opening (WxH)</b>	6' - 75x66", 6'6" - 75x72", 7' - 75x78"	6' - 75x66", 6'6" - 75x72", 7' - 75x78"	6' - 75x66", 6'6" - 75x72", 7' - 75x78"	6' - 75x66", 6'6" - 75x72", 7' - 75x78"
<b>Trailer Weight</b>	1460 lb	1460 lb	1725 lb	1725 lb
<b>GVWR Without Brakes</b>	2995 lb	2995 lb	N/A	N/A
<b>Carrying Capacity w/Out Brakes</b>	1535 lb	1535 lb	N/A	N/A
<b>GVWR With Brakes</b>	3500 lb	3500 lb	7000 lb	7000 lb
<b>Carrying Capacity w/Brakes</b>	2040 lb	2040 lb	5275 lb	5275 lb
<b>Bed (WxL)</b>	81x144" (Plus 26" V-Nose)	81x144" (Plus 26" V-Nose)	81x144" (Plus 26" V-Nose)	81x144" (Plus 26" V-Nose)
<b>Overall Width</b>	102"	102"	102"	102"
<b>Overall Length</b>	197"	197"	197"	197"
<b>Hitch Height</b>	14"	14"	14"	14"
<b>Coupler Size</b>	2"	2"	2 5/16"	2 5/16"
<b>Standard Tires</b>	ST205/75 D14C	ST205/75 D14C	ST205/75 D14C	ST205/75 D14C
<b>Optional Tires</b>	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS
<b>Rear Door Style</b>	Ramp	Swing	Ramp	Swing

### VC-714R, VC-714S, VC-716R, VC-716S

#### STANDARD SPECIFICATIONS

TRAILER MODEL	VC-714R	VC-714S	VC-716R	VC-716S
No. of Axles	2	2	2	2
Available Interior Height	72", 78", 84"	72", 78", 84"	72", 78", 84"	72", 78", 84"
Rear Door Opening (WxH)	6' - 75x66", 6'6" - 75x72", 7' - 75x78"	6' - 75x66", 6'6" - 75x72", 7' - 75x78"	6' - 75x66", 6'6" - 75x72", 7' - 75x78"	6' - 75x66", 6'6" - 75x72", 7' - 75x78"
Trailer Weight	1815 lb	1815 lb	1905 lb	1905 lb
GVWR Without Brakes	N/A	N/A	N/A	N/A
Carrying Capacity w/Out Brakes	N/A	N/A	N/A	N/A
GVWR With Brakes	7000 lb	7000 lb	7000 lb	7000 lb
Carrying Capacity w/Brakes	5185 lb	5185 lb	5095 lb	5095 lb
Bed (WxL)	81x168" (Plus 26" V-Nose)	81x168" (Plus 26" V-Nose)	81x192" (Plus 26" V-Nose)	81x192" (Plus 26" V-Nose)
Overall Width	102"	102"	102"	102"
Overall Length	221"	221"	245"	245"
Hitch Height	14"	14"	14"	14"
Coupler Size	2 5/16"	2 5/16"	2 5/16"	2 5/16"
Standard Tires	ST205/75 D14C	ST205/75 D14C	ST205/75 D14C	ST205/75 D14C
Optional Tires	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS
Rear Door Style	Ramp	Swing	Ramp	Swing

## VC-816R, VC-816S, VC-818R, VC-818S

### STANDARD SPECIFICATIONS

TRAILER MODEL	VC-816R	VC-816S	VC-818R	VC-818S
<b>No. of Axles</b>	2	2	2	2
<b>Available Interior Height</b>	72", 78", 84"	72", 78", 84"	72", 78", 84"	72", 78", 84"
<b>Rear Door Opening (WxH)</b>	6' - 87x66", 6'6" - 87x72", 7' - 87x78"	6' - 87x66", 6'6" - 87x72", 7' - 87x78"	6' - 87x66", 6'6" - 87x72", 7' - 87x78"	6' - 87x66", 6'6" - 87x72", 7' - 87x78"
<b>Trailer Weight</b>	2260 lbs	2260 lb	2360 lb	2360 lb
<b>GVWR Without Brakes</b>	N/A	N/A	N/A	N/A
<b>Carrying Capacity w/Out Brakes</b>	N/A	N/A	N/A	N/A
<b>GVWR With Brakes</b>	7000/9995 lb	7000/9995 lb	7000/9995 lb	7000/9995 lb
<b>Carrying Capacity w/Brakes</b>	4740/7735 lb	4740/7735 lb	4640/7635 lb	4640/7635 lb
<b>Bed (WxL)</b>	92x189" (Plus 31" V-Nose)	92x189" (Plus 31" V-Nose)	93x213" (Plus 31" V-Nose)	93x213" (Plus 31" V-Nose)
<b>Overall Width</b>	99"	99"	99"	99"
<b>Overall Length</b>	257"	257"	281"	281"
<b>Hitch Height</b>	18"	18"	18"	18"
<b>Coupler Size</b>	2 5/16"	2 5/16"	2 5/16"	2 5/16"
<b>Standard Tires</b>	ST205/75 D15C 3500# Axle, ST225/75 R15C 5200# Axle	ST205/75 D15C 3500# Axle, ST225/75 R15C 5200# Axle	ST205/75 D15C 3500# Axle, ST225/75 R15C 5200# Axle	ST205/75 D15C 3500# Axle, ST225/75 R15C 5200# Axle
<b>Optional Tires</b>	ST205/75 R14C ALUM RIMS 3500# Axle, ST225/75 R15E ALUM RIMS 5200# Axle	ST205/75 R14C ALUM RIMS 3500# Axle, ST225/75 R15E ALUM RIMS 5200# Axle	ST205/75 R14C ALUM RIMS 3500# Axle, ST225/75 R15E ALUM RIMS 5200# Axle	ST205/75 R14C ALUM RIMS 3500# Axle, ST225/75 R15E ALUM RIMS 5200# Axle
<b>Rear Door Style</b>	Ramp	Swing	Ramp	Swing

**VC-820R, VC-820S**

**STANDARD SPECIFICATIONS**

TRAILER MODEL	VC-820R	VC-820S
No. of Axles	2	2
Available Interior Height	72", 78", 84"	72", 78", 84"
Rear Door Opening (WxH)	6' - 87x66", 6'6" - 87x72", 7' - 87x78"	6' - 87x66", 6'6" - 87x72", 7' - 87x78"
Trailer Weight	2499 lb	2499 lb
GVWR Without Brakes	N/A	N/A
Carrying Capacity w/Out Brakes	N/A	N/A
GVWR With Brakes	7000/9995 lb	7000/9995 lb
Carrying Capacity w/Brakes	4501/7496 lb	4501/7496 lb
Bed (WxL)	93x237" (Plus 31" V-Nose)	93x237" (Plus 31" V-Nose)
Overall Width	99"	99"
Overall Length	305"	305"
Hitch Height	18"	18"
Coupler Size	2 5/16"	2 5/16"
Standard Tires	ST205/75 D15C 3500# Axle, ST225/75 R15C 5200# Axle	ST205/75 D15C 3500# Axle, ST225/75 R15C 5200# Axle
Optional Tires	ST205/75 R14C ALUM RIMS 3500# Axle, ST225/75 R15E ALUM RIMS 5200# Axle	ST205/75 R14C ALUM RIMS 3500# Axle, ST225/75 R15E ALUM RIMS 5200# Axle
Rear Door Style	Ramp	Swing

**OPTIONS & ACCESSORIES**

Vault Series
Roof Vent
Wall Switch Circuit 2-Way
Hoop Style Spare Tire Carrier (Spare Tire Sold Separately)
Flush Mount Set of 2 D-Ring Tie-Downs
Stabilizer Jacks (for 6' & 7' Wide)
Stabilizer Jacks (8' Wide)
5200 lb. Axle Upgrade (8' Wide)
Electric Drum Brakes
Step Kit
Side Access Door Window

Vault Series
Basic 110V 30 Amp Converter
30 AMP Power Cord
Wall Switch
LED Interior Dome
Roof Rack
Height Increase for Vault
Stabilizer Jacks
Vault Color Options
Diamond Plate Spare Tire Carrier
Brown Luan Ceiling

**COLOR OPTIONS**



Black



White



Charcoal Grey



Metallic Pewter

# ENCLOSED CARGO POPULAR OPTIONS

**SIDE DOORS & STEPS**

Window in Side Access Door

Screen Door in Side Access Door

Keyless Entry For Side Access Door

Spring Door Chain Kit

Lighted Grab Handle w/Switch

Side Door Custom Color Charge - Per Door

Side Door Lock

Move Side Door To V-Nose

Additional 66" Side Door

Additional 72" Side Door

**CAR ACCESS DOOR**

Car Access Door 48"x60"

Car Access Door Custom Color Charge (other than Black/White/Pewter/Gray)

**CONCESSION DOOR**

Concession Door 36"x48" Rough Opening

Concession Door 36"x72" Rough Opening

**SIDE DOOR**

24"x18" Side Window

20"x30" Side Window

**FUEL DOORS**

Square Fuel Door

Fuel Door Lock

**RAMP ACCESSORIES**

Aluminum Ramp Extension Kit - 7W

**WHITE LAUAN INTERIOR (INCLUDES COVE PANS)**

White Lauan Interior - PR147

White Lauan Interior - PR167

**3/8 PLYWOOD WALLS/WHITE LAUAN CEILING**

3/8" Plywood Walls/White Lauan Interior Ceiling

**ALUMINUM WHITE SKIN INTERIOR (INCLUDES COVE PANS)**

White Aluminum Skin Interior - 147

White Aluminum Skin Interior - 167

**INTERIOR BLACK ACCENTS (BLACK COVE, NOSE, SPRING PANS)**

Black Interior Accents - 147

Black Interior Accents - 167

**COMBO WALL (COST IS PER ROW OF COMBO WALL)**

Combo Wall 1 Row - 14'

Combo Wall 1 Row - 16'

**INSULATED WALLS & CEILING (MUST BE ORDERED W/ INTERIOR WALLS & CEILING)**

Insulated Walls &amp; Ceiling - 14'

Insulated Walls &amp; Ceiling - 16'

**INSULATED FLOOR**

Insulated Floor - 14'

Insulated Floor - 16'

**DIAMOND PLATE KICK PANEL (RECOMMEND QUICKSLIDE ON WALLS)**

Diamond Plate Kick Panel - 14'

Diamond Plate Kick Panel - 16'

**DIAMOND PLATE ON WALLS (RECOMMEND QUICKSLIDE ON WALLS)**

Diamond Plate on Walls - 24" High 14'

Diamond Plate on Walls - 24" High 16'

**BLACK QUAD FLOORING**

Quad Ply Floor, Rear Ramp Door, Front Ramp Door - PR 147

Quad Ply Floor, Rear Ramp Door, Front Ramp Door - PR 167

**BLACK QUAD KICK PANEL**

Quad Ply Kick Panel - 14'

Quad Ply Kick Panel - 16'

**QUICKSLIDE ON WALLS**

Quickslide on Walls 14'

Quickslide on Walls 16'

**QUICKSLIDE DOWN MIDDLE (3RD ROW - PER ROW)**

Quickslide Down Middle -14'

Quickslide Down Middle -16'

## POWER SUPPLIES

12V 15A Basic Converter Package (No Lights)
12V-15A Premium Converter Package (No Lights)
12V-20A Premium Converter Package (No Lights)
12V-30A Premium Converter Package (No Lights)
Pass Thru 15AMP
Pass Thru 20AMP

## BATTERY OPTIONS

Battery, Standard
Battery, Double Box Standard
Battery w/V Cabinet Location Standard

## OUTLETS

(1x) 110V Decora Wall Outlet
(1x) 110V Decora Cove Outlet
Exterior Outlet w/ Interior Outlet

## POWER ACCESSORIES

30 Amp Power Cord, 25'
Battery Charger/Tender Kit
Charging Center Kit
Solar Charger (Battery Trickle Charger)

## RADIO

Single Din Stereo - Includes Radio, Mount, 2 Pairs of Speakers & #18285 AM/FM Antenna. Helmet Cabinet Required to Mount; Sirius XM Compatible.
Double Din Stereo - Includes Touch Screen Radio/Video Player, Mount, 2 Pairs of Speakers & #18285 AM/FM Antenna. Helmet Cabinet Required to Mount; Sirius XM Compatible.
Satellite Antenna Sirius XM Control Unit

## INTERIOR LIGHTING 12V

Lights - (2x) LED Dome - Roof - 920 Lumens Per Light
Lights - (12x) LED Round Lights - Roof
Lights - (4x) Rectangle LED - Roof - 2100 Lumens Per Light
Lights - (2x) 16' LED Strip Lights - Roof - 1068 Lumens Per Light
Lights - (4x per side) LED Round Lights - Cove
Lights - (1 per side) 16' LED Strip - Cove - 1068 Lumens Per Strip
Cove Pans - Use w/Cove Light Kit & No Interior, 14'
Cove Pans - Use w/Cove Light Kit & No Interior, 16'

## EXTERIOR LIGHTING 12V

Light, (1x) 1x3 LED Load w/Switch - Center Above Man Door
Light, (1x) 1x3 LED Load w/Switch - Center Above Rear Ramp Door
Light, (2x) 1x3 LED Load w/Switch - Corners Above Rear Ramp Door
LED Load Light - Rear Ramp Door Spring Pan Location w/Switch (Must Order Interior)
Exterior Scene Lights w/Switch (2 Lights on CS or RS) - 2500 Lumens Per Light
Exterior Scene Lights w/Switch (2 Lights on CS or RS) - 1400 Lumens Per Light
Rear Back-Up Light (Includes 2 Lights) - 1400 Lumens Per Light
Clear Exterior Lights with Rear Load - 500 Lumens Per Light
Backup Light w/LED Upgrade (XT Series)
Backup Light w/LED Upgrade (Prestige, LB, LBHD)

## LIGHTING CIRCUITS / SWITCHES

(1x) 2-Way Switched Light Circuit - (12V)
(2x) 2-Way Switched Light Circuits - (12V)
(3x) 2-Way Switched Light Circuits - (12V)
Auto-On Door Switch - (12V)
Single Switch Wired to Aux Light as Load light

## HVAC

Prep for A/C Unit - 7W (Extra Roof Bows & Run Power Wire)
AC Roof 13.5k BTU - 7W (includes 10464)
Floor Drain



## EXTERIOR OPTIONS

- Stabilizer Scissor Jack (Pair w/Handle)
- Rear Frame Rollers (2)
- Roof Rack Kit (Sold Individually)
- Electric Tongue Jack Option
- Upgrade to Flat Pad Jack

## VENTS

- Roof Vent
- Roof Vent w/Fan
- Roof Vent w/Fan (Fantastic Fan)
- Side Vents (Pair)
- Roof Vent Cover

## MULTI COLOR EXTERIOR SKIN

- Multi Color Custom Charge
- Multi Color, 6' High
- Multi Color, 6'6" High
- Multi Color, 7' High
- Multi Color, 7'6" High

## UPGRADED EXTERIOR SKIN

- Trailer Only Custom Color Charge
- 3' High Diamond Plate Stone Guard
- 4' High Diamond Plate Stone Guard
- Diamond Plate to Top of V
- .040 Exterior Skin - 14'
- .040 Exterior Skin - 16'
- .040 Exterior Skin - V-Front Only
- .050 Exterior Skin - 14'
- .050 Exterior Skin - 16'
- .050 Exterior Skin - V-Front Only

## ANODIZED SKIRT

- 12" High Anodized Skirt - 14'
- 12" High Anodized Skirt - 16'
- 16" High Anodized Skirt - 14'
- 16" High Anodized Skirt - 16'

## SIDE AWNING

- 16' Side Awning (Standard Color - Onyx)

## RACKS / CABINETS / SHELVES

- Cabinet, X 32 - White
- Cabinet, X 48 - White
- Cabinet, X 48 - Black
- Clothes Hanger Kit for 32" or 48" Helmet Cabinet
- Wheel Well Cabinet - White
- Wheel Well Cabinet - Black
- Cabinet, Helmet 14"D x 49.5"W x 16" Framed - Black
- Cabinet, Base 16"D x 55"W x 36" Framed - Black
- Paper Towel Rack
- Two Shelf Oil Rack
- Three Shelf Combo Rack
- Work Bench Shelf (41" Off Floor)
- Folding Seat (17-1/4" Off Floor to Top of Seat)
- Jack-Knife Couch (\*\*Must order Quickslide on Walls if Factory Installed; Cannot Install in Beavertail Area)
- Workstation/Cabinet
- Trimmer Rack Kit
- Fuel Jug Rack Kit
- Coat Rack

## SPARE TIRE RACKS/CLOSET

- Spare Tire Carrier (Diamond Plate)
- Spare Tire Carrier (Hoop Style)

## SPARE TIRES & UPGRADES

- Tire Upgrade, #06193 14" Aluminum Rim (8'-Wide, Tandem Axle)
- Tire & Wheel, ST205/75R14 Alum. (7'-Wide)
- Tire & Wheel, ST205/75R14C White (7'-Wide)
- Tire & Wheel, 175/R13D Alum. (8'-Wide)
- Tire & Wheel, 175/R13D White (8'-Wide)
- Tire & Wheel, ST205/75 R15C Alum. (Low Boy)
- Tire & Wheel, ST205/75 R15C White
- Tire & Wheel, ST205/75D15C Silver
- Tire & Wheel, ST22575R15E White
- Tire & Wheel, ST22575R15E Alum. (LBHD)

**TIE DOWNS / KITS**

Quickslide Tie Down Kit, Eyebolt (2 pcs.)

Quickslide Tie Down Kit, Flush (2 pcs.)

HD Tie Down Ring, Installed

Tie Down Kit (4 pcs.)

Combo Companion Kit (8 pcs.)

Combo Quick Release Tie Down Kit (4 pcs.)

Tie Down Bar Stool Kit (2 pair)

**CLOSET**

V-Nose Closet - 7'-Wide

**MOTORCYCLE ACCESSORIES**

Quickslide Motorcycle Wheel Chock Kit \*Includes: (1) #03666 18" MCT Chock, (2) #08843 1/2-13 x 1 BHSCS Z/Y, (2) #07728 Keeper Block

Flush Mount Wheel Chock Option

# ADDITIONAL LIGHT OPTIONS

DESCRIPTION
Light, 2 1/2" Round Amber Clearance
Light, 2 1/2" Round Red Clearance
Grommet, 2 1/2" Round
Bracket, License Plate Light Kit
Tail Light, Oval
Bracket, License Plate (Plastic)
Light, 2" Round Red Clearance
Grommet, 2" Round
Lens, Side and Tail - LXT/XTV
Reflector, Amber
Light, 2" Round Amber Clearance
Grommet, Rectangle Clearance Light
Light, Rectangle License Plate, Clear
Reflector, Red
Grommet, Oval Tail
Light, Rectangle Clearance, Red
Light, Rectangle Clearance, Amber
Tail Light, RH (LXT/XTV/DOP)
Tail Light, LH (LXT/XTV/DOP)
Reflector, Amber - AUT
Light, ID Bar
Light, 2 1/2" Round Red Clearance - WCII
Grommet, 2 1/2" Closed Black
Amber Clearance Light - WAVE (2015)
Red Clearance Light - WAVE (2015)

DESCRIPTION
Light, Rect. Clearance Red - Enc.
Light, Rect. Clearance Amber - Enc.
Bracket, W/180 Bullet - (07846/07847)
LED Light, 2" Round Clearance, Red
LED Light, 2 1/2" Round Clearance, Red
LED Light, 2 1/2" Round Clearance, Amber
LED Light, Oval Tail Light
Light, Clearance Amber STICKON - LXT
Lens, Amber LXT
LED Light, Clearance - 4" Rec. Red - Enc.
LED Light, Clearance - 4" Rec. Amber - Enc.
LED Light, Clearance - 2 1/2" Rec. Red - Enc.
LED Light, Clearance - 2 1/2" Red - Super 10
LED Light, Clearance - 2" Round, Amber
LED Light, Clearance Rect., Amber
Light, Halogen
Light, Fender Clearance Combo
LED Light, License Plate
LED Light, Round White Flush Mount
LED Tail Light, Bar w/Reflex
LED Marker Light, Bullet Red W/Grom
LED Marker Light, Bullet Amber W/Grom
Tail Light Bar LED - Vault/Enc.
LED, CID Bar
Tail Light Oval LED - WAVE

# ADDITIONAL TIRE OPTIONS

## DESCRIPTION

Tire & Wheel, 18.5X8C Silver
Tire & Wheel, 20.5X10C Silver
Tire & Wheel, ST175/80D13C Silver
Tire & Wheel, 4.80X8C Silver
Tire & Wheel, 5.30X12C Silver
Tire & Wheel, ST205/75R14 Alum.
Tire & Wheel, 4.80X12C Silver
Tire & Wheel, ST205/75D14 Silver
Tire & Wheel, ST175/80R13D White
Tire & Wheel, 20.5X10E Silver
Tire & Wheel, ST205/75D15C Silver
Tire & Wheel, ST145/R12E Silver

## GALVANIZED TIRE/RIMS

Tire & Wheel, ST175/80D13C Galvanized
Tire & Wheel, 5.30X12C Galvanized
Tire & Wheel, 4.80X12C Galvanized
Tire & Wheel, ST145/R12E Galvanized

## DESCRIPTION

Tire & Wheel, ST175/80R13D Alum.
Tire & Wheel, ST205/75 R15C White
Tire & Wheel, ST145/R12E Alum.
Tire & Wheel, ST225/75R15E Alum.
Tire & Wheel, ST205/75 R-15 D-5 White
Tire & Wheel, ST205/75R-15 D-5 Alum.
Tire & Wheel, ST175/80R13C Silver
Tire & Wheel, ST175/80R13C Alum (use 09475)
Tire & Wheel, ST205/75R14C Silver
Tire & Wheel, ST225/75R15E White
Tire & Wheel, 20.5X10E Alum. Gun Face
Tire & Wheel, 20.5X10E Alum. Gun Inlay

## SPARE PARTS

Spare Tire Mount - U Bolt Style
Spare Tire Carrier
Hardware Kit For #22008 If Not Mounted to Jack
Acorn Lugnut (10/Bag)
Hub Cap End - ABS