OPEN WATERCRAFT WAVE SERIES WAVE I & WAVE II





STANDARD FEATURES

- > All-Aluminum Construction
- > Infinite Slide Adjustable (ISA) Bow Stops
- > Infinite Slide Adjustable Bunks (ISA)
- Torsion Axle and Spring Axle Models

WAVE I & WAVE II

- > Galvanized Axle
- > Sealed LED Lights
- > Built-in Circulating Grease System in Hubs

STANDARD SPECIFICATIONS

TRAILER MODEL	WAVE	WAVE II
Number of Watercraft	1	2
Overall Length	148"	164"
Overall Width	56"	96"
Carrying Capacity	750 lb	1500 lb
GVWR	920 lb	1800 lb
Trailer Weight	170 lb	300 lb
Hitch Height	18"	18"
Coupler Size	2"	2"
Standard Tire and Wheel	03446 4.80 x 8C Steel	06509 4.80 x 12C Steel
Tire and Wheel Option	06509 4.80 x 12C Galvanized	06509-G 4.80 x 12C Galvanized, 10384 ST145/R12 LRE Aluminum

OPTIONS & ACCESSORIES

Wave Series I & II	
Spare Tire Carrier and Spare Tire	
Stainless Steel Hardware	
Galvanized Wheels	
Swivel Wheel Tongue Jack	
Gas Can Tray	
Additional Tie Downs	



PWC PARTS

DESCRIPTION	DESCRIPTION
Bracket, Bunk Mounting Tee	Bow Stop Assembly, Z/Y-LTWCI
Roller, Bow Support - WC	Bunk Assembly, 6' SS (EIITE WC)
Locking Plate, Bow Support - WC	Bunk Support Bracket
Bow Stop Assembly, RD SS (EWCII-2013 & Before)	Cover, Winch 600# (2015 & Before)
Assembly, Bunk 5' SS	Bunk Support Assembly
Axle Bracket - Front (LTWCII)	Cover, Winch 1200# (2015 & Before)
Bow Stop Assembly, RH Z/Y (LTWCII-2013 & Before)	Assembly, Bow Stop RH (WC2-2-2013 & Before)
Bow Stop Assembly, RH SS (WCIV)	Assembly, Bow Stop LH (WC2-2-2013 & Before)
Shackle Bolt Kit (4-Bolts, 4-Nuts)	Torsion Conversion Kit
Bow Stop Assembly, LH WCIV	Assembly, Bow Stop LXT/WAVE
Bow Stop Assembly, RH WCIV	Assembly, ISA Bow Stop - LTWCI
Bow Stop Assembly, LH Z/Y, (LTWCII-2013 & Before)	Bunk Assembly, 6' - LTWC/II
Bow Stop Assembly, LH SS, (EWCII-2013 & Before)	SS Bunk Assembly, 6' - ELITEWC
5' Bunk Assembly, Z/Y, LTWC	Assembly, ISA Bow Stop RH - LTWCII
Bunk Bracket Assembly, Z/Y, LTWCII	Assembly, ISA Bow Stop RH - SS-ELITEWCII
Bunk Bracket Assembly, SS, EXCII/IV	Assembly, ISA Bow Stop LH - LTWCII
Winch, 1200# LH W/Strap (2015 & Before)	Assembly, ISA Bow Stop LH - SS-ELITEWCII
Bow Stop Assembly, LH SS, EWCIV	Assembly, ISA Bow Stop RH - WC2-2
Bracket, 8" Bolster-LXT-WAVE	Assembly, ISA Bow Stop LH - WC2-2
Bracket, Swivel-LXT/WAVE	Winch, 600# W/Strap (2016-Current)
Bunk Bracket Assembly	Winch, 900# W/Strap (2016-Current)
5' Bunk Assembly, LXT/WAVE	Winch Strap 15' (2016-Current)
Bow Support Bracket - WC	Winch Strap 25' (2016-Current)





ADDITIONAL LIGHT OPTIONS

DESCRIPTION	DESCRIPTION
Light, 2 1/2" Round Amber Clearance	Light, Rect. Clearance Red - Enc.
Light, 2 1/2" Round Red Clearance	Light, Rect. Clearance Amber - Enc.
Grommet, 2 1/2" Round	Bracket, W/.180 Bullet - (07846/07847)
Bracket, License Plate Light Kit	LED Light, 2" Round Clearance, Red
Tail Light, Oval	LED Light, 2 1/2" Round Clearance, Red
Bracket, License Plate (Plastic)	LED Light, 2 1/2" Round Clearance, Amber
Light, 2" Round Red Clearance	LED Light, Oval Tail Light
Grommet, 2" Round	Light, Clearance Amber STICKON - LXT
Lens, Side and Tail - LXT/XTV	Lens, Amber LXT
Reflector, Amber	LED Light, Clearance - 4" Rec. Red - Enc.
Light, 2" Round Amber Clearance	LED Light, Clearance - 4" Rec. Amber - Enc.
Grommet, Rectangle Clearance Light	LED Light, Clearance - 2 1/2" Rec. Red - Enc.
Light, Rectangle License Plate, Clear	LED Light, Clearance - 2 1/2" Red - Super 10
Reflector, Red	LED Light, Clearance - 2" Round, Amber
Grommet, Oval Tail	LED Light, Clearance Rect., Amber
Light, Rectangle Clearance, Red	Light, Halogen
Light, Rectangle Clearance, Amber	Light, Fender Clearance Combo
Tail Light, RH (LXT/XTV/DOP)	LED Light, License Plate
Tail Light, LH (LXT/XTV/DOP)	LED Light, Round White Flush Mount
Reflector, Amber - AUT	LED Tail Light, Bar w/Reflex
Light, ID Bar	LED Marker Light, Bullet Red W/Grom
Light, 2 1/2" Round Red Clearance - WCII	LED Marker Light, Bullet Amber W/Grom
Grommet, 2 1/2" Closed Black	Tail Light Bar LED - Vault/Enc.
Amber Clearance Light - WAVE (2015)	LED, CID Bar
Red Clearance Light - WAVE (2015)	Tail Light Oval LED - WAVE