

ENCLOSED 5'6" WIDE CARGO TRAILERS



5'X8' - 6'X12'

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > 1200lb Wheel Jack (5-wide)
- > 24" V-Nose Front
- > 5/8" Water Resistant Decking
- > 2"x3" Integrated Frame
- > 3/8" Water Resistant Interior Walls
- > 24" O/C Floor & Roof Studs
- > Wood Luan Walls w/Kick Plate (5' Wide Models)
- > 16" O/C Wall Studs
- > Interior Cove Trim
- > Screwless .030" Bonded Sides
- > 3" Exterior Trim
- > One Piece Aluminum Roof
- > (1) Dome Light w/Switch (Switch Optional 5' Wide Models)
- > 1-3K Idler Leaf Spring Axle w/4" Drop (5' - 6' Wide SA)
- > Exterior LED Lighting
- > 2-3K Braked Leaf Spring Axle w/4" Drop (6' Wide TA)
- > Plastic Salem Vents
- > 24" Stone Guard
- > Rear Ramp w/Spring Assist w/Aluminum Hardware
- > 2" Coupler w/Safety Chains (2-5/16" on 6' Wide TA)
- > 2000lb Center Jack w/Foot (6' Wide)
- > 32"x66" Side Door w/Paddle Handle & Piano Hinge (Optional 5' Wide)
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	5x8	5x10	6x10	6x12	6x12
Model Number	XPRESS5x8-IF	XPRESS5x10-IF	XPRESS6x10-IF	XPRESS6x12SA-IF	XPRESS6x12TA-IF
Box (WxLxH)	60"x8"x66"	60"x10"x66"	72"x10"x75"	72"x12"x75"	72"x12"x75"
Interior (WxLxH)	57.5"x7'9"x64"	57.5"x9'9"x64"	69.5"x9'9"x73"	69.5"x11'9"x73"	69.5"x11'9"x73"
Overall (WxLxH)	80"x12'4"x84"	80"x14'4"x84"	94"x14'4"x93"	94"x16'4"x94"	94"x16'4"x94"
Deck Height	18"	18"	18"	18"	19"
Rear Door Opening (WxH)	52"x62"	52"x62"	64"x69"	64"x69"	64"x69"
Axle(s) - Qty/Rating	1-3500#	1-3500#	1-3500#	1-3500#	2-3500# Braked
Wheels	15" Silver Mods	15" Silver Mods	15" Silver Mods	15" Silver Mods	15" Silver Mods
Tires	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	2990#	2990#	2990#	2990#	7000#
Curb Weight	635#	793#	905#	955#	1040#
Payload	1631#	1407#	2085#	2035#	5960#
Hitch Height	17"	17"	17"	17"	18"

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION OPTIONS
Add 3" to Box Height (PBF)
Add 6" to Box Height (PBF)
Add 9" to Box Height (PBF)
Upgrade Roof Studs to 16" O/C (From 24" O/C; PBF)
Add Slope in V-Nose
Upgrade to 6.5 Wide (From 6' Wide; PBF)
EXTERIOR OPTIONS
Two-Tone Color Package w/6" Anodized Divider
Two-Tone Color Package w/No Anodized Divider

AXLE OPTIONS
Upgrade to 1-3K Torsion Braked Axles (From 1-3K Leaf Spring Braked)
Upgrade to 1-3K Leaf Spring Idler Axle (From 1-2K Leaf Spring Idler Axle)
TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" Aluminum (Radial; From 15" Silver Mod Radial Wheels)
Upgrade to 15" Black Aluminum (Radial; From 15" Silver Mod Radial Wheels)
Spare 15" Silver Mod Wheel w/205/75R15 Tire
Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall)
DOOR/WINDOW/VENT OPTIONS
Double Barn Doors (Replaces Standard Rear Ramp)
Single Barn Door (5' Wide; Replaces Standard Rear Ramp)

COLOR OPTIONS





POPULAR ENCLOSED OPTIONS

CONSTRUCTION OPTIONS

CONSTRUCTION OPTIONS
Upgrade to .080" Wall Studs (6.5' Height Trailers Only; PBF)
Remove Beavertail Construction
Rear Door Canopy w/Lights (2013 Version; Not Available With Barn Doors Or 95" Wide Rear Opening)
Upgrade to Cast Corner Construction w/Anodized Radius Wrap
Upgrade Ceiling Studs to 2"x2" (PBF)
Upgrade to 3" Adjustable 2-5/16" A-Frame Coupler
Upgrade to 2-5/16" A-Frame Coupler (From 2" A-Frame Coupler)
Flat Front Construction (Replaces V-Nose)
Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)
Upgrade to 16" O/C Floor Studs (From 24" O/C; PBF)
Upgrade Trailer Sub Frame to 2"x6" (From 2"x5"; Snow Trailers Only w/Axle Upgrade 9900 GVWR)
Upgrade Trailer Sub Frame to 2"x8" (From 2"x6"; PBF; Cargo Models Going to 12K GVWR Axles +)
Add 3" to Box Height (PBF)
Add 6" to Box Height (PBF)
Add 9" to Box Height (PBF)
Add 12" to Box Height (PBF)
Add 15" to Box Height (PBF; Requires .080" Wall Stud Upgrade)
Add 18" to Box Height (PBF; Requires .080" Wall Stud Upgrade & HD Rear Ramp; Excludes Lites Models)
Add 21" to Box Height (PBF; Requires .080" Wall Stud Upgrade & HD Rear Ramp; Excludes Lite Models)
Add 24" to Box Height (PBF; Requires .080" Wall Stud Upgrade & HD Rear Ramp; Excludes Lite Models)

DOORS, RAMPS & COMPARTMENTS

DOORS, RAMPS & COMPARTMENTS
26"x58" Side Access Door w/Paddle Handle & Piano Hinge
32"x66" Side Access Door w/Paddle Handle & Piano Hinge
32"x72" Side Access Door w/Paddle Handle & Piano Hinge
32"x72" Radius RV Door w/Screen (Window Optional)
Upgrade to 32"x72" Radius RV Door w/Screen (Window Optional; From Standard 32"x72" Side Access Door)
Upgrade to Dexter 32"x72" Radius Door (From 32"x72" Piano Hinged Door)
Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door (From 66" Door)
Upgrade to 36" Wide Side Access Door (From 32" Wide Door)
Upgrade to 48" Wide Side Access Door (From 32" Wide Door)
Upgrade to 78" Height Side Access Door (From 72" Door; Excludes Radius RV Door)
Aluminum Grab Handle For Side Access Door
Pull Handle for Side Access Door
Keyless Entry System (For Side Access Door)

CONSTRUCTION OPTIONS (CONTINUED)
Subtract 6" From Box Height (All Models)
Subtract 12" From Box Height (All Models)
Add 2' to Box Length (2' Increments, 6' Wide Enclosed Models)
Add 2' to Box Length (2' Increments, 7' Wide Enclosed Models)
Add 2' to Box Length (2' Increments, 8.5' Wide Cargo Trailers)
Add 2' to Box Length (2' Increments, 8.5' Wide Car Haulers)
Add 2' to Box Length (2' Increments, Ultimate Contractor Trailers)
Partition Wall w/32" Door
8' Platform Roof w/Extruded Aluminum Decking, Exterior Ladder, & Deluxe Rail Kit
Upgrade to X-Wide 95" Rear Opening Car Haulers (Rear Ramp Only)
Upgrade Roof Studs to 16" O/C (From 24" O/C; PBF)
12" Extended Tongue (For 3K Tandem Axle Enclosed w/2"x5" Frame; Includes Center Beam Upgrade)
16" Extended Tongue (For 5K Tandem Axle Enclosed; Trailer Must have 2"x6" Frame or Larger)
Upgrade to Triple Tube Tongue (Enclosed Cargo Trailers)
Upgrade to 36" Wedge Nose on 7' Wide Models
Upgrade to 36" V-Nose (From Flat Front w/Cast Corners; Car Haulers)
Add Slope in V-Nose
Walk-On Roof (Reinforced; PBF)
Upgrade Wall Studs to 2"x2" (PBF)
Upgrade to 6.5' Wide (From 6' Wide; PBF)
Upgrade to 7.5' Wide (From 7' Wide; PBF)
Heavy Duty Winch Mount (Winch Not Included)

DOORS, RAMPS & COMPARTMENTS (CONTINUED)
Locking Bar for Side Access Door (All Sizes)
Upgrade to Keyed Locking Hasps for Side Access Door With Locking Bar
Fold-Down Aluminum Step
Powder Coated Aluminum Flip-Down Step
Aluminum Pull-Out Step
RV-Style Pull-Out Step (Steel; 7"x20")
Rear Full Length Step Across Rear of Trailer (12" Deep; Expanded Aluminum Top; Available w/Rear Barn Doors Only)
4'x4' Concession Door
4'x6' Concession Door
4'x8' Concession Door
4'x4' Escape Door (Driver's Side Over Wheel Well)
2018 Elite Escape Door (6'x8' Fold-Up Door w/Removable Fender; 6'x9' w/Spread Axle)
14"x14" Fuel Door w/Paddle Handle
Upgrade to Stainless Steel Butterfly Locking Bar (For Side Access Door)



POPULAR ENCLOSED OPTIONS CONTINUED

DOORS, RAMPS & COMPARTMENTS CONTINUED

DOORS, RAMPS & COMPARTMENTS
24"x24" Fuel Door w/Paddle Handle
30"x30" Hatch Door
Double Barn Doors (Replaces Standard Rear Ramp; Removes Beavertail)
Single Barn Door for 5' Wide Models (Replaces Standard Rear Ramp)
Upgrade to Keyed Locking Hasps Barn Doors
Upgrade to Keyed Locking Hasps for Ramp Door (Set)
30"x30" Generator Door w/Salem Vent & Paddle Handle
30"x30"x24" Generator Compartment
36"x36" Generator Door w/Salem Vent & Paddle Handle
36"x36"x24" Generator Compartment
Upgrade to Insulated Generator Compartment (Requires Generator Compartment)
Slide-Out Generator Tray

DOORS, RAMPS & COMPARTMENTS (CONTINUED)
Starter Flap for Rear Ramp
Add Aluminum Starter Flap to Rear Ramp
Ski Deflector for Rear Ramp
Diamond Plate Transition Flap (Ramp to Box)
Upgrade to Car Hauler Grade Rear Ramp Door w/Spring Assist (From Standard Ramp)
Rear Stowable Ramp Kit w/(2) 26"x6' Ramps (Extrusion to Hook Ramps, Ramps to Stow Interior of Barn Doors, (4) Extra Strap Hinges)
Remove Front Ramp (Snow Trailer)
Upgrade to Rear Ramp Door w/Spring Assist From Ultimate Contractor Package Barn Door w/Stow Ramps
Upgrade to Tapered Rear & Front Ramp Doors (Inline Models; Both Ramps Included)

EXTERIOR OPTIONS

EXTERIOR OPTIONS
Upgrade to Translucent Roofing (From Mill-Finish Aluminum; PBF)
Add Red & White DOT Tape to Trailer (PLF; Required For All Trailers Over 10K GVWR)
Exterior Powder Coat Package (Cargo/Car Haulers; No Front Ramp Models; PBF)
Exterior Powder Coat Package (Inline Models; PBF)
Anodized Aluminum Side & Rear Trim Panel (12"; PBF)
Aluminum Diamond Plate Side & Rear Trim Panel (12"; PBF)

EXTERIOR OPTIONS (CONTINUED)
Anodized Aluminum Side & Rear Trim Panel (24"; PBF)
Aluminum Diamond Plate Side & Rear Trim Panel (24"; PBF)
Upgrade to 36" Stone Guard (From 24"; V-Nose)
Upgrade to 48" Stone Guard (From 24"; V-Nose)
Two-Tone Color Package w/6" Anodized Divider
Two-Tone Color Package w/No Anodized Divider
Upgrade to Anodized Nose Cone

INTERIOR OPTIONS

INTERIOR OPTIONS
.030" Bonded Aluminum Ceiling, Interior (PBF)
3/4" Foam Insulation (Ceiling Only; PBF)
White Vinyl Backed Luan (Ceiling Only; PBF)
Upgrade to .030" Bonded Aluminum Interior Side Walls (PBF)
12" or 24" Diamond Plate Kick Plate (PBF)
12" Water Resistant Kick Plate (PBF)
3/4" Foam Insulation (Side Walls; PBF)
Upgrade to White Vinyl Backed 3/8" Plywood (From 3/8" Water Resistant; PBF)
Upgrade to 3/8" Water Resistant Walls (Snow Trailers; PBF)

INTERIOR OPTIONS (CONTINUED)
Upgrade to 3/8" Plywood Walls (From 3/8" Water Resistant; PBF; May Extend Lead Time)
Upgrade to White Vinyl Backed Luan Walls w/Divider (From 3/8" WR; PBF)
6" Diamond Plate Kick Plate (PBF)
6" Extruded Aluminum Kick Plate (PBF)
Upgrade to Carpeted Walls (3' Up Wall; 4' For V-Nose; PLF)
Upgrade to 3/8" Plywood Walls (5' Wide; From Luan Walls; PBF)
Upgrade to Black TPO Coin Walls (3' Up Wall; 4' For V-Nose; PLF)
Upgrade to White Vinyl Backed Luan Walls w/Divider (Snow Trailers; PBF)
Upgrade to 3/8" Water Resistant Walls (Cargo Trailers; From White Luan Walls; PBF)

FLOORING OPTIONS

FLOORING OPTIONS
.045" Aluminum Diamond Plate Floor Overlay (PLF)
Upgrade to 3/4" Quad-Ply Decking (Non-Skid Surface, FRP Backer; PBF)
Upgrade to 3/4" Quad-Ply Decking w/12" Quad-Ply Kick Plate (Non-Skid Surface, FRP Backer; PBF; Snow Trailers Only)
Upgrade to 3/4" Pressure Treated Plywood (From 3/4" Water Resistant Decking; PBF)
Upgrade to 3/4" Water Resistant Decking (From 5/8" Water Resistant Decking; PBF)
Additional Layer of 3/4" Water Resistant Flooring (PBF)

FLOORING OPTIONS (CONTINUED)
Upgrade to Black Marble Vinyl Flooring (PLF)
Upgrade to Charcoal Carpet Flooring (PLF)
Upgrade to Checkerboard Vinyl Flooring (Black & White; PLF)
Painted Epoxy Floor Covering (PBF)
Upgrade to Extruded Aluminum Floor (Charge for Ramp & V-Nose; PLF)
Upgrade to Rubber Coin Flooring (Black; PLF)
Upgrade to TPO Coin Flooring (Black, PLF)



POPULAR ENCLOSED OPTIONS CONTINUED

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Bolt-On Spare Tire Carrier (Tongue-Mounted)
Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall)
Spare Tire Mount (Diamond Plate; Exterior Wall)
Floor Level Spare Tire Mount (Interior)
Deluxe Recessed Spare Tire Well (Diamond Plate w/Hatch Cover)
Spare 15" Aluminum Wheel w/205/75R15 Tire
Spare 15" Aluminum Wheel w/225/75R15 Tire (6-Lug)
Spare 15" Aluminum Wheel w/225/75R15 Tire (5-Lug)
Spare 15" Black Aluminum Wheel w/205/75R15 Tire
Spare 15" Black Aluminum Wheel w/225/75R15 Tire (6-Lug)
Spare 15" Galvanized Wheel w/205/75R15 Tire
Spare 15" Silver Mod Wheel w/205/75R15 Tire
Spare 15" Silver Mod Wheel w/225/75R15 Tire (6-Lug)
Spare 15" Silver Mod Wheel w/225/75R15 Tire (5-Lug)
Spare 16" Aluminum Wheel w/235/80R16 Tire
Spare 16" Black Aluminum Wheel w/235/80R16 Tire

TIRE/WHEEL ASSEMBLIES & ACCESSORIES (CONTINUED)
Upgrade to 16" G-Rated Silver Mod Wheel w/235/80R16 Tire (14 Ply Rating)
Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum)
Upgrade to 16" Black Aluminum Wheels (Radial; From 15" 225 Aluminum)
Upgrade to 15" 225 Silver Mod Wheels (Radial; From 15" 205 Silver Mod Radial)
Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" 225 Black Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" 225 Flat Black Mod (Radial; From 15" 225 Silver Mod Radial Wheels; Special Order)
Upgrade to 16" Silver Mod Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" Aluminum (Radial; From 15" Silver Mod Radial Wheels)
Upgrade to 15" Black Aluminum (Radial; From 15" Silver Mod Radial Wheels)
Upgrade to 15" Flat Black Mod (Radial; From 15" Silver Mod Radial Wheels; Special Order)
Upgrade to 15" Galvanized (Radial; From 15" Silver Mod Radial Wheels)
Upgrade to 16" G-Rated Silver Mod Wheels (Radial; From 16" Silver Mod Radial)
Upgrade to 16" Aluminum Wheels (Radial; From 16" Silver Mod Wheels)
Upgrade to 16" Black Aluminum Wheels (Radial; From 16" Silver Mod Wheels)

AXLE OPTIONS

AXLE OPTIONS
Upgrade to Zero Degree Axle(s) (Torsion Only)
Upgrade to 22.5 Degree Down Axle(s) (Torsion Only)
Upgrade to 45 Degree Down Axle(s) (Torsion Only)
Upgrade to Galvanized Axle (Leaf Spring; Minimum 4 Week Lead Time)
Upgrade to Galvanized Axle (Torsion; Minimum 4 Week Lead Time)
Upgrade to 2-5K Torsion Braked Axles (From 2-5K Leaf Spring Braked)
Upgrade to 1-3K Leaf Spring Idler Axle (From 1-2k Leaf Spring Idler Axle)
Upgrade to 1-3K Torsion Braked Axles (From 1-3K Leaf Spring Braked)
Upgrade to 1-3K Leaf Spring Braked Axle (From 1-3K Leaf Spring Idler)
Upgrade to 1-5K Braked Leaf Spring Axle (From 1-3K Leaf Spring Idler; Includes Frame Upgrade)
Upgrade to 2-3K Leaf Spring Braked Axles (From 1-3K Leaf Spring Idler Axle)
Upgrade to 2-3K Leaf Spring Idler Axles (From 1-3K Leaf Spring Idler, 2990# GVW)
Upgrade to 1-3K Torsion Idler Axle (From 1-3K Leaf Spring Axle)
Upgrade to 2-5K Leaf Spring Braked Axles & Frame (From 2-3K Leaf Spring Braked Axles)

AXLE OPTIONS (CONTINUED)
Upgrade to 2-5K Leaf Spring Braked Axles & Subframe (From 2-3K Leaf Spring Braked Axles; Car Haulers & UCP)
Upgrade to 1-5K Braked Leaf Spring Axle (From 2-3K Leaf Spring Braked)
Upgrade to 2-3K Torsion Braked Axles (From 2-3K Leaf Spring Braked)
Upgrade to Slipper Suspension (Only Available on Tandem Axle 3K Braked Leaf Spring)
Upgrade to Slipper Suspension (Only Available on Tandem Axle 5K Braked Leaf Spring)
Spread Axle Upgrade (Torsion Models Only; Includes Tapered Fender Skirting)
Upgrade to Straight Axle(s) (Leaf Spring Only)
Upgrade to Surge Braking System (No Center Jack; Not Available on Gooseneck Models)
Upgrade to 2-6K Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 2-7K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 3-3K Torsion Braked Axles (From 2-5K Torsion Axles)
Upgrade to 3-5K Torsion Braked Axles (From 2-5K Braked; 2x8 Frame Upgrade Required)



POPULAR ENCLOSED OPTIONS CONTINUED

TIE-DOWN OPTIONS

TIE-DOWN OPTIONS
Airline Track (Recessed in Floor; Aluminum, PLF)
Airline Track (Recessed in Wall; Aluminum, PLF)
Recessed Flip-Up Motorcycle Wheel Chock
Recessed Flip-Up Motorcycle Wheel Chock w/(4) Recessed Heavy Duty D-Rings
Recessed Flip-Up Motorcycle Wheel Chock w/(4) Surface-Mounted D-Rings
Single Stainless Steel Tube Style Wheel Chock for Single Piece of Slide Track (Installed)
Stainless Steel Tube Style Wheel Chock
Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Heavy Duty D-Rings
Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Surface-Mounted D-Rings
5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)
Stainless Steel 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)
Upgrade to Stainless Steel 6000# Recessed Swivel D-Rings (From 5000# Recessed Heavy Duty D-Ring)
Upgrade to Zinc 6000# Recessed Swivel D-Rings (From 5000# Recessed Heavy Duty D-Ring)
Zinc 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)

TIE-DOWN OPTIONS (CONTINUED)
Light Duty Sliding D-Ring (For Recessed Slide Track; Installed)
Upgrade to Powder Coated Sliding D-Ring (From Existing Sliding D-Ring)
Light Duty Surface-Mounted D-Ring (Installed)
Aluminum E-Track (Recessed in Floor; PLF)
Steel E-Track (Recessed in Floor; PLF)
Aluminum E-Track (Recessed in Walls w/Backing Plate; PLF)
Steel E-Track (Recessed in Walls w/Backing Plate; PLF)
Aluminum E-Track (Surface-Mounted on Walls; PLF)
Steel E-Track (Surface-Mounted on Walls; PLF)
Add Ski Tie-Down Bar Assembly (Includes Crank w/Cap, Bar, Sleeves & Slide Block)
Upgrade to Ski Tie-Down Bar Assembly (From (2) Sliding D-Rings Each)
Recessed Slide Track (Track Only; D-Rings Sold Separately)
Cargo Package: Recessed Slide Track System (PBF) w/(2) Full Length Tracks and (4) Sliding D-Rings
Powder Coated Slide Track Upgrade (For Existing Track; PBF)

12V LIGHTING & ELECTRICAL OPTIONS

12V LIGHTING & ELECTRICAL OPTIONS
Upgrade to 7-Way Plug w/Junction Box (From 4-Way Plug)
Anodized Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)
Upgrade to Arctic Flex 7-Way Plug
Angled Back Up Lights (Pair; Installed)
Deep Cycle Marine Battery & Box (Installed)
Additional 12V Dome Light (Installed)
Diamond Plate Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)
Additional LED Stop/Turn/Tail Lights (Pair; Installed)
Add LED Backup Lights (Pair; Installed)
18" 12V LED Light (Installed)
Upgrade Interior Dome Light to 12V 18" LED Light
Additional LED Economy Dome Light (460 Lumens)
Upgrade to LED Economy Dome Light (460 Lumens; From Incandescent Dome Light)
K60 LED Exterior Scene Light Package: One 12V Wall Switch w/(2) K60 Scene Lights
Additional LED Strip Lights w/Chrome Trim & Integrated Backup Lights
Upgrade to Premium Light Package (w/Backup Lights; Braked Models Only; Not Available on Contractor Models w/Barn Doors)
Upgrade to Premium Light Package (w/o Backup Lights; Not Available on Contractor Models w/Barn Doors)
Upgrade to LED Strip Lights w/Chrome Trim and Integrated Backup Lights (From Standard Tail Lights)

12V LIGHTING & ELECTRICAL OPTIONS (CONTINUED)
LED Exterior Load Light Package: One 12V Wall Switch w/One 950 Lumens LED Load Light
Double LED Exterior Load Light Package: One 12V Wall Switch w/(2) 950 Lumens LED Load Light
Upgrade to Additional LED Marker Light Bullets
Mid-Ship Turn Signals (For Tandem Fenders Only; Pair)
Additional Recessed LED Puck Light
LED Puck Light Package Under Overhead Cabinet: (2) Round LED Flush Mount Dome Lights w/(1) 12V Wall Switch
Recessed LED Puck Light Package: (8) Round LED Flush Mount Dome Lights w/(1) 12V Wall Switch
LED Scare Light (Porch Light) w/12V Wall Switch
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)
LED Interior Strip Lighting w/Housing (Per Foot, Per Section)
Upgrade to 12V Electric Pedestal Jack w/Battery & Box installed
Upgrade to Permaseal Wire Connectors
Add Standard 12V Power Jack (Cigarette Lighter Plug; Installed)
Trickle Charger for Battery (installed)
12 Volt Wall Switch (Installed)
3-Way 12V Wall Switch (Installed)
Replace Wall-Mounted Dome Light w/12V Wall Switch



POPULAR ENCLOSED OPTIONS CONTINUED

110V LIGHTING & ELECTRICAL OPTIONS

110V LIGHTING & ELECTRICAL OPTIONS
110V Power Package #1: (1) 15 AMP Motor Base Plug; (1) Wall Switch; (1) Wall Receptacle; (1) 4' LED Wraparound Light
110V Power Package #2: (1) 30 AMP Breaker Box w/25' Shore Line; (2) 3-Way Wall Switches; (1) Standard Wall Receptacle; (1) GFI Wall Receptacle; (2) 4' LED Wraparound Lights
110V Power Package #3: (1) 30 AMP Panel; (1) Wall Switch; (4) Standard Wall Receptacles; (1) GFCI Receptacle; (4) 4' LED Wraparound Lights; (1) Brace & Wire Stub for A/C
110V Power Package #4: (1) 15 AMP Motor Base Plug; (2) Wall Receptacles
110V Power Package #5: (1) 60A Breaker Panel w/60A Converter & 50A Motor Base Plug; (2) 3-Way Wall Switches; (1) Standard Wall Receptacle; (1) USB Wall Receptacle; (1) GFI Wall Receptacle; (2) 4' LED Wraparound Lights, 12V Deep Cycle Battery & Box
30A Power Cord 25' Long (For Motor Base Plug)
50A Power Cord 25' Long (For Motor Base Plug)
Upgrade to 50 AMP Breaker Box (Requires 110V Package #2)

110V LIGHTING & ELECTRICAL OPTIONS (CONTINUED)
60A Power Converter (110V Package Required)
Brace & Stub Wire for Future AC Installation (Requires 110V Package #2; Includes 12 Gauge Wire and 20A Breaker)
Additional 4' LED Wraparound Light (Requires 110V Package #5)
Exterior GFI Receptacle (Requires 30A Package)
GFI Wall Receptacle (Requires 30A Package)
Motor Base Plug (Replaces Shore Line; 110V Package Required)
15A Motor Base Plug
Add Wall Receptacle (Requires 30A Package)
110 Volt Combo USB/Wall Outlet Receptacle (Installed; Requires 110V Package)
Add 110V Wall Switch (Requires 30A Package)
110 Volt Wall Switch (3-Way; Requires 110V Package #2)
Upgrade to (3) 18" 12V LED Light From (2) 4' LED Wraparound

CABINET OPTIONS

CABINET OPTIONS
V-Nose Base Cabinet, 2-Door, 50" & 60" Wide Models, Black
V-Nose Base Cabinet, 2-Door, 72" Wide Models, Black (69"W x 23"D x 37"H)
V-Nose Base Cabinet, 4-Door, 72" Wide Models, Black
V-Nose Base Cabinet, 2-Door, 80" Wide Models, Black
V-Nose Base Cabinet, 4-Door, 80" Wide Models, Black
V-Nose Base Cabinet, 2-Door, 84" Wide Models, Black (78"W x 22"D x 37"H)
V-Nose Base Cabinet, 4-Door, 84" Wide Models, Black (74"W x 31"D x 37"H)
V-Nose Base Cabinet, 2-Door, 90" Wide Models, Black
V-Nose Base Cabinet, 2-Door, 99" Wide Models, Black (83"W x 30"D x 37"H)
V-Nose Base Cabinet, 4-Door, 99" Wide Models, Black (83"W x 30"D x 37"H)
V-Nose Overhead Cabinet, 2-Door, 50" & 60" Wide Models, Black
V-Nose Overhead Cabinet, 2-Door, 72" Wide Models, Black (40"W x 13"D x 19"H)
V-Nose Overhead Cabinet, 2-Door, 80" Wide Models, Black
V-Nose Overhead Cabinet, 2-Door, 84" Wide Models, Black
V-Nose Overhead Cabinet, 2-Door, 90" Wide Models, Black
V-Nose Overhead Cabinet, 2-Door, 99" Wide Models, Black (56"W x 19"D x 19"H)
V-Nose Overhead Cabinet, 2-Door, 99" Wide Models, Black
4' Straight Wall Base Cabinet, 2-Door, Black (48"W x 24"D x 37"H)

CABINET OPTIONS (CONTINUED)
5' Straight Wall Base Cabinet, 2-Door, Black (60"W x 24"D x 37"H)
6' Straight Wall Base Cabinet, 2-Door, Black (72"W x 24"D x 37"H)
8' Straight Wall Base Cabinet, 2-Door, Black (96"W x 24"D x 37"H)
8' Straight Wall Base Cabinet, 4-Door, Black
Upgrade Base Cabinet to 28" L-Shape Extension
Deluxe Overhead Cabinet w/Four Doors, Black (96"L x 18"H x 13"D)
Overhead Cabinet w/Two Flip-Up Doors, Black (96"L x 18"H x 12"D)
Overhead Cabinet w/One Flip-Up Door (48"L x 18"H x 13"D)
Overhead Cabinet w/Two Doors, Black (48"L x 18"H x 13"D)
Overhead Cabinet w/Single Door, Black (62"L x 18"H x 12"D)
Deluxe Overhead Cabinet w/Four Doors, Black (72"L x 18"H x 13"D)
Clothing Rod for Overhead 48" Cabinet
24" Wide Wardrobe Cabinet w/Shelf & Clothing Rod, Black (2' x 2' x 72")
36" Wide Wardrobe Cabinet w/Door, Shelf, Clothing Rod, Black (36"W x 24"D x 76"H)
6' Wheel Well Cabinet w/2 Doors, 3 Shelves, Black
Upgrade to Formica Countertop (Base Cabinet Sold Separately)



POPULAR ENCLOSED OPTIONS CONTINUED

LADDER RACKS & CATWALK OPTIONS

LADDER RACKS & CATWALK OPTIONS
Exterior Ladder to Roof (Mounted on V-Nose w/6" Gap Between Ladder & Side Wall)
Diamond Plate Overlay Behind Exterior Ladder
Deluxe Ladder Rack (Enclosed Cargo; Installed; Not Available w/Radius Roof)
10' Catwalk w/3 Roof Racks & Ladder (Not Available w/Radius Roof)
12' Catwalk w/3 Ladder Racks & Ladder (Not Available w/Radius Roof)
14' Catwalk w/4 Ladder Racks & Ladder (Not Available w/Radius Roof)

LADDER RACKS & CATWALK OPTIONS (CONTINUED)
14' Catwalk w/4 Ladder Racks & Ladder (Not Available w/Radius Roof)
16' Catwalk w/4 Ladder Racks & Ladder (Not Available w/Radius Roof)
18' Catwalk w/5 Ladder Racks & Ladder (Not Available w/Radius Roof)
20' Catwalk w/6 Ladder Racks & Ladder (Not Available w/Radius Roof)
22' Catwalk w/6 Ladder Racks & Ladder (Not Available w/Radius Roof)
24' Catwalk w/7 Ladder Racks & Ladder (Not Available w/Radius Roof)
Upgrade to Roller on Rear Ladder Rack (Rear Ladder Rack as Far Back as Possible)

VENTS & WINDOW OPTIONS

VENTS & WINDOW OPTIONS
110V Power Roof Vent (Installed; Requires 30A Package)
12V Power Roof Vent (Installed)
Fantastic Fan/Vent (Dometic 22-0462; Requires 30A Package)
Maxx-Air Roof Vent Cover (Installed)
Add 14"x14" Manual Roof Vent (Installed)
Upgrade to 14"x14" Manual Roof Vent (Replaces Plastic Salem Vents)

VENTS & WINDOW OPTIONS (CONTINUED)
Two-Way Directional Salem Vent Kit (Aluminum; Pair)
18"x24" Horizontal Radius Sliding Window w/Screen
18"x24" Vertical Radius Sliding Window w/Screen
24"x36" Radius Sliding Window w/Screen
24"x36" Egress Sliding Window (Tinted w/Screen)

JACKS & JACKS ACCESSORIES

JACKS & JACKS ACCESSORIES
Bogey/Caster Wheels (Installed; Pair)
Upgrade to 8000# Pedestal Jack (From 1500# Wheel Jack)
Upgrade to Wheel on 2000# Center Jack

JACKS & JACKS ACCESSORIES (CONTINUED)
Scissor Jacks (Camper Style; Installed; Pair)
Stabilizer Jacks (Installed; Pair)

INTERIOR ACCESSORIES

INTERIOR ACCESSORIES
Fold-Down Padded Bench (48"L; Vertical Design)
Premium 50" Fold-Up Padded Bench
Premium 36" Fold-Up Work Bench w/Integrated Tool Storage
Fold Down Bench (12"x48"; Work or Seating Type)
Premium Ceiling-Mounted Coat Hanger (38", 22 Hooks)
Premium Wall-Mounted Coat Hanger (47.5", 10 Hooks)

INTERIOR ACCESSORIES (CONTINUED)
4' Coat Hook Package: (1) 4' Piece Slide Track, (6) Sliding Hooks
Premium Cup Holder
Premium (2) Race Fuel Holder
Premium (3) Race Fuel Holder
Deluxe 8' Tire Rack (Foldable; for Enclosed)
Integrated Heavy Duty Tire Rack



POPULAR ENCLOSED OPTIONS CONTINUED

TRACK MATS & SKI GUIDES

TRACK MATS & SKI GUIDES
Track Mats & Ski Guides
Ski Guides, 12', Box Only (Set)
Ski Guides, 14', Box Only (Set)
Ski Guides, 16', Box Only (Set)
Ski Guides, 18', Box Only (Set)
Ski Guides, 20', Box Only (Set)
Ski Guides, 22', Box Only (Set)
Ski Guides, 24', Box Only (Set)
Ski Guides, Front Ramp (Set)
Ski Guides, Rear Ramp (Set)
Track Mats, 12', Box Only (Set)

TRACK MATS & SKI GUIDES (CONTINUED)
Track Mats, 14', Box Only (Set)
Track Mats, 16', Box Only (Set)
Track Mats, 18', Box Only (Set)
Track Mats, 20', Box Only (Set)
Track Mats, 22', Box Only (Set)
Track Mats, 24', Box Only (Set)
Track Mats, Front Ramp (Set)
Track Mats, Rear Ramp (Set)
Paddle Grabbers (Installed; Set of 6)
Sloped Fender Kit w/Ski Guides (.090" Mill Finish; Car Hauler Models)

AWNING OPTIONS

AWNING OPTIONS
12' CareFree Fiesta Acrylic Fabric and Alumaguard Awning (Requires Door Roller Option if Installed Over Side Access Door)
16' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)
16' CareFree Fiesta Acrylic Fabric and Alumaguard Awning (Requires Door Roller Option if Installed Over Side Access Door)
18' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)

AWNING OPTIONS (CONTINUED)
20' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)
21' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)
21' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)
Door Roller for Awning



RAMP CAPACITY BY MODEL

Ramp Type	Applicable Models	Capacity
Enclosed Cargo (4' - 6' Wide Models)	(All Sizes)	1500#
Enclosed Cargo (7' - 7.5' Wide Models)	(All Sizes)	1500#
Enclosed Cargo (8.5' Wide Economy Models)	(All Sizes)	4000#
Enclosed Car Hauler (8.5' Wide Models)	(All Sizes)	4000#
Enclosed Snowmobile Rear (7', 7.5', 101" Wide Models)	(All Sizes)	1500#
Enclosed Snowmobile Front (7', 7.5', 101" Wide Models)	(All Sizes)	1200#



TONGUE EXTENSION BY MODEL

Trailer Type	Allowable Extension	Additional Requirements	Item Number	Description
Enclosed Cargo (4' - 5' Wide)	N/A	Frame Upgrade Required; Consult Engineering	N/A	N/A
Enclosed Cargo (6' - 7.5' Wide)	12"	Economy Models Require Center Beam Upgrade	TONGUE12EXT	12" Extended Tongue For 3k Tandem Axle Enclosed with 2"x5" Frame Includes Center Beam Upgrade; Not Available for All Sport or Snow Trailers
Enclosed Cargo (8.5' Wide, Economy)	12" (16" w/ Upgrade)	Minimum 6" Frame for 16" Tongue Extension; Upgrade May Be Required	TONGUE12EXT	12" Extended Tongue For 3k Tandem Axle Enclosed with 2"x5" Frame Includes Center Beam Upgrade; Not Available for All Sport or Snow Trailers
Enclosed Car Hauler (8.5' Wide, Economy)	12" / 16"	Minimum 6" Frame for 16" Tongue Extension; Upgrade May Be Required	TONGUE16EXTCH	16" Extended Tongue For 5k Tandem Axle Enclosed; with 2"x6" Frame or Larger Not Available for All Sport or Snow Trailers
Enclosed Snowmobile (7' - 7.5' Wide)	N/A	Extended Tongue Incompatible w/Front Ramp	N/A	N/A