

ENCLOSED ADVANTAGE

CAR HAULERS

XPRESS



8.5'x16' – 8.5'x28'

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > Flat Front w/Cast Corners
- > 2"x5" Integrated Frame (16' to 20')
- > 2"x6" Integrated Frame (24')
- > 2"x8" Integrated Frame (28')
- > 16" O/C Floor & Roof Studs
- > 16" O/C Wall Studs
- > Screwless .030 Bonded Sides
- > One Piece Aluminum Roof
- > 2-3K Braked Leaf Spring Axle w/4" Drop (16' to 20')
- > 2-5.2K Braked Leaf Spring Axle w/4" Drop (24' to 32')
- > 24" Stone Guard
- > 2-5/16" Coupler w/Safety Chains
- > 5000lb Center Jack w/Foot
- > White Vinyl Faced Luan Walls
- > Extruded Aluminum Decking (Box & Ramp)
- > Extruded Kick Panel
- > Interior Cove Trim
- > 3" Exterior Trim
- > (2) Dome Lights w/Switch
- > Exterior LED Lighting
- > Plastic Salem Vents
- > (4) HD 5,000# Recessed D-Rings
- > Beavertail Construction
- > HD Rear Ramp w/Spring Assist & Aluminum Hardware
- > 32"x72" Side Door w/Paddle Handle & Piano Hinge
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

| TRAILER MODEL | 8.5x16 | 8.5x20 | 8.5x24 | 8.5x28 |
|-------------------------|--------------------|--------------------|--------------------|--------------------|
| Model Number | XPRESS8.5x16ADV-IF | XPRESS8.5x20ADV-IF | XPRESS8.5x24ADV-IF | XPRESS8.5x28ADV-IF |
| Box (WxLxH) | 99"x16'x84" | 99"x20'x84" | 99"x24'x84" | 99"x28'x84" |
| Interior (WxLxH) | 96"x15'10"x6'10" | 96"x19'10"x6'10" | 96"x23'10"x6'10" | 96"x27'10"x6'10" |
| Overall (WxLxH) | 102"x20'x104" | 102"x24'x104" | 102"x28'x104" | 102"x32'x106" |
| Deck Height | 17" | 17" | 17" | 19" |
| Rear Door Opening (WxH) | 91"x79-1/4" | 91"x79-1/4" | 91"x80-1/4" | 91"x80-1/4" |
| Axle(s) - Qty/Rating | 2-3500# Braked | 2-3500# Braked | 2-5200# Braked | 2-5200# Braked |
| Wheels | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod | 15" Silver Mod |
| Tires | 205/75R15 | 205/75R15 | 225/75R15 | 225/75R15 |
| GVWR | 7000# | 7000# | 9990# | 9990# |
| Curb Weight | 2580# | 2580# | 2840# | 3250# |
| Payload | 4420# | 4420# | 6250# | 6640# |
| Hitch Height | 19" | 19" | 19" | 21" |



ENCLOSED ADVANTAGE

CAR HAULERS CONTINUED

8.5'x16' – 8.5'x28' continued

OPTIONS & ACCESSORIES

| CONSTRUCTION OPTIONS |
|--|
| Add 3" to Box Height (PBF) |
| Add 6" to Box Height (PBF) |
| Upgrade to 36" V-Nose (From Flat Front w/Cast Corners) |
| Add Slope in V-Nose |
| EXTERIOR OPTIONS |
| Two-Tone Color Package w/6" Anodized Divider |
| Two-Tone Color Package w/No Anodized Divider |
| AXLE OPTIONS |
| Upgrade to 2-3K Torsion Braked Axles (From 2-3K Leaf Spring Braked) |
| Upgrade to 2-5K Leaf Spring Braked Axles & Subframe (From 2-3K Leaf Spring Braked Axles) |
| Axle Carrier Upgrade From 2"x5" to 2"x6" (16' to 20') |
| Upgrade to 2-5K Torsion Braked Axles (From 2-5K Leaf Spring Braked) |
| Spread Axle Upgrade w/Tapered Fender Skirting (Requires Torsion Axles) |

| TIRE/WHEEL ASSEMBLIES & ACCESSORIES |
|--|
| Upgrade to 15" Aluminum (Radial; From 15" Silver Mod Radial Wheels) |
| Upgrade to 15" Black Aluminum (Radial; From 15" Silver Mod Radial Wheels) |
| Upgrade to 15" 225 Black Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial) |
| Spare 15" Silver Mod Wheel w/205/75R15 Tire |
| Spare 15" Silver Mod Wheel w/225/75R15 Tire (6-Lug) |
| 2024 Interior Elevated Spare Tire Mount (Universal Fitment) |
| DOOR/WINDOW/VENT OPTIONS |
| Fold-Down Aluminum Step |
| Upgrade to 78" Height Side Access Door (From 72"; Excludes Radius RV Door) |
| 2018 Elite Escape Door (6'x8' Fold-Up Door w/Removable Fender; 9' w/Spread Axle) |
| ACCESSORIES |
| Recessed Slide Track System: (2) Full Length Tracks, (4) Sliding D-Rings (PBF) |
| Upgrade to Zinc 6000# Recessed Swivel D-Rings (From 5000# Recessed Heavy Duty D-Ring w/Backing Plate; Installed) |
| Aluminum Airline Track Recessed in Floor (PLF) |

COLOR OPTIONS

| | | |
|---|---|---|
|  |  |  |
| Windstar Silver | Flat Black | Crystal White |
|  |  |  |
| Indigo Blue | Penske Yellow | Forest Green |
|  |  |  |
| Orange | Charcoal | Pewter Metallic |
|  |  |  |
| Victory Red | Champagne | Brandywine |



POPULAR ENCLOSED OPTIONS

CONSTRUCTION OPTIONS

| CONSTRUCTION OPTIONS |
|---|
| Upgrade to .080" Wall Studs (6.5' Height Trailer Only; PBF) |
| Rear Door Canopy w/Lights (2013 Version; Not Available w/Barn Doors or 95" Wide Rear Opening) |
| Rear Door Canopy w/Lights (2020 Version; Not Available w/Radius Roof or Barn Doors) |
| Upgrade to Cast Corner Construction w/Anodized Radius Wrap |
| Upgrade Ceiling Studs to 2"x2" (PBF) |
| Upgrade to 3" Adjustable 2-5/16" A-Frame Coupler |
| Upgrade to 2-5/16" A-Frame Coupler (From 2" A-Frame Coupler) |
| Flat Front Construction (Replaces V-Nose) |
| Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF) |
| Upgrade to 16" O/C Floor Studs (From 24" O/C; PBF) |
| Upgrade Trailer Sub Frame to 2"x6" (From 2"x5"; Snow Trailers w/Axle Upgrade 9900 GVWR) |
| Upgrade Trailer Sub Frame to 2"x8" (From 2"x6"; PBF; Cargo Models Going to 12K GVWR Axles+) |
| Add 3" to Box Height (PBF) |
| Add 6" to Box Height (PBF) |
| Add 9" to Box Height (PBF) |
| Add 12" to Box Height (PBF) |
| Add 15" to Box Height (PBF; Requires .080 Wall Stud Upgrade & HD Rear Ramp; Excludes Lites) |
| Add 18" to Box Height (PBF; Requires .080 Wall Stud Upgrade & HD Rear Ramp; Excludes Lites) |
| Add 21" to Box Height (PBF; Requires .080 Wall Stud Upgrade & HD Rear Ramp; Excludes Lites) |
| Add 24" to Box Height (PBF; Requires .080 Wall Stud Upgrade & HD Rear Ramp; Excludes Lites) |

AXLE OPTIONS

| AXLE OPTIONS |
|---|
| Upgrade to Zero Degree Axle(s) (Torsion Only) |
| Upgrade to 22.5 Degree Down Axle(s) (Torsion Only) |
| Upgrade to 45 Degree Down Axle(s) (Torsion Only) |
| Upgrade to Galvanized Axle (Leaf Spring; Minimum 4 Week Lead Time) |
| Upgrade to Galvanized Axle (Torsion; Minimum 4 Week Lead Time) |
| Upgrade to 2-5K Torsion Braked Axles (From 2-5K Leaf Spring Braked) |
| Upgrade to 1-3K Leaf Spring Idler Axle (From 1-2K Leaf Spring Idler Axle) |
| Upgrade to 1-3K Torsion Braked Axles (From 1-3K Leaf Spring Braked) |
| Upgrade to 1-3K Leaf Spring Braked Axle (From 1-3K Leaf Spring Idler) |
| Upgrade to 1-5K Braked Leaf Spring Axle (From 1-3K Leaf Spring Idler; Includes Frame Upgrade) |
| Upgrade to 2-3K Leaf Spring Braked Axles (From 1-3K Leaf Spring Idler Axle) |
| Upgrade to 2-3K Leaf Spring Idler Axles (From 1-3K Leaf Spring Idler, 2990# GVWR) |
| Upgrade to 1-3K Torsion Idler Axle (From 1-3K Leaf Spring Axle) |
| Upgrade to 2-5K Leaf Spring Braked Axles & Frame (From 2-3K Leaf Spring Braked Axles) |
| Upgrade to 2-5K Leaf Spring Braked Axles & Subframe (From 2-3K Leaf Spring Braked Axles) |
| Upgrade to 22.5 Degree Down Axle(s) (Torsion Only) |

| CONSTRUCTION OPTIONS (CONTINUED) |
|---|
| Subtract 6" From Box Height (All Models) |
| Subtract 12" From Box Height (All Models) |
| Add 2' to Box Length (2' Increments, 6' Wide) |
| Add 2' to Box Length (2' Increments, 7' Wide) |
| Add 2' to Box Length (2' Increments, 8.5' Wide Cargo) |
| Add 2' to Box Length (2' Increments, 8.5' Wide Car Hauler) |
| Add 2' to Box Length (2' Increments, Ultimate Contractor) |
| Partition Wall w/32" Door |
| 8' Platform Roof w/Extruded Aluminum Decking, Exterior Ladder, & Deluxe Rail Kit |
| Upgrade to X-Wide 95" Rear Opening Car Haulers (Rear Ramp Only) |
| Upgrade Roof Studs to 16" O/C (From 24" O/C; PBF) |
| 12" Extended Tongue (For 3K Tandem Axle Enclosed w/2"x5" Frame; Includes Center Beam Upgrade) |
| 16" Extended Tongue (For 5K Tandem Axle Enclosed; Trailer Must Have 2"x6" Frame or Larger) |
| Upgrade to Triple Tube Tongue (Enclosed Cargo) |
| Upgrade to 36" Wedge Nose on 7' Wide |
| Upgrade to 36" V-Nose (From Flat Front w/Cast Corners) |
| Add Slope in V-Nose |
| Walk On Roof (Reinforced; PBF) |
| Upgrade Wall Studs to 2"x2" (PBF) |
| Upgrade to 6.5' Wide (From 6'; PBF) |
| Upgrade to 7.5' Wide (From 7'; PBF) |
| Heavy Duty Winch Mount (Winch Not Included) |

| AXLE OPTIONS (CONTINUED) |
|--|
| Upgrade to 1-5K Braked Leaf Spring Axle (From 2-3K Leaf Spring Braked) |
| Upgrade to 2-3K Torsion Braked Axles (From 2-3K Leaf Spring Braked) |
| Upgrade to Slipper Suspension (Only Available on Tandem Axle 3K Braked Leaf Spring) |
| Upgrade to Slipper Suspension (Only Available on Tandem Axle 5K Braked Leaf Spring) |
| Spread Axle Upgrade (Torsion) w/Individual Fenders (7' & 7.5' Wide Trailers) |
| Spread Axle Upgrade (Torsion) w/Individual Fenders (8' Wide Trailers) |
| Spread Axle Upgrade (Leaf Spring) w/Individual Fenders (7' & 7.5' Wide Trailers) |
| Spread Axle Upgrade (Leaf Spring) w/Tapered Fender Skirting (8' Wide Models) |
| Upgrade to Straight Axle(s) (Leaf Spring Only) |
| Upgrade to Surge Braking System (No Center Jack; Not Available for Gooseneck Models) |
| Upgrade to 2-6K Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required) |
| Upgrade to 2-7K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required) |
| Upgrade to 3-3K Torsion Braked Axles (From 2-5K Torsion Axles) |
| Upgrade to 3-5K Torsion Braked Axles (From 2-5K Braked; 2x8 Frame Upgrade Required) |



POPULAR ENCLOSED OPTIONS CONTINUED

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

| TIRE/WHEEL ASSEMBLIES & ACCESSORIES |
|---|
| Integrated Heavy Duty Tire Rack |
| Bolt-On Spare Tire Carrier (Tongue-Mounted) |
| 2024 Interior Elevated Spare Tire Mount (Universal Fitment) |
| Spare Tire Mount (Diamond Plate; Exterior Wall) |
| Floor Level Spare Tire Mount (Interior) |
| Deluxe Recessed Spare Tire Well (Diamond Plate w/Hatch Cover) |
| Spare 15" Aluminum Wheel w/ 205/75R15 Tire |
| Spare 15" Aluminum Wheel w/ 225/75R15 Tire (6-Lug) |
| Spare 15" Aluminum Wheel w/ 225/75R15 Tire (5-Lug) |
| Spare 15" Black Aluminum Wheel w/ 205/75R15 Tire |
| Spare 15" Black Aluminum Wheel w/ 225/75R15 Tire (6-Lug) |
| Spare 15" Galvanized Wheel w/ 205/75R15 Tire |
| Spare 15" Silver Mod Wheel w/ 205/75R15 Tire |
| Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (6-Lug) |
| Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (5-Lug) |
| Spare 16" Aluminum Wheel w/ 235/80R16 Tire |
| TIRE/WHEEL ASSEMBLIES & ACCESSORIES (CONTINUED) |

| |
|--|
| Spare 16" Black Aluminum Wheel w/ 235/80R16 Tire |
| Spare 16" G-Rated Silver Mod Wheel w/ 235/80R16 Tire (14 Ply Rating) |
| Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum) |
| Upgrade to 16" Black Aluminum Wheels (Radial; From 15" 225 Aluminum) |
| Upgrade to 15" 225 Silver Mod Wheels (Radial; From 15" 205 Silver Mod Radial) |
| Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial) |
| Upgrade to 15" 225 Black Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial) |
| Upgrade to 15" 225 Flat Black Mod (Radial; From 15" 225 Silver Mod Radial Wheels; Special Order) |
| Upgrade to 16" Silver Mod Wheels (Radial; From 15" 225 Silver Mod Radial) |
| Upgrade to 15" Aluminum (Radial; From 15" Silver Mod Radial Wheels) |
| Upgrade to 15" Black Aluminum (Radial; From 15" Silver Mod Radial Wheels) |
| Upgrade to 15" Flat Black Mod (Radial; From 15" Silver Mod Radial Wheels; Special Order) |
| Upgrade to 15" Galvanized (Radial; From 15" Silver Mod Radial Wheels) |
| Upgrade to 16" G-Rated Silver Mod Wheels (Radial; From 16" Silver Mod Radial) |
| Upgrade to 16" Aluminum Wheels (Radial; From 16" Silver Mod Wheels) |
| Upgrade to 16" Black Aluminum Wheels (Radial; From 16" Silver Mod Wheels) |

TIE-DOWN OPTIONS

| TIE-DOWN OPTIONS |
|--|
| Airline Track (Recessed in Floor; Aluminum, PLF) |
| Airline Track (Recessed in Wall; Aluminum, PLF) |
| Recessed Flip-Up Motorcycle Wheel Chock |
| Recessed Flip-Up Motorcycle Wheel Chock w/(4) Recessed Heavy Duty D-Rings |
| Recessed Flip-Up Motorcycle Wheel Chock w/(4) Surface-Mounted D-Rings |
| Single Stainless Steel Tube Style Wheel Chock for Single Piece of Slide Track (Installed) |
| Stainless Steel Tube Style Wheel Chock |
| Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Heavy Duty D-Rings |
| Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Surface-Mounted D-Rings |
| 5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed) |
| Stainless Steel 6000# Recessed Swivel D-Ring w/Backing Plate (Installed) |
| Upgrade to Stainless Steel 6000# Recessed Swivel D-Rings (From 5000# Recessed Heavy Duty D-Ring) |
| Upgrade to Zinc 6000# Recessed Swivel D-Rings (From 5000# Recessed Heavy Duty D-Ring) |
| Zinc 6000# Recessed Swivel D-Ring w/Backing Plate (Installed) |

| TIE-DOWN OPTIONS (CONTINUED) |
|---|
| Light Duty Sliding D-Ring (For Recessed Slide Track; Installed) |
| Upgrade to Powder Coated Sliding D-Ring (From Existing Sliding D-Ring) |
| Light Duty Surface-Mounted D-Ring (Installed) |
| Aluminum E-Track (Recessed in Floor; PLF) |
| Steel E-Track (Recessed in Floor; PLF) |
| Aluminum E-Track, Recessed in Walls (w/Backing Plate; PLF) |
| Steel E-Track, Recessed in Walls (w/Backing Plate; PLF) |
| Aluminum E-Track, Surface-Mounted on Walls (PLF) |
| Steel E-Track, Surface-Mounted on Walls (PLF) |
| Add Ski Tie-Down Bar Assembly (Includes Crank w/Cap, Bar, Sleeves & Slide Block) |
| Upgrade to Ski Tie Down Bar Assembly (From (2) Sliding D-Rings; EA) |
| Recessed Slide Track (Track Only; D-Rings Sold Separately) |
| Cargo Package: Recessed Slide Track System (PBF) w/(2) Full Length Tracks & (4) Sliding D-Rings |
| Powder Coated Slide Track Upgrade (For Existing Track; PBF) |

DOORS, RAMPS & COMPARTMENTS

| DOORS, RAMPS & COMPARTMENTS |
|--|
| 26"x58" Side Access Door w/Paddle Handle & Piano Hinge |
| 32"x66" Side Access Door w/Paddle Handle & Piano Hinge |
| 32"x72" Side Access Door w/Paddle Handle & Piano Hinge |
| 32"x72" Radius RV Door w/Screen (Window Optional) |
| Upgrade to 32"x72" Radius RV Door w/Screen (Window Optional; From Standard 32"x72" Side Access Door) |

| DOORS, RAMPS & COMPARTMENTS (CONTINUED) |
|---|
| Upgrade to Dexter 32"x72" Radius Door (From 32"x72" Piano Hinged Door) |
| Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door (From 66") |
| Upgrade to 36" Wide Side Access Door (From 32") |
| Upgrade to 48" Wide Side Access Door (From 32") |
| Upgrade to 78" Height Side Access Door (From 72"; Not Available w/Radius RV Door) |
| Aluminum Grab Handle For Side Access Door |



POPULAR ENCLOSED OPTIONS CONTINUED

DOORS, RAMPS & COMPARTMENTS CONTINUED

| DOORS, RAMPS & COMPARTMENTS |
|--|
| Pull Handle for Side Access Door |
| Keyless Entry System (For Side Access Door) |
| Upgrade to Stainless Steel Butterfly Locking Bar (For SAD) |
| Locking Bar for Side Access Door (All Sizes) |
| Upgrade to Keyed Locking Hasps for Side Access Door w/Locking Bar |
| Fold-Down Aluminum Step |
| Powder Coated Aluminum Flip-Down Step |
| Aluminum Pull-Out Step |
| RV-Style Pull-Out Step (Steel; 7x20) |
| Rear Full Width Step Across Rear of Trailer (12" Deep w/Expanded Aluminum on Top; Barn Doors Only) |
| 4'x4' Concession Door |
| 4'x6' Concession Door |
| 4'x8' Concession Door |
| 4'x4' Escape Door (Driver's Side Over Wheel Well) |
| 2018 Elite Escape Door (6'x8' Fold-Up Door w/Removable Fender; 6'x9' w/Spread Axle) |
| 14"x14" Fuel Door w/Paddle Handle |
| 24"x24" Fuel Door w/Paddle Handle |
| 30"x30" Hatch Door |

| DOORS, RAMPS & COMPARTMENTS (CONTINUED) |
|--|
| Double Barn Doors (Replaces Standard Rear Ramp) |
| Single Barn Door for 5' Wide Models (Replaces Standard Rear Ramp) |
| Upgrade to Keyed Locking Hasps For Barn Doors |
| Upgrade to Keyed Locking Hasps For Ramp Door (Set) |
| 30"x30" Generator Door w/Salem Vent & Paddle Handle |
| 30"x30"x24" Generator Compartment |
| 36"x36" Generator Door w/Salem Vent & Paddle Handle |
| 36"x36"x24" Generator Compartment |
| Upgrade to Insulated Generator Compartment (From Standard) |
| Slide Out Generator Tray |
| Starter Flap for Rear Ramp |
| Add Aluminum Starter Flap to Rear Ramp |
| Ski Deflector for Rear Ramp |
| Diamond Plate Transition Flap (Ramp to Box) |
| Upgrade to Car Hauler Grade Rear Ramp Door w/Spring Assist (From Standard Ramp) |
| Rear Stowable Ramp Kit: (2) 26"x6' Ramps, Extrusion to Hook Ramps (Stow Inside Barn Doors), (4) Extra Strap Hinges |
| Upgrade to Rear Ramp Door w/Spring Assist from Ultimate Contractor Package Barn Door w/Stow Ramps |
| Upgrade to Tapered Rear & Front Ramp Doors (Both Ramps; Inline) |

VENTS & WINDOW OPTIONS

| VENTS & WINDOW OPTIONS |
|--|
| 110V Power Roof Vent (Installed; Requires 30A Package) |
| 12V Power Roof Vent (Installed) |
| Fantastic Fan/Vent (Dometic 22-0462; Requires 30A Package) |
| Maxx-Air Roof Vent Cover (Installed) |
| Add 14"x14" Manual Roof Vent (Installed) |
| Upgrade to 14"x14" Manual Roof Vent (From Plastic Salem Vents) |

| VENTS & WINDOW OPTIONS (CONTINUED) |
|---|
| Two-Way Directional Salem Vent Kit (Aluminum; Pair) |
| 18"x24" Horizontal Radius Sliding Window w/Screen |
| 18"x24" Vertical Radius Sliding Window w/Screen |
| 24"x36" Radius Sliding Window w/Screen |
| 24"x36" Egress Sliding Window (Tinted w/Screen) |

12V LIGHTING & ELECTRICAL OPTIONS

| 12V LIGHTING & ELECTRICAL OPTIONS |
|--|
| Upgrade to 7-Way Plug w/Junction Box (From 4-Way Plug) |
| Anodized Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed) |
| Angled Back Up Lights (Pair; Installed) |
| Deep Cycle Marine Battery & Box (Installed) |
| 12V USB-C & USB-A Dual Recessed Receptacle |
| Additional 12V Dome Light (Installed) |
| Diamond Plate Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed) |
| Additional LED Stop/Turn/Tail Lights (Pair; Installed) |
| Add LED Backup Lights (Pair; Installed) |
| 18" 12V LED Light (Installed) |
| Upgrade Interior Dome Light to 12V 18" LED Light |
| Additional LED Economy Dome Light (460 Lumens) |
| Upgrade to LED Economy Dome Light (460 Lumens; From Incandescent Dome Light) |

| 12V LIGHTING & ELECTRICAL OPTIONS (CONTINUED) |
|--|
| K60 LED Exterior Scene Light Package: (1) 12V Wall Switch w/(2) K60 Scene Lights |
| Additional LED Strip Lights w/Chrome Trim & Integrated Backup Lights |
| Upgrade to Premium Light Package w/Backup Lights (Braked Models Only; Not Available on Contractor Models w/Barn Doors) |
| Upgrade to Premium Light Package w/o Backup Lights (Not Available on Contractor Models w/Barn Doors) |
| Upgrade to LED Strip Lights w/Chrome Trim & Integrated Backup Lights (From Standard Tail Lights) |
| LED Exterior Load Light Package: (1) 12V Wall Switch w/(1) 950 Lumens LED Load Light |
| Double LED Exterior Load Light Package: (1) 12V Wall Switch w/(2) 950 Lumens LED Load Lights |
| Upgrade to Additional LED Marker Lights Bullets |
| Mid-Ship Turn Signals (For Tandem Fenders Only; Pair) |
| Additional Recessed LED Puck Light |



POPULAR ENCLOSED OPTIONS CONTINUED

12V LIGHTING & ELECTRICAL OPTIONS CONTINUED

| 12V LIGHTING & ELECTRICAL OPTIONS |
|---|
| LED Puck Light Package Under Overhead Cabinet: (2) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch |
| Recessed LED Puck Light Package: (8) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch |
| LED Scare Light (Porch Light) w/12V Wall Switch |
| Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair) |
| LED Interior Strip Lighting w/Housing (Per Foot, Per Section) |
| Upgrade to 12V Electric Pedestal Jack w/Battery & Box (Installed) |

| 12V LIGHTING & ELECTRICAL OPTIONS (CONTINUED) |
|---|
| Upgrade to 12V Electric Pedestal Jack w/o Battery |
| Upgrade to Permaseal Wire Connectors |
| Add Standard 12V Power Jack (Cigarette Lighter Plug; Installed) |
| Trickle Charger for Battery (Installed) |
| 12 Volt Wall Switch (Installed) |
| 3-Way 12V Wall Switch (Installed) |
| Substitute 12V Wall Switch Instead of Wall Mounted Dome Light |

110V LIGHTING & ELECTRICAL OPTIONS

| 110V LIGHTING & ELECTRICAL OPTIONS |
|---|
| 110V Power Package #1: (1) 15 AMP Motorbase Plug, (1) Wall Switch, (1) Wall Receptacle, (1) 4' LED Wraparound Light |
| 110V Power Package #2: (1) 30 AMP Breaker Box w/25' Shore Line, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) GFCI Wall Receptacle, (2) 4' LED Wraparound Lights |
| 110V Power Package #3: (1) 30 AMP Panel, (1) Wall Switch, (4) Standard Wall Receptacles, (1) GFCI Receptacle, (4) 4' LED Wraparound Lights, (1) Brace & Wire Stub for A/C Unit |
| 110V Power Package #4: (1) 15 AMP Motorbase Plug, (2) Wall Receptacle |
| 110V Power Package #5: (1) 60A Breaker Panel w/60A Converter & 50A Motorbase Plug, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) USB Wall Receptacle, (1) GFCI Wall Receptacle, (2) 4' LED Wraparound Lights, 12V Deep Cycle Battery & Box |
| 30A Power Cord 25' Long (For Motorbase Plug) |
| 50A Power Cord 25' Long (For Motorbase Plug) |
| Upgrade to 50 AMP Breaker Box (Requires 110V Pkg #2) |
| 60A Power Converter (110V Package Required) |

| 110V LIGHTING & ELECTRICAL OPTIONS (CONTINUED) |
|--|
| Brace & Stub Wire for Future AC Installation (Requires 110V Pkg #2; 12 Gauge Wire & 20A Breaker) |
| Additional 4' LED Wraparound Light (Requires 110V Pkg #5) |
| Exterior GFCI Receptacle (Requires 30A Package) |
| GFCI Wall Receptacle (Requires 30A Package) |
| Motorbase Plug (Replaces Shore Line; 110V Package Required) |
| 15A Motorbase Plug |
| Add Wall Receptacle (Requires 30A Package) |
| 110 Volt Combo USB/Wall Outlet Receptacle (Installed; Requires 110V Pkg) |
| Add 110V Wall Switch (Requires 30A Package) |
| 110 Volt Wall Switch (3-Way; Requires 110V Pkg #2) |
| Upgrade to (3) 18" 12V LED Light From (2) 4' LED Wraparound |

INTERIOR OPTIONS

| INTERIOR OPTIONS |
|---|
| .030" Bonded Aluminum Ceiling (Interior; PBF) |
| 3/4" Foam Insulation (Ceiling Only; PBF) |
| White Vinyl Backed Luan (Ceiling Only; PBF) |
| Upgrade to .030" Bonded Aluminum Side Walls (Interior; PBF) |
| 12" Diamond Plate Kick Plate (PBF) |
| 12" Water Resistant Kick Plate (PBF) |
| 24" Diamond Plate Kick Plate (PBF) |
| 3/4" Foam Insulation (Side Walls; PBF) |
| Upgrade to White Vinyl Backed 3/8" Plywood (From 3/8" Water Resistant; PBF) |

| INTERIOR OPTIONS (CONTINUED) |
|--|
| Upgrade to 3/8" Water Resistant Walls (Snow Trailers; PBF) |
| Upgrade to 3/8" Plywood Walls (From 3/8" Water Resistant; PBF; May Extend Lead Time) |
| Upgrade to White Vinyl Backed Luan Walls w/Divider (From 3/8" WR; PBF) |
| 6" Diamond Plate Kick Plate (PBF) |
| 6" Extruded Aluminum Kick Plate (PBF) |
| Upgrade to Carpeted Walls (3' Up Wall; 4' For V-Nose; PLF) |
| Upgrade to 3/8" Plywood Walls (5' Wide; From Luan Walls; PBF) |
| Upgrade to Black TPO Coin Walls (3' Up Wall; 4' For V-Nose; PLF) |
| Upgrade to White Vinyl Backed Luan Walls w/Divider (Snow Trailers; PBF) |
| Upgrade to 3/8" Water Resistant Walls (From White Luan Walls; PBF) |

FLOORING OPTIONS

| FLOORING OPTIONS |
|---|
| .045" Aluminum Diamond Plate Floor Overlay (PLF) |
| Upgrade to 3/4" Quad Ply Decking (Non-Skid Surface, FRP Backer; PBF) |
| Upgrade to 3/4" Quad Ply Decking w/12" Quad Ply KP (Non-Skid Surface; FRP Backer; PBF; Snow Only) |
| Upgrade to 3/4" Pressure Treated Plywood (From 3/4" Water Resistant Decking; PBF) |
| Upgrade to 3/4" Water Resistant Decking (From 5/8" Water Resistant Decking; PBF) |
| Additional Layer of 3/4" Water Resistant Flooring (PBF) |

| FLOORING OPTIONS (CONTINUED) |
|--|
| Upgrade to Black Marble Vinyl Flooring (PLF) |
| Upgrade to Charcoal Carpet Flooring (PLF) |
| Upgrade to Checkerboard Vinyl Flooring (Black & White; PLF) |
| Painted Epoxy Floor Covering (PBF) |
| Upgrade to Extruded Aluminum Floor (Charge for Ramp & V-Nose; PLF) |
| Upgrade to Rubber Coin Flooring (Black; PLF) |
| Upgrade to TPO Coin Flooring (Black, PLF) |



POPULAR ENCLOSED OPTIONS CONTINUED

CABINET OPTIONS

| CABINET OPTIONS |
|--|
| V-Nose Base Cabinet (Black), 2-Door (50" & 60" Models) |
| V-Nose Base Cabinet (Black), 2-Door (72" Models; 69"W x 23"D x 37"H) |
| V-Nose Base Cabinet (Black), 4-Door (72" Models) |
| V-Nose Base Cabinet (Black), 2-Door (80" Models) |
| V-Nose Base Cabinet (Black), 4-Door (80" Models) |
| V-Nose Base Cabinet (Black), 2-Door (84" Models; 78"W x 22"D x 37"H) |
| V-Nose Base Cabinet (Black), 4-Door (84" Models; 74"W x 31"D x 37"H) |
| V-Nose Base Cabinet (Black), 2-Door (90" Models) |
| V-Nose Base Cabinet (Black), 2-Door (99" Models; 83"W x 30"D x 37"H) |
| V-Nose Base Cabinet (Black), 4-Door (99" Models; 83"W x 30"D x 37"H) |
| V-Nose Overhead Cabinet (Black), 2-Door (50" & 60" Models) |
| Upgrade V-Nose Overhead Cabinet to Full Width/Depth of V-Nose (72", 80" & 84" Wide Models) |
| V-Nose Overhead Cabinet (Black), 2-Door (72" Models; 40"W x 13"D x 19"H) |
| V-Nose Overhead Cabinet (Black), 2-Door (80" Models) |
| V-Nose Overhead Cabinet (Black), 2-Door (84" Models) |
| V-Nose Overhead Cabinet (Black), 2-Door (90" Models) |
| V-Nose Overhead Cabinet (Black), 2-Door (99" Models; 56"W x 19"D x 19"H) |
| V-Nose Overhead Cabinet (Black), 2-Door (99" Models) |

INTERIOR ACCESSORIES

| INTERIOR ACCESSORIES |
|--|
| Fold-Down Padded Bench (48"L; Vertical Design) |
| Premium 50" Fold-Up Padded Bench |
| Premium 36" Fold-Up Work Bench w/Integrated Tool Storage |
| Fold Down Bench (12" x 48"; Work or Seating) |
| Premium Ceiling-Mounted Coat Hanger (38", 22 Hooks) |
| Premium Wall-Mounted Coat Hanger (47.5", 10 Hooks) |

EXTERIOR OPTIONS

| EXTERIOR OPTIONS |
|--|
| Upgrade to Translucent Roofing (From Mill-Finish Aluminum; PBF) |
| Add Red & White DOT Tape to Trailer (PLF; Required on All Trailers Over 10,000lb GVWR) |
| Exterior Powder Coat Package (No Front Ramp Models; PBF) |
| Exterior Powder Coat Package (Inline; PBF) |
| Anodized Aluminum Side & Rear Trim Panel (12"; PBF) |
| Aluminum Diamond Plate Side & Rear Trim Panel (12"; PBF) |
| Anodized Aluminum Side & Rear Trim Panel (24"; PBF) |

JACKS & JACKS ACCESSORIES

| JACKS & JACKS ACCESSORIES |
|--|
| Bogey/Caster Wheels (Installed; Pair) |
| HD Drag Wheels (AH Version) |
| Upgrade to 8000# Pedestal Jack (From 1500# Wheel Jack) |

| CABINET OPTIONS (CONTINUED) |
|--|
| 4' Straight Wall Base Cabinet (Black), 2-Door (48"W x 24"D x 37"H) |
| 5' Straight Wall Base Cabinet (Black), 2-Door (60"W x 24"D x 37"H) |
| 6' Straight Wall Base Cabinet (Black), 2-Door (72"W x 24"D x 37"H) |
| 8' Straight Wall Base Cabinet (Black), 2-Door (96"W x 24"D x 37"H) |
| 8' Straight Wall Base Cabinet (Black), 4-Door |
| Upgrade Base Cabinet to 28" L-Shape Extension |
| Deluxe Overhead Cabinet w/Four Doors (Black; 96"L x 18"H x 13"D) |
| Overhead Cabinet w/Two Flip-Up Doors (Black; 96"L x 18"H x 12"D) |
| Overhead Cabinet w/One Flip-Up Door (48"L x 18"H x 13"D) |
| Overhead Cabinet w/Two Doors (Black; 48"L x 18"H x 13"D) |
| Overhead Cabinet w/Single Door (Black; 62"L x 18"H x 12"D) |
| Deluxe Overhead Cabinet w/Four Doors (Black; 72"L x 18"H x 13"D) |
| Clothing Rod for Overhead Cabinets (48" Cabinets Only) |
| 24" Wide Wardrobe Cabinet w/Shelf & Clothing Rod (Black; 2'x2'x72") |
| 36" Wide Wardrobe Cabinet w/Door, Shelf, Clothing Rod (Black; (36"W x 24"D x 76"H) |
| 6' Wheel Well Cabinet w/2 Doors, 3 Shelves (Black) |
| Upgrade to Formica Countertop (Base Cabinet Sold Separately) |

| INTERIOR ACCESSORIES (CONTINUED) |
|--|
| 4' Coat Hook Package: (1) 4' Piece Slide Track (6) Sliding Hooks |
| Sloped Fender Kit w/Ski Guides (.090 Mill Finish) |
| Premium Cup Holder |
| Premium (2) Race Fuel Holder |
| Premium (3) Race Fuel Holder |
| Deluxe 8' Tire Rack (Foldable; for Enclosed) |

| EXTERIOR OPTIONS (CONTINUED) |
|--|
| Aluminum Diamond Plate Side & Rear Trim Panel (24"; PBF) |
| Upgrade to 36" Stone Guard (From 24"; V-Nose) |
| Upgrade to 48" Stone Guard (From 24"; V-Nose) |
| Two-Tone Color Package w/6" Anodized Divider |
| Two-Tone Color Package w/No Anodized Divider |
| Upgrade to Anodized Nose Cone |
| Ladder Racks & Catwalk Options |

| JACKS & JACKS ACCESSORIES (CONTINUED) |
|---|
| Upgrade to Wheel on 2000# Center Jack |
| Scissor Jacks (Camper Style; Installed; Pair) |
| Stabilizer Jacks (Installed; Pair) |



POPULAR ENCLOSED OPTIONS CONTINUED

LADDER RACKS & CATWALK OPTIONS

| LADDER RACKS & CATWALK OPTIONS | LADDER RACKS & CATWALK OPTIONS (CONTINUED) |
|---|---|
| Exterior Ladder to Roof (Mounted on V-Nose w/6" Gap Between Ladder & Side Wall) | Exterior Ladder to Roof (Mounted on V-Nose w/6" Gap Between Ladder & Side Wall) |
| Diamond Plate Overlay Behind Exterior Ladder | Diamond Plate Overlay Behind Exterior Ladder |
| Deluxe Ladder Rack (Enclosed Cargo; Installed; Not Available w/Radius Roof) | Deluxe Ladder Rack (Enclosed Cargo; Installed; Not Available w/Radius Roof) |
| 10' Catwalk w/3 Roof Racks & Ladder (Not Available w/Radius Roof) | 10' Catwalk w/3 Roof Racks & Ladder (Not Available w/Radius Roof) |
| 12' Catwalk w/3 Ladder Racks & Ladder (Not Available w/Radius Roof) | 12' Catwalk w/3 Ladder Racks & Ladder (Not Available w/Radius Roof) |
| 10' Catwalk w/3 Roof Racks & Ladder (Not Available w/Radius Roof) | 10' Catwalk w/3 Roof Racks & Ladder (Not Available w/Radius Roof) |

TRACK MATS & SKI GUIDES

| TRACK MATS & SKI GUIDES | TRACK MATS & SKI GUIDES (CONTINUED) |
|---------------------------------|---------------------------------------|
| Ski Guides 12' – Box Only (Set) | TraxMat – 14' Box |
| Ski Guides 14' – Box Only (Set) | TraxMat – 16' Box |
| Ski Guides 16' – Box Only (Set) | TraxMat – 18' Box |
| Ski Guides 18' – Box Only (Set) | TraxMat – 20' Box |
| Ski Guides 20' – Box Only (Set) | TraxMat – 22' Box |
| Ski Guides 22' – Box Only (Set) | TraxMat – 24' Box |
| Ski Guides 24' – Box Only (Set) | TraxMat – Front Ramp |
| Ski Guides – Front Ramp (Set) | TraxMat – Rear Ramp |
| Ski Guides – Rear Ramp (Set) | Paddle Grabbers (Installed; Set of 6) |
| TraxMat – 12' Box | Paddle Grabbers – Front Ramp |
| | Paddle Grabbers – Rear Ramp |



RAMP CAPACITY BY MODEL

| Ramp Type | Applicable Models | Capacity |
|--|-------------------|----------|
| Enclosed Cargo (4' - 6' Wide Models) | (All Sizes) | 1500# |
| Enclosed Cargo (7' - 7.5' Wide Models) | (All Sizes) | 1500# |
| Enclosed Cargo (8.5' Wide Economy Models) | (All Sizes) | 4000# |
| Enclosed Car Hauler (8.5' Wide Models) | (All Sizes) | 4000# |
| Enclosed Snowmobile Rear (7', 7.5', 101" Wide Models) | (All Sizes) | 1500# |
| Enclosed Snowmobile Front (7', 7.5', 101" Wide Models) | (All Sizes) | 1200# |



TONGUE EXTENSION BY MODEL

| Trailer Type | Allowable Extension | Additional Requirements | Item Number | Description |
|--|-------------------------|--|---------------|--|
| Enclosed Cargo (4' - 5' Wide) | N/A | Frame Upgrade Required; Consult Engineering | N/A | N/A |
| Enclosed Cargo (6' - 7.5' Wide) | 12" | Economy Models Require Center Beam Upgrade | TONGUE12EXT | 12" Extended Tongue For 3k Tandem Axle Enclosed with 2"x5" Frame Includes Center Beam Upgrade; Not Available for All Sport or Snow Trailers |
| Enclosed Cargo (8.5' Wide, Economy) | 12" (16" w/ Upgrade) | Minimum 6" Frame for 16" Tongue Extension; Upgrade May Be Required | TONGUE12EXT | 12" Extended Tongue For 3k Tandem Axle Enclosed with 2"x5" Frame Includes Center Beam Upgrade; Not Available for All Sport or Snow Trailers |
| Enclosed Car Hauler (8.5' Wide, Economy) | 12" / 16" | Minimum 6" Frame for 16" Tongue Extension; Upgrade May Be Required | TONGUE16EXTCH | 16" Extended Tongue For 5k Tandem Axle Enclosed; with 2"x6" Frame or Larger Not Available for All Sport or Snow Trailers |
| Enclosed Snowmobile (7' - 7.5' Wide) | N/A | Extended Tongue Incompatible w/Front Ramp | N/A | N/A |

**Please note that all 5k tandem trailers w/extended tongues require a minimum of 6" base frame, regardless of brand/model