

ENCLOSED XLT PRO CAR HAULERS

20' XLT PRO & 24' XLT PRO



20' & 24'

STANDARD FEATURES

- > All-Aluminum Construction
- > One-Piece Aluminum Roof
- > Integrated Frame Design
- > Beavertail Construction
- > V-Nose Construction
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop
- > (4) HD 5,000# Recessed D-Rings
- > HD Rear Ramp w/ Spring Assist & Aluminum Hardware
- > Plastic Salem Vents
- > (1) Interior Dome Light near SAD (No Wall Switch)
- > LED Slimline Stop/Turn/Tail Lights
- > LED ID Marker Light Bar (Top/Center Bulkhead)
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > 3" Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	8.5x20 CH XLT Pro	8.5x24 CH XLT Pro
Model Number	EZEC8.5x20CH-XLT-P	EZEC8.5x24CH-XLT-P
Subframe	2"x5"	2"x6"
Floor & Roof Studs	16" O/C	16" O/C
Wall Studs	16" O/C	16" O/C
Box (WxLxH)	99"x20'x84"	99"x24'x84"
Interior (WxLxH)	96"x19'10"x6'10"	96"x23'10"x6'10"
Overall (WxLxH)	102"x24'x104"	102"x28'x104"
Deck Height	17"	17"
Hitch Height	19"	19"
Rear Door Opening (WxH)	91"x79-1/4"	91"x80-1/4"
V-Nose	36"	36"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked
GVWR	7000#	9000#
Wheels	15" Gloss Black Mods	15" Gloss Black Mods
Tires	205/75R15	225/75R15
Side Door	32"x72"	32"x72"
Ball Size	2-5/16"	2-5/16"
Jack	5000# Center Jack	5000# Center Jack
Safety Chains	--	--
Curb Weight	2580#	2840#
Payload	4420#	7150#



XLT PRO CAR HAULERS

20' XLT PRO & 24' XLT PRO CONTINUED

20' & 24' *continued*

OPTIONS & ACCESSORIES

DOOR/WINDOW/VENT OPTIONS

2018 Elite Escape Door (6'x8' Fold-Up Door w/ Removable Fender (9'W w/ Spread Axle))

COLOR OPTIONS



Windstar Silver



Flat Black



Crystal White



Indigo Blue



Penske Yellow



Forest Green



Orange



Charcoal



Pewter Metallic



Victory Red



Champagne



Brandywine



RAMP CAPACITY BY MODEL

STANDARD SPECIFICATIONS

RAMP TYPE	Applicable Models	Capacity
Enclosed Cargo (4' - 6' Wide Models)	(All Sizes)	1500#
Enclosed Cargo (7 - 7.5' Wide Models)	(All Sizes)	1500#
Enclosed Cargo (8.5' Wide, Economy)	(All Sizes)	4000#
Enclosed Car Hauler (8.5' Wide Models)	(All Sizes)	4000#
Enclosed Snowmobile (7', 7.5', 101" Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile (7', 7.5', 101" Wide, Front)	(All Sizes)	1200#



TONGUE EXTENSION BY MODEL

TRAILER TYPE	ALLOWABLE EXTENSION	ADDITIONAL REQUIREMENTS	ITEM NUMBER	DESCRIPTION
Enclosed Cargo (4' - 5' Wide)	N/A	Frame Upgrade Required, Consult Engineering	N/A	N/A
Enclosed Cargo (6' - 7.5' Wide)	12"	Economy Models Require Center Beam Upgrade	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade (Not Available for All Sport/Snow Trailers)
Enclosed Cargo (8.5' Wide, Economy)	12" (16" w/ Upgrade)	Min. 6" Frame For 16" Tongue Extension, Upgrade May Be Required	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade (Not Available for All Sport/Snow Trailers)
Enclosed Car Hauler (8.5' Wide, Economy)	12"/16"	Min. 6" Frame For 16" Tongue Extension, Upgrade May Be Required	TONGUE16EXTCH	16" Extended Tongue (For 5k Tandem Axle Enclosed; Trailer Must have 2"x6" Frame or Larger) (Not Available for All Sport/Snow Trailers)
Enclosed Snowmobile (7 - 7.5' Wide)	N/A	Extended Tongue Incompatible With Front Ramp	N/A	N/A

**Please note that all 5k tandem trailers w/extended tongues require a minimum of 6" base frame, regardless of brand/model