TILTING SINGLE **PLACE SNOW**

10', 11', 12'

STANDARD FEATURES

STANDARD SPECIFICATIONS

127

- > All-Aluminum Construction
- > 5/8" Pressure Treated Decking
- > 24" 0/C Crossmembers
- > Recessed LED Marker Lights > Torsion Ride Suspension
 - > Full Length Slide Track Tie-Down

10', 11', 12'

System w/Ski Tie-Down Bar

- > Straight Pull Tongue
- > 3500# Straight Coupler w/2" Ball
- > (2) 5000# Safety Chains
- > 1-Year Limited Warranty

TRAILER MODEL	52"X10'	52"X11'	52"X12'
Model Number	SNOPR052X10LITE	SNOPR052X11LITE	SNOPR052X12LITE
Deck (WxL)	52"x10'	52"x11'	52"x12'
Overall (WxL)	72"x13'10"	72"x14'10"	80"x15'10"
Subframe Tubing	2"x3"	2"x3"	2"x3"
Deck Height	16"	16" 16"	
Axle(s) - Qty/Rating	1-2200#	1-2200#	1-2200#
Wheels	12" E-Rated Silver Mod	12" E-Rated Silver Mod	12" E-Rated Silver Mod
Tires	ST145/R12E	ST145/R12E	ST145/R12E
GVWR	2200#	2200#	2200#
Curb Weight	380#	400#	435#
Payload	1820#	1800#	1765#
Hitch Height	12"	12"	12"
Power Connection	4-Way Flat	4-Way Flat 4-Way Flat	
Rolled Rear Edge Loading Protector	Standard	Standard	Standard

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS	ACCESSORIES
Upgrade to Wishbone Tongue	1200# Wheel Jack
Rolled Rear Edge Protector	Single Prop Tilt Assist
AXLE OPTIONS	Upgrade to 5' Stowaway for Open Snow (w/Track Mats & Ski Guides)
Upgrade to 1-3K Torsion Idler Axle (From 1-2K Torsion Idler)	Ski Guides (10')
TIRE/WHEEL ASSEMBLIES & ACCESSORIES	Ski Guides (12')
Upgrade to 13" Tires from 12" Tires	Track Mats for Open Snow (Set); Rear 6' of Trailer
Upgrade to 15" Tires from 12" Tires (Includes Drop Hitch)	Paddle Grabbers (Set of 6)
Spare 12" Silver Mod	52" Diamond Plate Salt Shield
Spare 13" Silver Mod	Additional D-Rings for Slide Track
Spare 15" Silver Mod	



RAMP CAPACITY BY MODEL

Ramp Туре	Applicable Models	Capacity
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes), RA 2.0 (All Sizes), RW 2.0 (All Sizes), FA 2.0 (All Sizes), LANDSCAPE (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes), RA 2.0 (Optional, All Sizes), RW 2.0 (Optional, All Sizes), FA 2.0 (Optional, All Sizes), LANDSCAPE (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (PAIR)
Deckover Equipment Trailer Ramps -14K (Fold-Down)	(All Sizes)	5000# (PAIR)
UHD Ramps (Fold-Down)	(All Sizes)	4000# (PAIR)
UHD Ramps -14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Dump Trailers (Side-Stow, Optional)	(All Sizes)	4000# (PAIR)
ATV (83-Wide, Side-Stow)	(All Sizes)	1200# (PAIR)
ATV (84, 98-Wide, Side-Stow)	(All Sizes)	750# (PAIR)
Open Motorcycle (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	U-SLINGSHOT	1500#
Open Car Hauler 2.0 (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler 2.0-10K (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler Standard (Stow)	(All Sizes)	4000# (PAIR)
Open Snow (Rear-Stow)	SnoPro Drive On/Off	750#
Sport Deck (Rear-Stow, Telescoping)	SSD	1000#
Enclosed Cargo (4, 5, 6-Wide)	(All Sizes)	1500#
Enclosed Cargo (7, 7.5-Wide)	(All Sizes)	1500#
Enclosed Cargo (8.5-Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle (7-Wide)	(All Sizes)	1500#
Enclosed Car Hauler (8.5-Wide)	(All Sizes)	4000#
Enclosed Gooseneck (8.5-Wide, REAR)	(All Sizes)	4000#
Enclosed Gooseneck (8.5-Wide, SIDE, Optional)	(All Sizes)	1200#
Enclosed Snowmobile (7, 7.5, 101-Wide, REAR)	(All Sizes)	1500#
Enclosed Snowmobile (7, 7.5, 101-Wide, FRONT)	(All Sizes)	1200#
Enclosed Snowmobile (Hybrid, REAR)	(All Sizes)	1500#





TONGUE EXTENSION BY MODEL

TRAILER TYPE	ALLOWABLE Extension	ADDITIONAL REQUIREMENTS	ITEM NUMBER	DESCRIPTION
Enclosed Cargo (4, 5-Wide)	NA	FRAME UPGRADE REQUIRED, CONSULT ENGINEERING	NA	
Enclosed Cargo (6, 7, 7.5-Wide)	12"		TONGUE 12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Cargo (8.5-Wide, Premium)	12" (16" w/ UPGRADE)	Min 6" Frame For	TONGUE 12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Motorcycle (7-Wide)	12"	16" TONGUE EXTENSION, UPGRADE MAY BE REQUIRED	TONGUE 12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Car Hauler (8.5-Wide, Premium)	16"		TONGUE16EXTCH	16" Extended Tongue (For 5k Tandem Axle Enclosed; Trailer Must have 2"x6" Frame or Larger) ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Car Hauler - All Sports (8.5-Wide)	NA	EXTENDED TONGUE INCOMPATIBLE WITH FRONT RAMP	NA	NA
Enclosed Snowmobile (7, 7.5-Wide)	NA	EXTENDED TONGUE INCOMPATIBLE WITH FRONT RAMP	NA	NA
Enclosed Snowmobile (101-Wide)	10"	REQUIRES 3x5 TONGUE UPGRADE w/ STRAIGHT-PULL COUPLER	TBD	TBD

